

ANNEXURE I

Consent to Operate

**BIHAR STATE POLLUTION CONTROL BOARD**

Beltron Bhawan, Shastri Nagar, Patna - 800 023

Ref. No- 606

Patna, dated- 22-4-19

EMISSION CONSENT ORDER

With reference to the application ID: 2101215, dated 19.12.2018 of M/s Govardhan Ispat India Pvt. Ltd., 69 Patliputra Colony, Dist.- Patna for consent under sections 21 of the Air (Prevention & Control of Pollution) Act, 1981, hereby is/are granted consent to operate of his unit At- Simli Murarpur, Patna City, Dist.-Patna-800008 for the period upto 31.12.2023 subject to the following conditions:- (M. S Section (MS Structure-Angle, Channel, Patti, Rod)- 200 MT/day)

- 1 That, he/they shall not make any alteration, addition, deletion or modification in the plant without the prior clearance from the Board and shall also abide by the obligations under sections 22,23 and 31A of the Air (Prevention & Control of Pollution) Act, 1981 and further shall extend co-operation to the Board in performing its functions entrusted under sections 24,25 and 26 of the Act.
- 2 That, he/they shall comply with the requirements of rule 14 of the Environment(Protection) Rules, 1986; rules 4,5,7,9,10 and 11 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules,2016; rules 4,5,7,8,10,11,12,13,15,17 and 18 of the Manufacture, Storage and Import of Hazardous Chemical Rules,1989 and the provisions of the Public Liability Insurance Act,1991 whichever is applicable.
- 3 That, he/they shall monitor his/their emission(s) and the ambient air quality from representative point regularly and shall maintain its quality in conformity with Board's standards and shall produce its proof, as and when asked for.
- 4 That, he/they shall submit application for consent again 30 days before the expiration of the period of consent i.e 30.11.2023 or within 30 days from the date of receipt of this order, whichever is applicable.
- 5 That, the height of stack attached with the reheating furnace shall not be less than 30mtrs. from the ground level, provided with Air Pollution Control systems and proper monitor Air facilities i.e Port hole, platform and ladder for fluegas emission.
- 6 That, the unit shall submit Ambient Air Quality, Stack Monitoring report and Ambient Noise Level report yearly to the Board and the quality of emission shall be as per prescribed Standard of the Board.
- 7 That, they shall submit Environmental Statement of every financial year by the month of September every year.
- 8 That, water spraying shall be done on all pollution generating point inside the unit.
- 9 That, the unit shall store their solid waste ash etc inside the premises and use/disposed off properly.
- 10 That, adequate safety measures shall be provided inside the unit.
- 11 That, the unit shall develop tree plantation all around the campus and shall be kept maintained.
- 12 The unit shall have a display board near the site stating name of unit/industry with address/name of proprietor with address and ref memo no and date of consent with its validity period granted by the Board.

To,

Sri Binay Kumar Singh
M/s Govardhan Ispat India Pvt. Ltd.
69 Patliputra Colony, Dist.- Patna

 27/4/19
(Alok Kumar)
Member Secretary
L



BIHAR STATE POLLUTION CONTROL BOARD

Parivesh Bhawan, NSB-2, Patliputra Industrial Area
Patliputra, Patna - 800 010

Ref. No.- 607

Patna, dated- 27-8-19

DISCHARGE CONSENT ORDER

With reference to the application ID - 2101215, dated 19.12.2018 of M/s Govardhan Ispat India Pvt. Ltd., 69 Patliputra Colony, Dist.- Patna for consent to operate under sections 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, he/they is/are granted consent to bring into use his/their new/alterd/existing outlet(s) for discharge of trade effluent and/or domestic sewage operate his/her plant At- Simli Murarpur, Patna City, Dist.-Patna-800008 for the period upto 31.12.2023 subject to the following conditions:-

(M. S Section (MS Structure- Angle, Channel, Patti, Rod)- 200 MT/day)

- 1 That, he/they shall not make any alteration, addition, deletion or modification in the plant without the prior clearance from the Board and shall also abide by the obligations under sections 24,31 and 33A of the Water (Prevention & Control of Pollution) Act,1974 and further shall extend co-operation to the Board in performing its functions entrusted under sections 20,21,23,30 and 32 of the Act ;
- 2 That, he/they shall comply with the the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977, rule 14 of the Environment (Protection) Rules, 1986; provisions of the Hazardous & Other Wastes (Management & Transboundary Movement) rules, 2016; rules 4,5,7,8,10,11,12,13, 15,17 and 18 of the Manufacture, Storage and Import of Hazardous Chemical Rules,1989, and the provisions of the Public Liability Insurance Act,1991 whichever is applicable.
- 3 That, he/they shall submit application for consent again 30 days before the expiration of the period of consent i.e. 30.11.2023 or within 30 days from the date of receipt of this order, whichever is applicable.
- 4 That, the cooling water shall be kept in recirculation system discharge in any, it shall conform to the Board's standard and submit analysis report annually.
- 5 That, the unit shall submit Environmental statement of every financial year by the month of September every year and that shall conform to the standard of the Board.
- 6 The unit shall have a display board near the site stating name of unit/industry with address/name of proprietor with address and ref memo no and date of consent with its validity period granted by the Board.

To,

Sri Binay Kumar Singh
M/s Govardhan Ispat India Pvt. Ltd.
69 Patliputra Colony, Dist.- Patna

 27/8/19

(Alok Kumar)
Member Secretary

L

ANNEXURE II

Copy of Land Document

भारतीय गैर न्यायिक INDIA NON JUDICIAL

एक हजार रुपये

ONE THOUSAND RUPEES

रु. 1000

Rs.1000

बिहार BIHAR

১৪৭০৭

23-1-01

2600

Sri Lanka / 800 / C 245457

C 245457

बिहार सरकार

अवर निबंधन कार्यालय, पटने

दिनांक 29/09/2009 को

Rampraveen Singh

द्वारा  दस्तावेज

निबंधन हेतु उपस्थापित किया गया। इसमें रु० 1278000/- मुद्रांक शुल्क एवं रु० 320604/- निर्बंधन तथा अन्य शुल्क का भुगतान किया गया। गदस्तावेज ग्राह्य बायां तथा जिन लेखकारियों ने भेरे समस्त इसका निष्पादन स्वीकार किया उनके तथा उनके पहचानकर्ता के नाम, फोटो, अंगुलियों के निशान एवं हस्ताक्षर पीछे अंकित है। इस दस्तावेज सं० 4536 के रूप में पुस्तक सं० 1 की जिल्द सं० 75 के पृष्ठ सं० 546 से 565 तक CD-12 में आज निर्बंधित एवं कुल 20 पृष्ठों में संधारित किया गया।

(Nilesh Kumar

निबंधन पदाधिकारी

Date : 29/09/2009

Absolute Sale Deed

(1) लेख्यकारीगण का नाम एवं पता:-

1. श्री रामप्रवीण सिंह, पिता का
नाम-स्वर्गीय भागवत सिंह,



SCANNED
No. of Pages 20

भारतीय गैर न्यायिक INDIA NON JUDICIAL

एक हजार रुपये
रु.1000

ONE THOUSAND RUPEES
Rs.1000



क्र. संख्या 1890 दिनांक 22/05/2009 राट संख्या 8
सेवा का नाम एवं पता जे.जे.ए.

C 245458

शिवनाथ प्रसाद, पटना जिला 821007
फा. नं०-122/75, नि. कार्या, पटना जिला

2. श्री रंजीत कुमार,
3. श्री राजीव कुमार,

दोनों के पिता का नाम- श्री रामप्रवीण सिंह (लेख्यकारी संख्या-एक), निवास स्थान ग्राम- रायबाग, पटना सिटी, थाना- दीदारगंज, पत्रालय- कच्ची दरगाह, जिला- पटना।

4. श्रीमती रामसखी देवी, पति का नाम- स्वर्गीय भागवत सिंह,



महोदय श्री रंजीत कुमार, पति का नाम- श्री रामप्रवीण सिंह, निवास स्थान ग्राम- रायबाग, पटना सिटी, थाना- दीदारगंज, पत्रालय- कच्ची दरगाह, जिला- पटना।
22/05/2009

रंजीत कुमार

22/05/2009

श्री रंजीत कुमार, पति का नाम- श्री रामप्रवीण सिंह, निवास स्थान ग्राम- रायबाग, पटना सिटी, थाना- दीदारगंज, पत्रालय- कच्ची दरगाह, जिला- पटना।

एक हजार रुपये

₹.1000

ONE THOUSAND RUPEES

Rs.1000

बिहार BIHAR

C-245459

शिवनाथ प्रसाद, नृदाक जिल्ला-१२
भा.सं.-१२२/७६, नि.का.प.६, पटना जिल्ला

5. श्री मनीलाल सिंह, पिता का नाम-स्वर्गीय भोगवत सिंह,
6. श्रीमती शारदा देवी, पति का नाम-स्वर्गीय रामप्रवेश सिंह, खुद वो वली संजीव कुमार टोनी पुत्र नाबालिग अपने,
7. श्री अजीत कुमार,
8. श्री सजीत कुमार,

[illegible]

$\frac{60}{60} = 1$

24/9/09

भारतीय गैर न्यायिक INDIA NON JUDICIAL

एक हजार रुपये

रु.1000

ONE THOUSAND RUPEES

Rs.1000

बिहार BIHAR

C 245460

78902 23-10-8000

अज्ञात

विभाग प्रमुख, न्यायिक विभाग
आ. नं-122/75, वि. वि. वि. वि.

दोनों के पिता का नाम-स्वर्गीय रामप्रवेश सिंह,

9. श्रीमती धर्मशीला देवी, पति का नाम-श्री तेज नारायण सिंह को पुत्री स्वर्गीय भागवत सिंह,

लेख्यकारी संख्या चार से नौ तक का निवास स्थान ग्राम- शुकुलपुर, पटना सिटी, थाना- दीदारांज, पत्रालय- कच्ची दरगाह, जिला- पटना।

सं. २०२२/२०२३ दि. २३/१०/२०२३
श्रीमती धर्मशीला देवी, पति का नाम-श्री तेज नारायण सिंह को पुत्री स्वर्गीय भागवत सिंह,
लेख्यकारी संख्या चार से नौ तक का निवास स्थान ग्राम- शुकुलपुर, पटना सिटी, थाना- दीदारांज, पत्रालय- कच्ची दरगाह, जिला- पटना।
आ. नं-122/75, वि. वि. वि. वि.

राजपुत्र
बालक

भाया बेगमपुर, पटना- 800009, जिला- पटना।
भारतीय नागरिक हैं।

(3) लेख्य प्रकार:- निर्विवाद विक्रय पत्र।

(Absolute Sale Deed).

(4) सम्पत्ति का मूल्य:-

अंकेन 22,02,000/- (बाईस लाख दो हजार)

रुपये मात्र वो सम्पत्ति का वर्तमान बाजार मूल्य

अंकेन 1,59,75,000/- (एक करोड़ उनसठ

लाख पचहत्तर हजार) रुपये मात्र होता है,

जिसपर मुद्रांक एवं निबंधन शुल्क दी गई है।

(5) सम्पत्ति का सम्पूर्ण विवरण:-

क्षेत्रफल 02 एकड़ 80½ डिसमिल (दो एकड़ साठ

अस्सी डिसमिल) जिसका विषौती एराजी चार विघा

नौ कट्ठा पन्द्रह धुर चार धुरकी होता है। कृषि भूमि

हकरैयती लायक सकना, सम्पत्ति अवस्थित मौजा-

सिमली मुरारपुर (एन0एच0 के दक्षिण), सर्वे थाना-

पटना सिटी (मालसलामी) वो वर्तमान थाना-

दीदारगंज, जिला-पटना। अवर निबंधन कार्यालय

पटना सिटी वो जिला निबंधन कार्यालय पटना।

वसिमा पदवीक एन एम एन सी सब मीम ई सुका रूपाना
वसिमा से वसिमा में विच्छेद नोम का शब्दमागन सुमरन
पठ ११० वैवेदई मिह एका वैवेदई मिह विवेका
नो विज्ञान मेरे मागन वगडि ११, २५/११/०९
(नोवीम मि २४४८ दो एलाए नो)



29/9/09

सम्पत्ति पटना क्षेत्रीय विकास प्राधिकार क्षेत्र के अन्दर है। जिसका तौजी संख्या-281 (दो सौ इक्यासी) पुराना वो वर्तमान तौजी बिहार सरकार, थाना संख्या-38 (अड़तीस), खाता संख्या-349 एवं 344 (तीन सौ उनचास वो तीन सौ चौवालीस), खंहरा संख्या-2019, 2020, 2021 एवं 2022 (दो हजार उन्नीस, दो हजार बीस, दो हजार इक्कीस एवं दो हजार बाईस) का अंश, मिनजुमला पांच एकड़ एकसठ डिसमिल में से दक्षिण तरफ बिक्री हुई है। भूमि का वार्षिक लगान अंकन 28 रुपया अलावे शेष, अंचल सदर पटना। पुराना जमाबंदी संख्या- 23 है।

चौहद्दी

- उत्तर : निज लेख्यकारीगण वर्तमान क्रेता श्री गिरजा शंकर प्रसाद, वर्णित प्लॉट का भाग।
- दक्षिण : श्री फट्टु सिंह वो श्री चुन्नु सिंह।
- पूरब : डगर (सहायक रास्ता)।
- पश्चिम : सहायक रास्ता।

राज अजीत कुमार सिन्हा एवं ललित कौशिक के द्वारा सहायक रास्ता के प्लॉट का जमाबंदी संख्या- 281 (दो सौ इक्यासी) पुराना वो वर्तमान तौजी बिहार सरकार, थाना संख्या-38 (अड़तीस), खाता संख्या-349 एवं 344 (तीन सौ उनचास वो तीन सौ चौवालीस), खंहरा संख्या-2019, 2020, 2021 एवं 2022 (दो हजार उन्नीस, दो हजार बीस, दो हजार इक्कीस एवं दो हजार बाईस) का अंश, मिनजुमला पांच एकड़ एकसठ डिसमिल में से दक्षिण तरफ बिक्री हुई है। भूमि का वार्षिक लगान अंकन 28 रुपया अलावे शेष, अंचल सदर पटना। पुराना जमाबंदी संख्या- 23 है।

दि: 24-09-2009 (निर्दिष्ट दिनांक के लिए)

अजीत कुमार



राज अजीत कुमार
24/9/09

24/9/09

लेख्य का कथन

इस विक्रय पत्र के खाने संख्या 5 की वर्णित सम्पत्ति को और भी सम्पत्तियों के साथ भागवत सिंह (लेख्यकारी संख्या-चार के पति वो लेख्यकारी संख्या-एक, पांच, नौ, दस, ग्यारह एवं बारह के पिता एवं लेख्यकारणी संख्या-छः के ससुर वो लेख्यकारी संख्या-सात वो आठ के दादा) ने एक निर्बोधित बसीका विक्रय पत्र संख्या- आर-3/ब.ब.ब.-2783, सन् 2000 ई० को विक्रेता- श्री सत्य नारायण सिंह, पिता का नाम-स्वर्गीय नन्द लाल सिंह, निवास स्थान ग्राम- पुनाडीह, थाना- दीदारगंज, जिला-पटना, चहैसियत पावर ऑफ अटर्नी होल्डर मिनजानिब 1. श्रीमती रामसखी देवी, पति का नाम- श्री यदुनन्दन सिंह, 2. श्री यदुनन्दन सिंह, पिता का नाम-स्वर्गीय महावीर सिंह, 3. श्री नवल सिंह, 4. श्री अजय शर्मा, दोनों के पिता का नाम-श्री यदुनन्दन सिंह, 5. श्रीमती जगमोती देवी, पति का नाम-श्री पंचानन्दन सिंह, 6. श्री पंचानन्दन सिंह, पिता का नाम-स्वर्गीय महावीर सिंह, 7. श्री सुरेश शर्मा, 8. श्री उमेश शर्मा, दोनों के पिता का नाम- श्री पंचानन्दन सिंह, 9. श्री चतुरानन्दन सिंह, पिता का नाम-स्वर्गीय महावीर सिंह, 10. श्री अवधेश शर्मा, 11. श्री शैलेन्द्र कुमार, 12. श्री पवन कुमार, तीनों के पिता का नाम-श्री चतुरानन्दन सिंह, सभी का निवास

1. die Erde
 2. die Luft
 3. das Wasser
 4. die Sonne
 5. der Mond
 6. die Sterne
 7. die Blumen
 8. die Tiere
 9. die Menschen
 10. die Pflanzen

510-2460912009

91 of 91 finished 24 Dec 2017 20:09



2006/12
2006/12

स्थान ग्राम-पुनाडीह, थाना-दीदारगंज, जिला-पटना से
तारीख 11-8-2000 ई0 को खरीद किये थे। जिसकी
निबंधन महानगर निबंधन कार्यालय मुंबई में हुई थी।

यह कि तारीख खरीदारी से श्री भागवत सिंह
(लेख्यकारी संख्या-चार के पति वो लेख्यकारी संख्या-
एक, पांच, नौ, दस, ग्यारह एवं बारह के पिता एवं
लेख्यकारी संख्या-छः के ससुर वो लेख्यकारी संख्या-
सात वो आठ के दादा) वर्णित खरीदारी सम्पूर्ण सम्पत्ति
पर और भी सम्पत्तियों के साथ कबिज दखिल तथा
सम्पत्ति के एकमात्र भूस्वामी वो उत्तराधिकारी हुए वो
ताजीवन रहे।

यह कि बाद में भागवत सिंह (लेख्यकारी संख्या-चार के पति वो लेख्यकारी संख्या-एक, पांच, नौ, दस, ग्यारह एवं बारह के पिता एवं लेख्यकारणी संख्या-छः के ससुर वो लेख्यकारी संख्या-सात वो आठ के दादा) अपने सभी सम्पत्तियों के जायज वो कानूनी उत्तराधिकारी अपनी पत्नी रामसखी देवी (लेख्यकारणी संख्या-चार) तक तीन पुत्र 1. रामप्रवीण सिंह (लेख्यकारी संख्या-एक), 2. रामप्रवेश सिंह (लेख्यकारणी संख्या-छः के पति एवं लेख्यकारी संख्या-सात वो आठ के पिता) वो 3. मनीलाल सिंह (लेख्यकारी संख्या-पांच) तथा चार पुत्री 1. धर्मशीला देवी (लेख्यकारणी संख्या-नौ), 2. कुन्ती देवी

हम समझते हैं कि यह सब
वही है जो हमने पहले कहा था।
वही है जो हमने पहले कहा था।
वही है जो हमने पहले कहा था।

6016 1m 900

boigt re
yl wpaawz



(लेख्यकारणी संख्या-दस), 3. लालमुनी देवी
(लेख्यकारणी संख्या-ग्यारह) वो 4. चमेली देवी
(लेख्यकारणी संख्या-बारह) को छोड़कर स्वर्गवास कर
गये। बाद में रामप्रवेश सिंह भी अपने सभी सम्पत्तियों के
उत्तराधिकारी अपनी पत्नी शारदा देवी (लेख्यकारणी
संख्या-छः) एवं तीन पुत्र 1. अजीत कुमार (लेख्यकारी
संख्या-सात), 2. सुजीत कुमार (लेख्यकारी संख्या-आठ)
वो 3. संजीव कुमार उर्फ टोनी (नावालिग) को छोड़कर
स्वर्गवास कर गये।

यह कि भागवत सिंह एवं रामप्रवेश सिंह के
स्वर्गवास कर जाने के बाद, उपरोक्त सभी लेख्यकारीगण
अपने-अपने पति वो पिता के स्वर्गवास कर जाने के बाद,
उपरोक्त वर्णित सम्पत्ति पर और भी सम्पत्तियों के साथ
इजमाल काबिज दखिल तथा मालिक मुस्तकील बिना
किसी दूसरे के हस्तक्षेप के शांतिपूर्वक रहते हुए चले आते
हैं व हैं।

यह कि भागवत सिंह (लेख्यकारी संख्या-चार के
पति वो लेख्यकारी संख्या-एक, पांच, नौ, दस, ग्यारह एवं
बारह के पिता एवं लेख्यकारणी संख्या-छः के ससुर वो
लेख्यकारी संख्या-सात वो आठ के दादा) के स्वर्गवास कर
जाने के बाद, रामसखी देवी (लेख्यकारणी संख्या-चार)



रामप्रवेश

25/9/09

महोदय मुग कर्मकी की सब सी है मुल सपना नसीबान
में लिखे ने में द्वारा स्वर्गवास से न न गाना भुगार
फिर 10 दिवस में सब देखे न दे विवेक ने
विवाह और सम्पत्ति

25/9/09

(श्री भागवत सिंह एवं रामप्रवेश सिंह)

यह कि लेख्यकारीगण को रुपये की जरूरत वास्ते खरीदने दीगर जायदाद, खर्च पारिवारिक व अन्य जरूरी कार्यों के लिए है। बिना वर्णित सम्पति को बिक्री किये रुपये का प्रबन्ध इस समय वर्तमान आय से नहीं हो सकता है। इसलिए लेख्यकारीगण ने वर्णित सम्पति को बिक्री करने की घोषणा किया वो कराया तो साथ लेख्यधारी के अंकन 22,02,000/- (बाइस लाख दो हजार) रुपये मात्र मूल्य में सम्पति खरीद बिक्री की बातचीत तय हो गई। यह मूल्य समयानुसार तथा वर्तमान बाजार भाव के अनुसार बिल्कुल वाजिब और उचित है तथा सिवाय लेख्यधारी के और कोई अन्य क्रेता इतना वाजिब व उचित मूल्य देकर वर्णित सम्पति को क्रय करने के लिए तैयार नहीं हुए तो लेख्यकारीगण ने साथ लेख्यधारी के वर्णित सम्पति के निश्चित विक्रय पत्र के निष्पादन स्वीकार कर देना अति आवश्यक वो मुनासिब समझा।

सब गजबूनी देवी कि कृपा पत्र लिखी से सदा नूँ वसना।
पदवाग्न पुग समझ की सब हीन है, कुल कल्पना वसिष्ठ से।
निये चैक द्वारा स्वरीया से इज्जत माने उज्जयनी महि
नाम देवेंद्र महि सन देवेंद्र महि कि कर के निशान।

212 2419109

(19) 1312) 618 1110 112

24/9/09
21/10/2012



अतएव लेख्यकारीगण अपने-अपने मानसिक तथा शारीरिक स्वस्थ-अवस्था में रहकर बिना किसी बाहरी अनुचित दबाव व धमकाव के अपने-अपने तथा अपने-अपने परिवार को नाबालिग के हानि-लाभ को खूब अच्छी तरह से सोंच-विचारकर तथा हितैषियों एवं कानूनी सलाहकारों से परामर्श लेकर उपरोक्त खाने संख्या-5 की वर्णित सम्पत्ति एराजी दो एकड़ साढ़े अस्सी डिसमिल भूमि को अंकन 22,02,000/- (बाईस लाख दो हजार) रुपये मात्र मूल्य में साथ श्री विनय कुमार सिंह लेख्यधारी खाने संख्या-2 के बिना कोई शर्त के बेचा वो बिक्री करने के सबूत में यह निर्विवाद विक्रय पत्र लिखा तथा विक्रय पत्र का एकरार स्वीकार किया।

यह कि मूल्य का कुल रकम अंकन 22,02,000/- (बाईस लाख दो हजार) रुपये मात्र में से अंकन 15,00,000/- (पन्द्रह लाख) रुपये मात्र लेख्यकारीगण, लेख्यधारी से दो चेक के द्वारा पहले इजमालन पा चुके हैं, जिसका विवरण इस प्रकार है:-

प्रथम चेक संख्या- 880176, तारीख 22-4-2009 ई०, आई०एन०जी० विजया बैंक लि०, पटना शाखा का अंकन 5,00,000/- (पांच लाख) रुपये मात्र श्री रामप्रवीण सिंह (लेख्यकारी संख्या एक) के नाम से इजमालन पा चुके हैं।

पदवर्ग दुग सप्तम गी सब ही है कुल रकम वसुधै कर्मणि
किरके नैरु खा खरियाट से डह भुज सुग्राज पाडि
ना देवे डह लिह लही बेवे डह भुज विमिरा के निशान
बैर लामेन बनाडि
होवेन शिखर को दहा नैरु

25/9/09

द्वितीय चेक संख्या- 287221, तारीख 22-4-2009 ई०,
एक्सिस बैंक लि०, पटना शाखा का अंकन 10,00,000/-
(दस लाख) रुपये मात्र श्री मनीलाल सिंह (लेख्यकारी
संख्या पांच) के नाम से इजमालन पा चुके है।

तथा शेष रकम अंकन 7,02,000/- (सात लाख दो हजार)
रुपये मात्र लेख्यकारीगण इस विक्रय पत्र पर सही वो
निशान बनाने के समय लेख्यधारी से दो चेक के द्वारा
इजमालन भुगतान पाया। जिसका विवरण इस प्रकार है:-

प्रथम चेक संख्या- 315750, तारीख 24-9-2009 ई०,
एक्सिस बैंक लि०, पटना शाखा का अंकन 2,34,000/-
(दो लाख चौतीस हजार) रुपये मात्र श्री रामप्रवीण सिंह
(लेख्यकारी संख्या एक) के नाम से इजमालन पाया।

द्वितीय चेक संख्या- 315751, तारीख 24-9-2009 ई०,
एक्सिस बैंक लि०, पटना शाखा का अंकन 4,68,000/-
(चार लाख अड़सठ हजार) रुपये मात्र श्री मनीलाल सिंह
(लेख्यकारी संख्या पांच) के नाम से इजमालन पाया।

यह कि इस तरह लेख्यकारीगण ने मूल्य का कुल
रकम लेख्यधारी से भुगतान पा लिया। अब एक पैसा भी
लेख्यकारीगण का लेख्यधारी के जिम्मे वर्णित सम्पत्ति के
मूल्य के निश्चत बाकी नहीं रहा।



उपरोक्त
पिता स्व. महावीर सिंह
मा. मोहिनी
श्री विद्यारंजन
लि० पटना
२५-९-०९

श्री रामप्रवीण सिंह
पिता- श्री इन्द्रचारी २५
मा. - श्री मा. गंडी
मा. - मा. स. मा. मा.
लि० पटना
२५/२९/०९

२५/९/०९

यह कि मूल्य का कुल रकम भुगतान पाकर लेख्यकारीगण ने वर्णित सम्पत्ति का पूर्ण दखल कब्जा आज तारीख से लेख्यधारी को दे दिया। चाहिए कि लेख्यधारी अब आज तारीख से उपरोक्त वर्णित सम्पत्ति पर काबिज दखल तथा सम्पत्ति के एकमात्र भूस्वामी होकर वो रहकर वर्णित सम्पत्ति को अपने इच्छानुसार इस्तेमाल में लावे या जो उचित समझेंगे, वह करेंगे। इसमें अब किसी भी तरह का हक-दावा या आपत्ति वगैरह करने का अधिकार लेख्यकारीगण को या उनके उत्तराधिकारी को नावालिग को नहीं रहा वो न होगा।

यह कि लेख्यकारीगण को या उनके उत्तराधिकारी को नावालिग को उपरोक्त खाने संख्या-5 की वर्णित सम्पत्ति में सम्पूर्ण स्वामित्व व अधिकार प्राप्त है या प्राप्त होता, वह सब सम्पूर्ण स्वामित्व व अधिकार अब आज तारीख से इस निर्विवाद विक्रय पत्र के द्वारा हस्तान्तरित होकर लेख्यधारी को प्राप्त हो गया। चाहिए कि लेख्यधारी अपना नाम अंचल कार्यालय पटना सदर में या जिस किसी कार्यालय में आवश्यक समझेंगे, वर्णित सम्पत्ति के निश्चित अंकित करवा लेवेंगे। इसमें लेख्यकारीगण को या उनके उत्तराधिकारी को कोई आपत्ति नहीं है वो न होगा।



डा० - विनोद कुमार मिश्र
पिता - स्व० गीतनरिंह
ग्राम - लखगुहा
थाना - डिडारगंज
जिला - पटना
28/9/2009

Witness:- Akhileshwar Singh
S/o Late Rama Singh
Vill-420-Sabai Buz
P.S.- Kailashganj
Dist- Patna-9
Date-24/9/09

सप्रेम प्रतीति
24/9/09

यह कि लेख्यकारीगण ने लेख्यधारी का पूर्ण विश्वास व भरोसा दिलाये हैं कि उपरोक्त खाने संख्या-5 की वर्णित सम्पत्ति हर तरह के नुकश-हकियत तथा ऋण-भार वगैरह से बिल्कुल मुक्त है तथा हमलोग लेख्यकारीगण के सिवाय और किसी अन्य व्यक्ति का हक-हिस्सा या दखल कब्जा वगैरह वर्णित सम्पत्ति पर नहीं है। यदि इस निर्विवाद विक्रय पत्र के निष्पादन स्वीकार हो जाने के बाद यह सब दोष वगैरह वर्णित सम्पत्ति पर पाया जायेगा तो वह सबों की अदायगी की पूरी जिम्मेवारी वो जवाबदेही लेख्यकारीगण पर या उनके उत्तराधिकारी पर है वो रहेगा।

यह कि उपरोक्त वर्णित स्वत्व-दोष वगैरह पाये जाने की वजह से यदि लेख्यधारी को उपरोक्त वर्णित सम्पत्ति के सम्पूर्ण भाग से या कुछ भी अंश से बेदखल होना पड़े या किसी प्रकार का सरकारी या गैर सरकारी ऋण-भार वगैरह वर्णित सम्पत्ति के निश्चित चुकाना पड़े तो वैसी अवस्था में कुल क्षति की रकम मय हर्जा-खर्चा तथा कानूनी सुद समेत चल या अचल सम्पत्ति से लेख्यकारीगण से या उनके उत्तराधिकारी से लेख्यधारी या उनके उत्तराधिकारी वसूल कर लेवेंगे। इसमें लेख्यकारीगण को या उनके उत्तराधिकारी को कोई आपत्ति नहीं है वो न होगा।

३१/१

राजपुत्री २५/११/१९

इस वास्ते यह निर्विवाद विक्रय पत्र
लेख्यकारीगण ने बनाम वो वहक लेख्यधारी श्री विनय
कुमार सिंह के लिख दिया कि समय पर काम आवें वो
प्रमाण रहे।

दिनांक: 24/09/09 (श्रीवीर सिंह वरदा देवना-
नीति)

श्रीवीर सिंह
24/09/09

टंकक :

Abhinav
(ए०सी० अम्बष्ट)
सिटी कोर्ट
पटना सिटी।

डाफ्टकर्ता कातीव

प्रकाश कुमार जायसवाल

लाईसेन्स नं० 219/2002

अवर निबंधन कार्यालय पटना सिटी

निवासी-बरियापुर, थाना-फतुहा,

जिला-पटना।



प्रकाश कुमार जायसवाल
24/09/09
पटना-145001

Endorsement of Certificate of Admissibility (Rule - 35)

Admissible under Rule 21 : duly stamped (or exempted from or does not require stamp duty) under the Indian Stamp Act, 1899, Schedule I or I-A, No. 23. Also admissible under section 26(a) of the B. T. Act.

Stamp duty paid under Indian Stamp Act Rs. 958500
Addl. Stamp duty paid under RDA/Municipal Act Rs. 319500
(Paid Rs. 4000/- by N.J. Stamp Paper and Rs. 1594604/ through Bank Challan.)

FEE PAID	A1	319500	C	0	H1b	0	Ka1	0	Li	0	LLR	500	Total Fee
	A8	0	D	0	H2	0	K1b	0	Lii	0	Proc. Fee	50	320604
	A9	0	DD	0	I	0	K1c	0	Mb	0			
	A10	0	E	0	J1	0	K2	0	Na	54			
	B	0	H1a	0	J2	0	Li	0	Scan	500			

Date : 29/09/2009

Registering Officer
Patna City

Endorsement under section 52

Presented for registration at 04:09 PM on Tuesday, 29th September 2009 at the Sub
Registry Office, Patna City by Rampurven Singh
(Executant) S/O. Late, Bhagwat Singh
by profession Others.

Signature of Presentant

2/15/10/1/1
29/9/09

Date : 29/09/2009

Registering Officer
Patna City

Endorsement under section 58

Execution is admitted by persons and identified by others whose names, photographs, fingerprints and signatures are affixed on the reverse pages of the instrument and are identified by Devendra Singh age 46 Sex M son/daughter of S/O, Ishwardhari Rai resident of Rikabganj, Ps- Malsalami, Distt- Patna.

Date : 29/09/2009

Registering Officer
Patna City

Endorsement of Certificate of Registration under section 60

Registered in Book 1 of DSRO/ SRO Patna City having 20 pages, in the volume CD-12 and document no. of which is printed on the First Page of the document.

Date : 29/09/2009

Registering Officer
Patna City

Token No. 4976

Year - 2009

Sl.No. 4957

SCORE Ver. 2.0

Deed No. 4536 NIC-Bihar

भारतीय गैर न्यायिक INDIA NON JUDICIAL

एक हजार रुपये

ONE THOUSAND RUPEES

रु.1000

Rs.1000

बिहार BIHAR

नम्बर 465 तारीख 11/4/18 रु.1000 पीस 01/ वास्ते 3480 X 196749

Serial No. 3531

कता का नाम व पता मिल्ह देवी लाल का 1/8 भाग 3480 (18)

Govt. of Bihar बिहारी लाल

Sub Registry Officer, Patna City 3-10/73

Summary of Endorsement बाबूसाह, पटना जिला

This document was presented for registration on 20/04/2018 by Urmila Devi

Stamp Duty of Rs. 395320/- and other Fees of Rs. 100530/- has been paid in it.

The document was found admissible. The Names, Photographs, Fingerprints and Signatures of the Executants and their Identifier, who have admitted execution before me, are affixed on the reverse page.

The document has been registered as Deed No. 3480 in Book No. 1, Volume No. 66 on pages from 529 to 539 and has been preserved in total 11 pages in C.D. No. 11 / Year 2018

SCANNED By

Signature with Date

(Navin Kumar)

Registering Officer, Patna City

Date: 20/04/2018

Token No: 3789 /2018



ABSOLUTE SALE DEED

(1) लेख्यकारिणी का नाम एवं पता :-

श्रीमती उर्मिला देवी, पति
का नाम श्री मुन्द्रिका सिंह,

जो: उर्मिला देवी बजासा सिरी
को सही दे वस्तिनो पदवान् पुनः सम्राट्
सी सव लीन दे/ वसीनो मे लिखे
अनुसार मुल रूपया वसुल पायी।

जा: स्वजयपय
स: स्वजयपय उर्मिला देवी
मेरे सामने अपना निशान पनाई।
स्वजयपय
19/4/18

निवास स्थान ग्राम कोठिया, थाना दीदारगंज, पत्रालय कोठिया भाया बेगमपुर, पटना 800009, जिला पटना। पेशा गृह कार्य, उम्र 66 वर्ष, भारतीय नागरिक हैं।
पैन DGVDPD3732A. मोबाईल नं० 9955830319.

(2) लेख्यधारी का नाम एवं पता :-

गोवर्धन इस्पात इण्डिया प्राइवेट लिमिटेड, 401, सत्यम अपार्टमेंट, फ्रेजर रोड, पटना 800001, यह कम्पनी भारतीय कम्पनी एक्ट 1956 ई० के अन्तर्गत निबंधित है। जिसका निबंधन संख्या U27106BR2013PTC021346, है, द्वारा प्रबंध निदेशक श्री विनय कुमार सिंह, पिता का नाम स्वर्गीय रामकृपाल सिंह, निवास स्थान 69, पाटलिपुत्र कॉलोनी, थाना वो पत्रालय पाटलिपुत्र, पटना 800013, जिला पटना। भारतीय नागरिक हैं। उम्र 55 वर्ष, पैन AAFCG4165L. पेशा व्यवसाय, मोबाईल नं० 9771405906.

(3) लेख्य प्रकार :- निर्विवाद विक्रय पत्र।

(ABSOLUTE SALE DEED).

(4) सम्पत्ति का मूल्य :-

अंकेन 18,10,000/- (अठारह लाख दस हजार) रुपये मात्र वो सम्पत्ति का वर्तमान बाजार मूल्य अंकेन 49,29,000/- (उनचास लाख उनतीस हजार) रुपये मात्र होता है। जिसपर मुद्रांक एवं निबंधन शुल्क दी गई है।
श्रेणी :- आवासीय।

(5) सम्पत्ति का सम्पूर्ण विवरण :-

क्षेत्रफल 04 कट्ठा 03 धुर (चार कट्ठा तीन धुर) = 12.96875 डिसमील, जमीन परती हकरैयती, सम्पत्ति अवस्थित मौजा सिनली मुरारपुर (एन० एच० से दक्षिण), पटना सिटी, थाना मालसलामी, जिला पटना। अवर निबंधन कार्यालय पटना सिटी वो जिला निबंधन कार्यालय पटना। सम्पत्ति पटना नगर निगम क्षेत्र के अन्दर है। जिसका तौजी संख्या 226 (दो सौ छब्बीस) पुराना वो

रि: उम्बिला ६५

ग्रा: रंजितपुर

19/4/18



[Handwritten signature]

वर्तमान तौजी बिहार सरकार, थाना संख्या 38 (अइतीस), खाता संख्या 348 (तीन सौ अइतालीस), खेसरा संख्या 2024 (दो हजार चौबीस) का अंश, भूमि का वार्षिक लगान अंकेन 12 रुपया अलावे शेष अंचलाधिकारी पटना सदर। भूराजस्व अदायगी की रसीद सन् 2017-18 ई0 तक का श्रीमती उर्मिला देवी (लेख्यकारिणी) के नाम से कटी हुई है। जिसका जमाबंदी संख्या 1547/1 है।

20-4-18

इस वसीका के साथ नजरी नक्शा संलग्न है। नक्शा में वर्णित विक्रय सम्पत्ति को लाल रंग से दर्शाया हुआ है। नक्शा भी इस विक्रय पत्र का एक अभिन्न अंग है वो रहेगा।

चौहद्दी

उत्तर : तीन फीट चौड़ा कॉमन रास्ता।

दक्षिण : श्री विजय सिंह, वर्णित प्लॉट का भाग।

पूरब : श्री गंगा सिंह वगैरह, वर्णित प्लॉट का भाग।

पश्चिम : सहायक रास्ता।

लेख्य का कथन

इस विक्रय पत्र के खाने संख्या 5 की वर्णित सम्पत्ति को और भी सम्पत्तियों के साथ स्वयं लेख्यकारिणी श्रीमती उर्मिला देवी ने एक निबंधित विक्रय पत्र के द्वारा विक्रेता श्री मुन्द्रिका सिंह, पिता का नाम स्वर्गीय जामुन सिंह, निवास स्थान ग्राम कोठिया, थाना दीदारगंज, पत्रालय कोठिया भाया बेगमपुर, पटना 800009, जिला पटना से दिनांक 24.12.2001 ई0 को खरीद की है। जिसका वसीका संख्या आर-3/बबब 6733 सन् 2001 ई0 है। जिसकी निबंधन महानगर निबंधन कार्यालय मुम्बई में हुई है।

यह कि बाद खरीदारी के श्रीमती उर्मिला देवी (लेख्यकारिणी) अपनी खरीदारी मूल वसीका के निश्चत जिला निबंधन कार्यालय सदर पटना में अन्तरदेय राशि अंकेन 3,55,720/- (तीन लाख

जहाँ उर्मिला देवी का संजय 2018

19/4/18



Handwritten signature.

पचपन हजार सात सौ बीस) रुपये मात्र क्रम संख्या 304 के द्वारा दिनांक 29.11.2017 ई0 को जमा करवा चुकी हैं।

यह कि तारीख खरीदारी से लेकर आजतक स्वयं लेख्यकारिणी श्रीमती उर्मिला देवी अपनी खरीदारी सम्पूर्ण सम्पत्ति पर काबिज दखिल तथा मालकिन मुस्तकील बिना किसी दूसरे के हस्तक्षेप के शांतिपूर्वक रहती हुई चली आती हैं वो हैं।

यह कि लेख्यकारिणी को रुपये की जरूरत वास्ते खर्च पारिवारिक, देने कर्ज महाजन, बनवाने मकान वो अन्य जरूरी कार्यों के लिए है। बिना उपरोक्त वर्णित सम्पत्ति को बिक्री किये रुपये का प्रबन्ध इस समय नहीं हो सकता है। इसलिए लेख्यकारिणी ने वर्णित सम्पत्ति को बिक्री करने का घोषणा की वो करायी तो साथ लेख्यधारी के अंकेन 18,10,000/- (अठारह लाख दस हजार) रुपये मात्र मूल्य में वर्णित सम्पत्ति की खरीद बिक्री की बातचीत पक्की हो गई। यह मूल्य समयानुसार तथा वर्तमान बाजार भाव के अनुसार बिल्कुल वाजिब और उचित है तथा सिवाय लेख्यधारी के और कोई अन्य क्रेता इतना वाजिब व उचित मूल्य देकर वर्णित सम्पत्ति को क्रय करने के लिए तैयार नहीं हुए तो लेख्यकारिणी ने साथ लेख्यधारी के वर्णित सम्पत्ति के निश्चित विक्रय पत्र का निष्पादन स्वीकार कर देना अति आवश्यक वो मुनासिब समझी।

अतएव लेख्यकारिणी अपने मानसिक तथा शारीरिक स्वस्थ अवस्था में रहकर बिना किसी बाहरी अनुचित दबाव व धमकाव के अपने तथा अपने परिवार के हानि-लाभ को खूब अच्छी तरह से सोंच विचारकर तथा हितैषियों एवं कानूनी सलाहकारों से परामर्श लेकर उपरोक्त खाने संख्या 5 की वर्णित एराजी चार कट्टा तीन धुर भूमि को अंकेन 18,10,000/- (अठारह लाख दस हजार) रुपये मात्र मूल्य में साथ गोवर्धन इस्पात इण्डिया प्राइवेट लिमिटेड लेख्यधारी खाने संख्या 2 के बिना कोई शर्त के बेची, वो बिक्री करने के सबूत में यह निर्विवाद विक्रय पत्र लिखी तथा विक्रय पत्र का एकरार स्वीकार की।

स: उर्मिला देवी
का: लेख्यधारी

19/4/18

यह कि मूल्य का कुल रकम अंकेन 18,10,000/- (अठारह लाख दस हजार) रुपये मात्र दो UTR के द्वारा लेख्यकारिणी इस विक्रय पत्र पर अपना सही एवं निशान बनाने के पूर्व लेख्यधारी से भुगतान पा चुकी हैं। जिसका विवरण इस प्रकार है:-

1. U.T.R संख्या SBINR52017100400040435, तारीख 04.10.2017 ई0, भारतीय स्टेट बैंक, एस. एम. ई., गाँधी मैदान, पटना शाखा का अंकेन 7,00,000/- (सात लाख) रुपये मात्र।

2. U.T.R संख्या BARBQ18100690414, तारीख 10.04.2018 ई0, बैंक ऑफ बड़ौदा, फेजर रोड, पटना मुख्य शाखा का अंकेन 11,10,000/- (ग्यारह लाख दस हजार) रुपये मात्र। यह कि इस तरह लेख्यकारिणी ने मूल्य का कुल रकम लेख्यधारी से भुगतान पा लिये। अब एक पैसा भी लेख्यकारिणी का लेख्यधारी के जिम्मे वर्णित सम्पत्ति के मूल्य के निश्चत बाकी नहीं रहा।

यह कि मूल्य का कुल रकम भुगतान पाकर लेख्यकारिणी ने वर्णित सम्पत्ति का पूर्ण दखल कब्जा आज तारीख से लेख्यधारी को दे दी। चाहिए कि लेख्यधारी अब आज तारीख से उपरोक्त वर्णित सम्पत्ति पर काबिज-दखल तथा सम्पत्ति के एकमात्र भूस्वामी वो उत्तराधिकारी होकर वो रहकर वर्णित सम्पत्ति को अपने इच्छानुसार इस्तेमाल में लावे या जो उचित समझेंगे, वह करेंगे। इसमें अब किसी भी तरह का हक-दावा या आपत्ति वगैरह करने का अधिकार लेख्यकारिणी को या उनके उत्तराधिकारी को नहीं रहा वो न होगा।

यह कि लेख्यकारिणी को या उनके उत्तराधिकारी को उपरोक्त खाने संख्या 5 की वर्णित सम्पत्ति में सम्पूर्ण स्वामित्व व अधिकार प्राप्त है या प्राप्त होता, वह सब सम्पूर्ण स्वामित्व व अधिकार अब आज तारीख से इस निर्विवाद विक्रय पत्र के द्वारा हस्तान्तरित होकर लेख्यधारी को प्राप्त हो गया। चाहिए कि

स: उर्मिला देवी

प: राजेश्वर

19/4/18

4.

लेख्यधारी कम्पनी का नाम अंचल कार्यालय पटना सदर में या जिस किसी कार्यालय में आवश्यक समझेंगे, वर्णित सम्पत्ति के निश्चित अंकित करवा लेवेंगे। इसमें लेख्यकारिणी को या उनके उत्तराधिकारी को कोई आपत्ति नहीं है वो न होगा।

यह कि लेख्यकारिणी ने लेख्यधारी को पूर्ण विश्वास व भरोसा दिलायी है कि उपरोक्त खाने संख्या 5 की वर्णित सम्पत्ति हर तरह के नुक्स-हकियत तथा ऋण-भार वगैरह से बिल्कुल मुक्त है तथा हम लेख्यकारिणी के सिवाय और किसी अन्य व्यक्ति का हक-हिस्सा या दखल-कब्जा वगैरह वर्णित सम्पत्ति पर नहीं है। यदि इस निर्विवाद विक्रय पत्र के निष्पादन स्वीकार हो जाने के बाद यह सब दोष वगैरह वर्णित सम्पत्ति पर पाया जायेगा तो वह सबों की अदायगी की पूरी जिम्मेवारी वो जवाबदेही लेख्यकारिणी पर या उनके उत्तराधिकारी पर है वो रहेगा।


यह कि उपरोक्त वर्णित स्वत्व-दोष वगैरह पाये जाने की वजह से यदि लेख्यधारी को उपरोक्त वर्णित सम्पत्ति के सम्पूर्ण भाग से या कुछ भी अंश से बेदखल होना पड़े या किसी प्रकार का सरकारी या गैर सरकारी ऋण-भार वगैरह वर्णित सम्पत्ति के निश्चित चुकाना पड़े, तो वैसी अवस्था में कुल क्षति की रकम मय हर्जा-खर्चा तथा कानूनी सूद समेत चल या अचल सम्पत्ति से लेख्यकारिणी से या उनके उत्तराधिकारी से लेख्यधारी या उनके उत्तराधिकारी वसूल कर लेवेंगे। इसमें लेख्यकारिणी को या उनके उत्तराधिकारी को कोई आपत्ति नहीं है वो न होगा।

यह कि उपरोक्त वर्णित सम्पत्ति के उत्तर तरफ तीन फीट चौड़ा कॉमन रास्ता है वो रहेगा। जिसे लेख्यकारिणी ने अपनी जमीन में से रास्ता के वास्ते छोड़ी हैं। उक्त कॉमन रास्ता से लेख्यकारिणी, उनके पट्टीदार तथा लेख्यधारी को एवं उनके उनके उत्तराधिकारी वो स्थानापन्न को आने-जाने का एकसमान पूर्ण हक वो अधिकार प्राप्त है वो सदैव प्राप्त रहेगा। परन्तु कोई भी व्यक्ति उक्त कॉमन रास्ता के जमीन में किसी भी तरह का निर्माण करके रास्ता को अवरुद्ध या अतिक्रमित नहीं करेंगे।

इसी उद्देश्य से

या: संजय राय

19/5/19



[Handwritten signature]

यह कि लेख्यकारिणी यह भी एकरार करती हैं कि उक्त सम्पत्ति पर बिहार सरकार, न्यायालय अथवा किसी विभाग का रोक नहीं है तथा विक्रय भूमि बिहार सरकार गैर मजरुआ आम/कैसरे हिन्द/ख़ास महाल के खाता एवं खेसरा से संबंधित नहीं है तथा विक्रय भूमि भू-हदबंदी से संबंधित नहीं है तथा इसके संबंध में भू-हदबंदी अधिनियम सन् 1963 ई० की धारा 11 (1) के तहत प्रारूप या 15 (1) के तहत जिला गजट अधिसूचना में कभी भी प्रकाशित नहीं की गई है तथा भूमि बंदोबस्ती/नीलामी सूची, भूदान एवं लाल कार्ड से संबंधित नहीं है तथा यह भूमि वक्फ/न्यास से संबंधित नहीं है।

इस वास्ते यह निर्विवाद विक्रय पत्र लेख्यकारिणी ने बनाम वो वहक लेख्यधारी गोवर्धन इस्पात इण्डिया प्राइवेट लिमिटेड को लिख दी कि समय पर काम आर्वे वो प्रमाण रहे।

दिनांक : 19.04.2018 ई०।

गवाह

पहचानकता

विक्रेता का हस्ताक्षर

रही अमिता देवी

रा: संजयराय

19/4/18

① संजयराय पितृश्रद्धा समूह

ग्राम-पिताम्बरपुर पोस्ट-डुमरी

थाना-फर्रुखी जिला-पटना

19/4/18

क्रेता का हस्ताक्षर
Govardhan Ispat (India) Pvt. Ltd.

विनय कुमार सिंह

19/4/18 Director

② जय कुमार भादव

पिता- स्व. राम प्रसाद भादव

ग्राम+पोस्ट-सबलपुर

थाना-मोतीपुर, नदी थाना

जिला-पटना

19-4-2018



[Handwritten signature]

N

नजरी नक्शा

सम्पत्ति अवस्थित मौजा सिमली मुरारपुर (एन0 एच0 से दक्षिण), पटना सिटी, थाना मालसलामी, जिला पटना। जिसका तौजी संख्या 226 पुराना वो वर्तमान तौजी बिहार सरकार, थाना संख्या 38, खाता संख्या 348, खेसरा संख्या 2024 का अंश, एराजी 04 कट्टा 03 धुर।

विक्रेता:- श्रीमती उर्मिला देवी, पति का नाम श्री मुन्द्रिका सिंह, निवास स्थान ग्राम कोठिया, थाना दीदारगंज, पत्रालय कोठिया भाया बेगमपुर, पटना 800009, जिला पटना।

क्रेता:- गोवर्धन इस्पात इण्डिया प्राइवेट लिमिटेड, 401, सत्यम अपार्टमेंट, फ्रेजर रोड, पटना 800001, यह कम्पनी भारतीय कम्पनी एक्ट 1956 ई0 के अन्तर्गत निर्बंधित है। जिसका निर्बंधन संख्या U27106BR2013PTC021346, है, द्वारा प्रबंध निदेशक श्री विजय कुमार सिंह, पिता का नाम स्वर्गीय रामकृपाल सिंह, निवास स्थान 69, पाटलिपुत्र कॉलोनी, थाना वो पत्रालय पाटलिपुत्र, पटना 800013, जिला पटना।

S

विक्रेता का हस्ताक्षर

श्री उर्मिला देवी

पति: संजय राय

15/4/18

तीन फीट चौड़ा कॉमन रास्ता।

साथ का रास्ता

विक्रय सम्पत्ति

श्री गंगा सिंह बगैरह, वर्णित
प्लॉट का भाग।श्री विजय सिंह, वर्णित
प्लॉट का भाग।

क्रेता का हस्ताक्षर

Govardhan Ispat (India) Pvt.

विजय कुमार सिंह

15/4/18

उक्त भूखण्ड अधिलुधित क्षेत्र/
विशिष्ट क्षेत्र के अन्तर्गत
आता है। जिसके स्थल

के द्वारा किया गया।



श्रीमती उर्मिला देवी, पति का नाम श्री मुन्द्रिका सिंह, निवास स्थान ग्राम कोठिया, थाना दीदारगंज, पत्रालय कोठिया भाया बेगमपुर, पटना 800009, जिला पटना।

गोवर्धन इस्पात इण्डिया प्राइवेट लिमिटेड, 401, सत्यम अपार्टमेंट, फ्रेजर रोड, पटना 800001, यह कम्पनी भारतीय कम्पनी एक्ट 1956 ई0 के अन्तर्गत निर्बंधित है। जिसका निर्बंधन संख्या U27106BR2013PTC021346, है, द्वारा प्रबंध निदेशक श्री विजय कुमार सिंह, पिता का नाम स्वर्गीय रामकृपाल सिंह, निवास स्थान 69, पाटलिपुत्र कॉलोनी, थाना वो पत्रालय पाटलिपुत्र, पटना 800013, जिला पटना।

Sub District Registry Office, Patna City

Taken Number 3789

Reg. Year 2018

Serial Number 3531

Deed Number 3480

PresType	Name	Photo	Thumb	Index	Middle	Ring	Little
Claimant	Binay Kumar Singh (M-Dir)						
Sig.	<u>बिनय कुमार सिंह</u> 20/4/18						
Presented	Urmila Devi						
By	<u>स. उर्मिला देवी</u>						
Sig.	<u>श्री संजय राय</u> 20/4/18						
Executant	Urmila Devi		N/A	N/A	N/A	N/A	N/A
Identified	Sanjay Ray						
By	<u>संजय राय</u> 20/4/18						
Sig.							

SCORE
Ver.4.0

Powered by IL&FS Technologies Ltd.

Biometric Captured By 2801sop008

स. उर्मिला देवी
श्री संजय राय
20/4/18



Endorsement of Certificate of Admissibility

Admissible under Rule 5 : duly Stamped (or exempted from or does not require stamp duty) under the Indian Stamp Act, 1899, Schedule I or I-A, No. '23'. Also admissible under section 26(a) of the B. T. Act.

Stamp duty paid under Indian Stamp Act Rs. 296740/-
Addl. Stamp duty paid under Municipal Act Rs. 98580/-

Amt. Paid By N.J Stamp Paper	Rs. 1000/-
Amt. paid through Bank Challan	Rs. 494950/-

Registration Fee										LLR + Proc Fee	Service Charge		
FEE PAID	A1	98580	C	0	H1b	0	K1a	0	LII	0	LLR	500	500
	A8	0	D	0	H2	0	K1b	0	LIII	0	Proc.Fee	50	
	A9	0	DD	0	I	0	K1c	0	Mb	0	Total	550	
	A10	0	E	1000	J1	0	K2	0	Na	0			
	B	0	H1a	0	J2	0	LI	0					
	TOTAL-									99580			

Total amount paid (Reg. fee+LLR, Proc+Service Charge) in Rs. - 100630

LLR 500
Proc. Fee 50
Service Charge 500

Date: 20/04/2018

Registering Officer
Patna City

Endorsement under section 52

Presented for registration at Registration Office, Patna City on Friday, 20th April 2018 by Urmila Devi Mundrika Singh by profession Others. Status - Executant

स. उर्मिला देवी
व. संजय राय
20/4/18

Signature/L.T.I. of Presentant

Date: 20/04/2018



Registering Officer
Patna City

Endorsement under section 58

Execution is admitted by those Executants and Identified by the person (Identified by 'Sanjay Ray' age '45' Sex 'M', 'Sita Ram Ray', resident of 'Pitambarpur Dumri Distt-Patna'), whose Names, Photographs, Fingerprints and Signatures are affixed as such on back page / pages of the instrument.

Date : 20/04/2018

Registering Officer
Patna City

Endorsement of Certificate of Registration under section 60

Registered at Registration Office Patna City In Book 1 Volume No. 66 on pages on 529 -539, for the year 2018 and stored in CD volume No. CD-11 year 2018 .The document no. is printed on the Front Page of the document.

SCANNED By

20/04/18

Date : 20/04/2018

Registering Officer
Patna City

Token No. : 3789 Year : 2018 S.No. : 3531 SCORE Ver.4.1 Deed No. : d No. : 3480

Serial No. 10908 Circle:- Patna City

Book No. :- 1 Deed No. 10754

भारतीय गैर न्यायिक INDIA NON JUDICIAL

एक हजार रुपये

ONE THOUSAND RUPEES

रु.1000

Rs.1000

बिहार BIHAR

नम्बर 21409 तारीख 05/12/18
 केता का नाम व पता श्री सुदेश सिंह, उम 57 वर्ष, रा. 14. मी. रो. फरक.

AC 304489

Serial No. 10908

Deed No. 10754

Govt. of Bihar
 Sub Registry Office, Patna City

Summary of Endorsement

This document was presented for registration on 15/12/2018 by Suresh Singh. A Stamp Duty of Rs. 856960/- and other Fees of Rs. 215290/- has been paid in it. The document was found admissible. The Names, Photographs, Fingerprints and Signatures of the Executants and their Identifier, who have admitted execution before me, are affixed on the reverse page. The document has been registered as Deed No. 10754 in Book No. 1, Volume No. 211 on pages from 567 to 580 and has been preserved in total 14 pages in C.D. No. 33 / Year 2018

Signature
 15/12/2018

Signature with Date
 (Navin Kumar)

Registering Officer, Patna City

Date: 15/12/2018

Token No: 11276 /2018

SCANNED BY

ABSOLUTE SALE DEED

(1) लेख्यकारीगण का नाम एवं पता :-

श्री सुरेश सिंह, उम 57 वर्ष,

मुल्यांकन का नाम :- जाँचा
 नाम - 15/12/18

सह सुरेश सिंह निष्क्रम न्यायिक
 निष्क्रमा श्री सुरेश सिंह न्यायिक पदका
 यममहाविद्यालय सन 1978/1979
 में प्रवेश करनेवाला कुल रूपया
 15-12-2018 15-12-2018
 सुरेश सिंह सत्येन्द्र सिंह
 15-12-2018 15-12-2018

विनिवेश सिंह
 15/12/2018



मोबाईल नं० 8210654553.

2. श्री सत्येन्द्र सिंह, उम्र 52 वर्ष, पैन HUBPS0553N.
मोबाईल नं० 9308735731.

दोनों के पिता का नाम स्वर्गीय गंगा सिंह,

3. श्री दिनेश सिंह, उम्र 48 वर्ष, पैन FJEPS8181Q.

4. श्री रमेश कुमार, उम्र 41 वर्ष, पैन EUSPK0393A.
मोबाईल नं० 9905587798.

5. श्री राजेश कुमार, उम्र 38 वर्ष, पैन CCFPK2152J.
मोबाईल नं० 9835661205.

तीनों के पिता का नाम श्री चन्द्रिका सिंह,

सभी का निवास स्थान ग्राम कोठिया, थाना दीदारगंज,
पत्रालय कोठिया भाया बेगमपुर, पटना 800009, जिला
पटना। पेशा खेती, भारतीय नागरिक हैं।

- (2) लेख्यधारी का नाम एवं पता :-

गोवर्धन इस्पात इण्डिया प्राइवेट लिमिटेड, 401, सत्यम
अपार्टमेंट, फ्रेजर रोड, पटना 800001, यह कम्पनी
भारतीय कम्पनी एक्ट 1956 ई० के अन्तर्गत निबंधित
है। जिसका निबंधन संख्या U27106BR2013PTC021346,
है, द्वारा प्रबंध निदेशक श्री विनय कुमार सिंह, पिता का
नाम स्वर्गीय रामकृपाल सिंह, निवास स्थान 69,
पाटलिपुत्र कॉलोनी, थाना वो पत्रालय पाटलिपुत्र, पटना
800013, जिला पटना। भारतीय नागरिक हैं। उम्र 55
वर्ष, पैन AAFCG4165L. पेशा व्यवसाय,

- (3) लेख्य प्रकार :- निर्विवाद विक्रय पत्र।

(ABSOLUTE SALE DEED).

- (4) सम्पत्ति का मूल्य :-

अंकेन 70,00,000/- (सत्तर लाख) रुपये मात्र वो
सम्पत्ति का वर्तमान बाजार मूल्य अंकेन
1,07,12,000/- (एक करोड़ सात लाख बारह हजार)



Handwritten signature

③ सही सत्येन्द्र सिंह विक्रय वासीय लिखना सो सही
है। वासीय भागकर समझ लिखा सब लिख रहे।
वासीय में लिखे अनुसार फल जपना इजामालन
व्यसल पाया। सत्येन्द्र सिंह 15-12-2018

सुरेश सिंह
15-12-2018

रुपये मात्र होता है। जिसपर मुद्रांक एवं निबंधन शुल्क दी गई है।

(5) सम्पत्ति का सम्पूर्ण विवरण :-

क्षेत्रफल 28.1875 डिसमील (अठईस दशमलव एक आठ सात पाँच डिसमील) आवासीय जमीन परती हकरैयती, सम्पत्ति अवस्थित मौजा सिमली मुरारपुर (एन0 एच0 से दक्षिण), पटना सिटी, थाना मालसलामी, जिला पटना। अवर निबंधन कार्यालय पटना सिटी वो जिला निबंधन कार्यालय पटना। सम्पत्ति पटना नगर निगम क्षेत्र के अन्दर है। जिसका तौजी संख्या 226 (दो सौ छब्बीस) पुराना वो वर्तमान तौजी बिहार सरकार, थाना संख्या 38 (अड़तीस), खाता संख्या 348 (तीन सौ अड़तालीस), खेसरा संख्या 2024 (दो हजार चौबीस) का अंश, भूमि का वार्षिक लगान अंकेन 05 रुपया अलावे शेष अंचलाधिकारी पटना सदर। भूराजस्व अदायगी की रसीद सन् 2017-18 ई0 तक का श्री सुरेश सिंह (लेख्यकारी संख्या एक), श्री सत्येन्द्र सिंह (लेख्यकारी संख्या दो) वो श्री चन्द्रिका सिंह (लेख्यकारी संख्या तीन से पाँच तक के पिता) के नाम से अलग अलग कटी हुई है। जिसका जमाबंदी संख्या 548/1, 1097/1 वो 1087/1 है।

सही दिग्दर्शक सिंह विक्रय पत्र लिखने से सही है।
वासीका पढ़ कर समझ लिखा खन दिक्कत है
वासीका में लिखे अनुसार कुल रुपया
बूजभालन बसेल पात्रा/दिग्दर्शक सिंह
15/12/2018

इस वसीका के साथ नजरी नक्शा संलग्न है। नक्शा में वर्णित विक्रय सम्पत्ति को लाल रंग से दर्शाया हुआ है। नक्शा भी इस विक्रय पत्र का एक अभिन्न अंग है वो रहेगा।

चौहद्दी

उत्तर : खेसरा संख्या 2023.

दक्षिण : नील कमल स्टील्स प्राइवेट लिमिटेड वगैरह, वर्णित प्लॉट का भाग।

श्री दयानंद प्रसाद वो श्री रामानंद प्रसाद, वर्णित प्लॉट



सुरेश सिंह
15-12-2018

का भाग।

पश्चिम: निज लेख्यधारी, वर्णित प्लॉट का भाग।

लेख्य का कथन

इस विक्रय पत्र के आने संख्या 5 की वर्णित सम्पत्ति और भी सम्पत्तियों के साथ लेख्यकारीगण का पैतृक सम्पत्ति चला आता है वो है। जिसके निश्चित सर्वे खतियान में नाम सौदागर सिंह वगैरह का अंकित है।

यह कि सौदागर सिंह अपने सभी सम्पत्तियों के उत्तराधिकारी अपने एकमात्र पुत्र रामभजन सिंह (लेख्यकारीगण के परदादा) को छोड़कर स्वर्गवास कर गये। पिता के स्वर्गवास कर जाने के बाद रामभजन सिंह उपरोक्त वर्णित सम्पत्ति पर और भी सम्पत्तियों के साथ काबिज दखिल तथा मालिक मुस्तकील हुए वो ताजीवन रहे।

यह कि बाद में रामभजन सिंह अपने सभी सम्पत्तियों के उत्तराधिकारी अपने एकमात्र पुत्र जामुन सिंह (लेख्यकारीगण के दादा) को छोड़कर स्वर्गवास कर गये। पिता के स्वर्गवास कर जाने के बाद जामुन सिंह उपरोक्त वर्णित सम्पत्ति पर और भी सम्पत्तियों के साथ काबिज दखिल तथा मालिक मुस्तकील हुए वो ताजीवन रहे।

यह कि बाद जामुन सिंह भी अपने सभी सम्पत्तियों के उत्तराधिकारी अपने चार पुत्र 1. मुन्द्रिका सिंह, 2. गंगा सिंह (लेख्यकारी संख्या एक वो दो के पिता), 3. चन्द्रिका सिंह (लेख्यकारी संख्या तीन से चार तक के पिता) वो 4. रामदेव सिंह को छोड़कर स्वर्गवास कर गये। पिता के स्वर्गवास कर जाने के बाद चारों भाई आपस में खानगी बंट गये। बंटवारा के द्वारा बंटकर उपरोक्त वर्णित सम्पत्ति पर और भी सम्पत्तियों के साथ चन्द्रिका सिंह वो गंगा सिंह के हक वो हिस्सा में मिला वो पड़ा।



(Handwritten signature)

सहि रमेश कुमार विक्रय पत्रिका लिखा सो सह है।
 वासिका पटकर समझ लिया सब हिस्से वासिका में
 लिखे अनुसा मुक्त रूप से इस मालन वपुल पाया।
 रमेश कुमार
 15/12/2018

मुद्रिका सिंह
 15-12-2018

यह कि बाद में गंगा सिंह अपने सभी सम्पत्तियों के उत्तराधिकारी अपने दो पुत्र 1. सुरेश सिंह वो 2. सत्येन्द्र सिंह (लेख्यकारी संख्या एक वो-दो) को छोड़कर स्वर्गवास कर गये। यह कि चन्द्रिका सिंह इस समय मानसिक एवं शारीरिक रूप से बीमार एवं लाचार हैं। इसलिए उनके तीनों पुत्र 1. दिनेश सिंह, 2. रमेश कुमार वो 3. राजेश कुमार (लेख्यकारी संख्या तीन से पाँच तक) अपने सम्पूर्ण पैतृक सम्पत्ति पर अर्थात् सभी लेख्यकारीगण उपरोक्त वर्णित सम्पत्ति पर और भी सम्पत्तियों के साथ इजमाल काबिज दखिल तथा मालिक मुस्तकील बिना किसी दूसरे के हस्तक्षेप के शांतिपूर्वक रहते हुए चले आते हैं वो हैं। यह कि लेख्यकारीगण को रुपये की जरूरत वास्ते देने कर्ज महाजन, खर्च पारिवारिक वो अन्य जरूरी कार्यों के लिए है। बिना उपरोक्त वर्णित सम्पत्ति को बिक्री किये रुपये का प्रबन्ध इस समय नहीं हो सकता है। इसलिए लेख्यकारीगण ने वर्णित सम्पत्ति को बिक्री करने का घोषणा किया वो कराया तो साथ लेख्यधारी के अंकेन 70,00,000/- (सत्तर लाख) रुपये मात्र मूल्य में वर्णित सम्पत्ति की खरीद बिक्री की बातचीत पक्की हो गई। यह मूल्य समयानुसार तथा वर्तमान बाजार भाव के अनुसार बिल्कुल वाजिब और उचित है तथा सिवाय लेख्यधारी के और कोई अन्य क्रेता इतना वाजिब व उचित मूल्य देकर वर्णित सम्पत्ति को क्रय करने के लिए तैयार नहीं हुए तो लेख्यकारीगण ने साथ लेख्यधारी के वर्णित सम्पत्ति के निश्चत विक्रय पत्र का निष्पादन स्वीकार कर देना अति आवश्यक वो मुनासिब समझा। अतएव लेख्यकारीगण अपने-अपने मानसिक तथा शारीरिक स्वस्थ अवस्था में रहकर बिना किसी बाहरी अनुचित दबाव व धमकाव के अपने-अपने तथा अपने-अपने परिवार के हानि लाभ को खूब अच्छी तरह से सोंच विचारकर तथा हितैषियों एवं कानूनी सलाहकारों से परामर्श लेकर उपरोक्त खाने संख्या 5 की वर्णित सलाहकारों से परामर्श लेकर उपरोक्त खाने संख्या 5 की वर्णित

(5) सही 21 जेडा कुशा, इजमालवालीका विजला सो लही है, मालिका पड़का समझा
दुआर सब दीका है। मालिका में फलके अमुला कुल रूपका दुजमालन बाहुल पाया

रामेश कुमार
15/12/18

सुरेश सिंह

15-12-2018



[Handwritten signature]

अंकेन 70,00,000/- (सत्तर लाख) रुपये मात्र मूल्य में साथ गोवर्धन इस्पात इण्डिया प्राइवेट लिमिटेड खाने संख्या 2 के बिना कोई शर्त के बेचा-बो-बिक्री करने के सबूत में यह निर्विवाद विक्रय पत्र लिखा तथा विक्रय पत्र का एकरार स्वीकार किया।

यह कि मूल्य का कुल रकम अंकेन 70,00,000/- (सत्तर लाख) रुपये मात्र भारतीय स्टेट बैंक, एस. एम. ई., गाँधी मैदान, पटना शाखा के पाँच UTR चार चेक के द्वारा लेख्यकारीगण इस विक्रय पत्र पर अपना अपना सही एवं निशान बनाने के पूर्व लेख्यधारी से भुगतान पा चुके हैं। जिसका विवरण इस प्रकार है:-

1. चेक संख्या 554235, तारीख 01.10.2018 ई0 का अंकेन 5,00,000/- (पाँच लाख) रुपये मात्र बनाम सुरेश सिंह।
2. UTR संख्या SBIN618274189570, तारीख 01.10.2018 ई0 का अंकेन 5,00,000/- (पाँच लाख) रुपये मात्र बनाम राजेश कुमार।
3. UTR संख्या SBINR52018100300060886, तारीख 03.10.2018 ई0 का अंकेन 5,00,000/- (पाँच लाख) रुपये मात्र बनाम सत्येन्द्र सिंह।
4. UTR संख्या SBINR52018100300061195, तारीख 03.10.2018 ई0 का अंकेन 5,00,000/- (पाँच लाख) रुपये मात्र बनाम दिनेश सिंह।
5. चेक संख्या 554308, तारीख 26.10.2018 ई0 का अंकेन 12,50,000/- (बारह लाख पचास हजार) रुपये मात्र बनाम सुरेश सिंह।
6. UTR संख्या SBINR52018102500059592, तारीख 25.10.2018 ई0 का अंकेन 12,50,000/- (बारह लाख पचास

रुपये मात्र बनाम सत्येन्द्र सिंह।

दिनेश सिंह

15/12/2018

सुरेश सिंह

15-12-2018



[Handwritten signature]

7. UTR संख्या SBINR52018103000041447, तारीख 30.10.2018 ई0 का अंकेन 10,00,000/- (दस लाख) रुपये मात्र बनाम दिनेश सिंह।

8. चेक संख्या 554411, तारीख 27.11.2018 ई0 का अंकेन 5,00,000/- (पाँच लाख) रुपये मात्र बनाम रमेश कुमार।

9. चेक संख्या 554457, तारीख 07.12.2018 ई0 का अंकेन 10,00,000/- (दस लाख) रुपये मात्र बनाम रमेश कुमार।

यह कि इस तरह लेख्यकारीगण ने मूल्य का कुल रकम लेख्यधारी से भुगतान पा चुके हैं। अब एक पैसा भी लेख्यकारीगण का लेख्यधारी के जिम्मे वर्णित सम्पत्ति के मूल्य के निश्चत बाकी नहीं रहा।

यह कि मूल्य का कुल रकम भुगतान पाकर लेख्यकारीगण ने वर्णित सम्पत्ति का पूर्ण दखल कब्जा आज तारीख से लेख्यधारी को दे दिया। चाहिए कि लेख्यधारी अब आज तारीख से उपरोक्त वर्णित सम्पत्ति पर काबिज-दखल तथा सम्पत्ति के एकमात्र भूस्वामी वो उत्तराधिकारी होकर वो रहकर वर्णित सम्पत्ति को अपने इच्छानुसार इस्तेमाल में लावे या जो उचित समझेंगे, वह करेंगे। इसमें अब किसी भी तरह का हक दावा या आपत्ति बगैरह करने का अधिकार लेख्यकारीगण को या उनके उत्तराधिकारी को नहीं रहा वो न होगा।

यह कि लेख्यकारीगण को या उनके उत्तराधिकारी को उपरोक्त खाने संख्या 5 की वर्णित सम्पत्ति में सम्पूर्ण स्वामित्व व अधिकार प्राप्त है या प्राप्त होता, वह सब सम्पूर्ण स्वामित्व व अधिकार अब आज तारीख से इस निर्विवाद विक्रय पत्र के द्वारा हस्तान्तरित होकर लेख्यधारी को प्राप्त हो गया। चाहिए कि लेख्यधारी कम्पनी का नाम अंचल कार्यालय पटना सदर में या जिस किसी कार्यालय में आवश्यक समझेंगे, वर्णित सम्पत्ति के



दिनेश सिंह
15/12/2018

रमेश कुमार
15-12-2018

निश्चित अंकित करवा लेवेंगे। इसमें लेख्यकारीगण को या उनके उत्तराधिकारी को कोई आपत्ति नहीं है वो न होगा।

यह कि लेख्यकारीगण ने लेख्यधारी को पूर्ण विश्वास व भरोसा दिलाये हैं कि उपरोक्त खाने संख्या-5 की वर्णित सम्पत्ति हर तरह के नुक्स-हकियत तथा ऋण-भार वगैरह से बिल्कुल मुक्त है तथा हमलोग लेख्यकारीगण के सिवाय और किसी अन्य व्यक्ति का हक-हिस्सा या दखल-कब्जा वगैरह वर्णित सम्पत्ति पर नहीं है। यदि इस निर्विवाद विक्रय पत्र के निष्पादन स्वीकार हो जाने के बाद यह सब दोष वगैरह वर्णित सम्पत्ति पर पाया जायेगा तो वह सबों की अदायगी की पूरी जिम्मेवारी वो जवाबदेही लेख्यकारीगण पर या उनके उत्तराधिकारी पर है वो रहेगा।

यह कि उपरोक्त वर्णित स्वत्व-दोष वगैरह पाये जाने की वजह से यदि लेख्यधारी को उपरोक्त वर्णित सम्पत्ति के सम्पूर्ण भाग से या कुछ भी अंश से बेदखल होना पड़े या किसी प्रकार का सरकारी या गैर सरकारी ऋण-भार वगैरह वर्णित सम्पत्ति के निश्चित चुकाना पड़े, तो वैसी अवस्था में कुल क्षति की रकम मय हर्जा-खर्चा तथा कानूनी सूद समेत चल या अचल सम्पत्ति से लेख्यकारीगण से या उनके उत्तराधिकारी से लेख्यधारी या उनके उत्तराधिकारी वसूल कर लेवेंगे। इसमें लेख्यकारीगण को या उनके उत्तराधिकारी को कोई आपत्ति नहीं है वो न होगा।

यह कि लेख्यकारीगण यह भी एकरार करते हैं कि उक्त सम्पत्ति पर बिहार सरकार, न्यायालय अथवा किसी विभाग का रोक नहीं है तथा विक्रय भूमि बिहार सरकार गैर मजरूआ आम/कैसरे हिन्द/ख्रास महाल के खाता एवं खेसरा से संबंधित नहीं है तथा विक्रय भूमि भू-हदबंदी से संबंधित नहीं है तथा इसके संबंध में भू-हदबंदी अधिनियम सन् 1963 ई0 की धारा 11 (1) के तहत प्रारूप या 15 (1) के तहत जिला गजट अधिसूचना में भी प्रकाशित नहीं की गई है तथा भूमि बंदोबस्ती/नीलामी

दिनेश सिंह
15/12/2018

सुरेश सिंह
15-12-2018



[Handwritten signature]

सूची, भूदान एवं लाल कार्ड तथा वक्फ/न्यास से संबंधित नहीं है।

इस वास्ते यह निर्विवाद विक्रय पत्र लेख्यकारीगण ने बनाम वो वहक गोवर्धन इस्पात इण्डिया प्राइवेट लिमिटेड को लिख दिया कि समय पर काम आवें वो प्रमाण रहे।

दिनांक : 15.12.2018 ई०।

गवाह

पट्टाचानकर्ता

- ① श्रीमान्द प्रसाद
पिता - स्व० रामदेव सिंह
ग्राम - कोठीगाँव
ग्राम - दीवारगाँव
जिला - पटना
15.12.2018

② श्रीमान्द प्रसाद

पिता - सुरेश सिंह
ग्राम - कोठीगाँव
ग्राम - दीवारगाँव
जिला - पटना
15.12.2018

- ③ श्रीमान्द शकुन
S/o - स्व० शमनाथ शकुन
ग्राम - नाहमनलगा
एक्कीविश्वान रोड
ग्राम - गाँधीमैदान
जिला - पटना
दिनांक - 15.12.2018

विक्रेतागण का हस्ताक्षर

- ① सुरेश सिंह
15.12.2018
② सत्येन्द्र सिंह
15.12.2018
③ विनेश सिंह
15.12.2018

④ रमेश कुमार
15.12.2018

⑤ राजेश कुमार
15.12.18

क्रेता का हस्ताक्षर

Govardhan Ispat (India) Pvt. Ltd.

विनय कुमार (निर्देशक)

15.12.2018 Director



15/12/18

N

नजरी नक्शा

सम्पत्ति अवस्थित अवस्थित मौजा सिमली गुरारपुर (एन0 एच0 से दक्षिण), पटना सिटी, थाना मालसलामी, जिला पटना। जिसका तौजी संख्या 226 पुराना वो वर्तमान तौजी बिहार सरकार, थाना संख्या 38, खाता संख्या 348, खेसरा संख्या 2024 का अंश, एराजी 28.1875 डिसमील।

विक्रेता :- 1. श्री सुरेश सिंह, 2. श्री सत्येन्द्र सिंह, दोनों के पिता का नाम स्वर्गीय गंगा सिंह, 3. श्री दिनेश सिंह, 4. श्री रमेश कुमार वो 5. श्री राजेश कुमार, तीनों के पिता का नाम श्री चन्द्रिका सिंह, सभी का निवास स्थान ग्राम कोठिया, थाना दीदारगंज, पत्रालय कोठिया भाया देगमपुर, पटना 800009, जिला पटना।

क्रेता :- गोवर्धन इस्पात इण्डिया प्राइवेट लिमिटेड, 401, सत्यम अपार्टमेंट, फ्रेजर रोड, पटना 800001, यह कम्पनी भारतीय कम्पनी एक्ट 1956 ई0 के अन्तर्गत निबंधित है। जिसका निबंधन संख्या U27106BR2013PTC021346 है, द्वारा प्रबंध निदेशक श्री विनय कुमार सिंह, पिता का नाम स्वर्गीय रामकृपाल सिंह, निवास स्थान 69, पाटलिपुत्र कॉलोनी, थाना वो पत्रालय पाटलिपुत्र, पटना 800013, जिला पटना।

S

जिन्ह लेखावाणी, वर्णित प्लॉट का भाग।

खेसरा संख्या 2023.

विक्रय सम्पत्ति

नील कमल स्टील्स प्राइवेट लिमिटेड वगैरह, वर्णित प्लॉट का भाग।

श्री रामानंद श्री दयानंद प्रसाद वो श्री दयानंद प्रसाद, वर्णित प्लॉट का भाग।

विक्रेता का हस्ताक्षर

① सुरेश सिंह
15-12-2018

② सत्येन्द्र सिंह
15-12-2018

③ दिनेश सिंह
15/12/2018

④ रमेश कुमार
15/12/2018

⑤ राजेश कुमार
15/12/18

क्रेता का हस्ताक्षर

Govardhan Ispat (India) Pvt. Ltd.

विनय कुमार सिंह
15-12-2018 Director

दस्तावेज में वर्णित सम्पत्ति का बाजार मूल्य वर्तमान में प्रभावी MVR के अनुरूप है तथा इस पर प्रभाय मुद्रांक निबंधन एवं अन्य शुल्क सही-सही चुकाया गया है।

दस्तावेज जाँच साबित करने के लिये मस्टर कॉपी



Sub District Registry Office, Patna City

Token Number 11276

Reg. Year 2018

Serial Number 10908

Deed Number 10754

PresType	Name	Photo	Thumb	Index	Middle	Ring	Little
Claimant	Binay Kumar Singh						
Sig.	बिनय कुमार सिंह 15/12/18						
Executant	Dinesh Singh						
Sig.	दीनेश सिंह 15/12/18						
Executant	Rajesh Kumar						
Sig.	राजेश कुमार 15/12/18						
Executant	Ramesh Kumar						
Sig.	रमेश कुमार 15/12/2018						
Executant	Satyendra Singh						
Sig.	सत्येंद्र सिंह 15-12-2018						
Presented By	Suresh Singh						
Sig.	सुरेश सिंह 15-12-2018						
Executant	Suresh Singh		N/A	N/A	N/A	N/A	N/A
Sig.	सुरेश सिंह 15-12-2018						
Identified By	Dayanand Prasad						
Sig.	दयानन्द प्रसाद 15.12.2018						

SCORE Ver.4.0

Powered by IIT Technologies Ltd.

Biometric Capture

By 2801400010

सुरेश सिंह
15-12-2018

12/15/2018

Endorsement of Certificate of Admissibility

Admissible under Rule 5 : duly Stamped (or exempted from or does not require stamp duty) under the Indian Stamp Act, 1899, Schedule I or I-A, No. '23'. Also admissible under section 26(a) of the B. T. Act.

Stamp duty paid under Indian Stamp Act Rs. 642720/-
Addl. Stamp duty paid under Municipal Act Rs. 214240/-

Amt. Paid By N.J Stamp Paper Rs. 1000/-
Amt. paid through Bank Challan Rs. 1071250/-

Registration Fee										LLR + Proc Fee	Service Charge		
FEE PAID	A1	214240	C	0	H1b	0	K1a	0	Lii	0	LLR	500	500
	A8	0	D	0	H2	0	K1b	0	Liii	0	Proc.Fee	50	
	A9	0	DD	0	I	0	K1c	0	Mb	0	Total	550	
	A10	0	E	0	J1	0	K2	0	Na	0			
	B	0	H1a	0	J2	0	Li	0					
	TOTAL-										214240		
Total amount paid (Reg. fee+LLR, Proc+Service Charge) in Rs. -										215290			

Handwritten signature

10/4/22

Date: 15/12/2018

Registering Officer
Patna City

Endorsement under section 52

Presented for registration at Registration Office, Patna City on Saturday, 15th December 2018 by Suresh Singh Late Ganga Singh by profession Others. Status - Executant

सुरेश सिंह
15-12-2018
Signature/L.T.I. of Presentant



Dr. 15/12/18
Registering Officer
Patna City

Endorsement under section 58

Execution is admitted by those Executants and Identified by the person (Identified by 'Dayanand Prasad' age '39' Sex 'M', 'Late Ramdev Singh', resident of 'Kothiya Ps-Didarganj Po-Kothiya Via-Begumpur Patna-800009, distt-Patna '), whose Names, Photographs, Fingerprints and Signatures are affixed as such on back page / pages of the instrument.

Date : 15/12/2018

SCANNED BY
[Signature]

Dr. 15/12/18
Registering Officer
Patna City

Endorsement of Certificate of Registration under section 60

Registered at Registration Office Patna City in Book 1 Volume No. 211 on pages on 567 -580, for the year 2018 and stored in CD volume No. CD-33 year 2018 .The document no. is printed on the Front Page of the document.

Date : 15/12/2018

Registering Officer
Patna City

Token No. : 11276 Year : 2018 S.No. : 10908 SCORE Ver.4.1

Deed No. : d No. : 10754

12/15/2018



बिहार BIHAR

15764

नम्बर... तारीख 27/9/19 रु. 1000 पीस 01... वा.स. 1231/19
केता का नाम व पता...

AE 645846

श्री गुरु हरिहर इन्डिया प्रा. लि.

पुष्पलाल व्याज कुहमरिया

चिन्मय किराँती लाल

सुभाष चन्द्र बोस रोड 30/73

रावतार आवालय, गधवाट, पटना सिटी

Deed of Lease

(1) लेख्यकारीगण का नाम एवं पता:-

1. श्री गिरुजा शंकर प्रसाद, पिता का नाम स्वर्गीय पुन्नी लाल कसेरा, निवास स्थान मरुल्ला बेलवर्गंज, पटना सिटी, बाना आलमगंज, पत्रालय गुलजारबाग, पटना 800007, जिला पटना। भारतीय नागरिक हैं।

..... प्रथम पक्ष/जमीन मालिक

Director
25/10/19

Gowardhan Ispat (India) Pvt. Ltd.

25/10/19
C. S. Sharma

2. गोवर्धन इस्पात इण्डिया प्राईवेट लिमिटेड, 401, सत्यम अपार्टमेंट, फ्रेंजर रोड, पटना 800001, यह कम्पनी भारतीय कम्पनी एक्ट सन् 1956 ई0 के अन्तर्गत निबन्धित है। जिसका निबन्धन संख्या U27106BR2013PTC021346 है, द्वारा प्रबंध निदेशक श्री बिनय कुमार सिंह, पिता का नाम स्वर्गीय रामकृपाल सिंह, निवास स्थान 69, पाटलिपुत्र कॉलोनी, धाना चौ पत्रालय पाटलिपुत्र, पटना 800013, जिला पटना।

.....द्वितीय पक्ष/किरायेदार

लेख्यकारीगण भारतीय नागरिक है।

- (2) लेख्यघारी का नाम एवं पता:-
आपस में एक पक्ष दूसरे पक्ष के प्रति।
- (3) लेख्य प्रकार:- किरायनामा पत्र अवधि 27 साल (सताईस साल) का दिनांक 01.10.2019 ई0 से लगायत दिनांक 30.09.2046 ई0 तक के लिए हुई है।

- (4) सम्पत्ति का माहवारी किराया:-
अंकेन 500/- (पाँच सौ) रुपये मात्र प्रति कट्टर के दर 64 कट्टर 12 घुर 16 धुरकी जमीन का माहवारी किराया अंकेन 32,320/- (बत्तीस हजार तीन सौ बीस) रुपये मात्र तथा वार्षिक किराया अंकेन 3,87,840/- (तीन लाख सतासी हजार आठ सौ चालीस) रुपये मात्र होता है तथा प्रत्येक तीन साल पर किराये की रकम में 05 प्रतिशत की बढ़ोतरी होगी, जो दोनों पक्षों के दरम्यान तय पाई है।

- (5) सम्पत्ति का सम्पूर्ण विवरण:-
क्षेत्रफल 02 एकड़ 02 डिसमील (दो एकड़ दो डिसमील) व्यावसायिक जमीन परती हक़दैयती, जिसे

6th June
25/10/19

Govardhan Ispat (India) Pvt. Ltd.
25/10/19
Director

द्वितीय पक्ष को किराये पर दी हुई है। सम्पत्ति अवस्थित मौजा सिमली नुरारपुर (एन. एच. से दक्षिण), पटना सिटी, थाना मालसलामी, जिला पटना। अवर निबंधन कार्यालय पटना सिटी वो जिला निबंधन कार्यालय पटना। सम्पत्ति पटना नगर निगम क्षेत्र के अन्दर है। जिसका वर्तमान तौजी बिहार सरकार, थाना संख्या 38 (अइतीस), खाता संख्या 344 वो 349 (तीन सौ चौबालीस वो तीन सौ उनचास), खेसरा संख्या 2019 वो 2020 (दो हजार उन्नीस वो दो हजार बीस) का अंश, भूमि का वार्षिक लगान अंकेन 50 रुपया अलावे शेष अंचलाधिकारी पटना सदर। भूराजस्व अदायगी की रसीद सन् 2022-23 ई0 तक का श्री गिरजा शंकर प्रसाद (जमीन मालिक) के नाम से कटी हुई है। जिसका हल्का पुनाहीह, जमाबंदी संख्या 9, भाग वर्तमान 16 वो पृष्ठ संख्या 2833 है।

चौहद्दी

उत्तर : निज जमीन मालिक प्रथम पक्ष।

दक्षिण : श्री विनय कुमार सिंह।

पूरब : सहायक रास्ता।

पश्चिम: सहायक रास्ता।

लेख्य का कथन

यह कि उपरोक्त खाने संख्या 5 की वर्णित सम्पत्ति को और भी सम्पत्तियों के साथ प्रथम पक्ष श्री गिरजा शंकर प्रसाद ने एक निबंधित वसीका विक्रय पत्र के विक्रेता श्रीमती सुनैना देवी, पति का नाम श्री रामप्रवेश निराला, निवास स्थान ग्राम जेतुली, थाना दीदारगंज, जिला पटना से दिनांक 28.03. 2011 ई0 को खरीद किये है। जिसका टेकन संख्या

25/10/19
25/10/19

Govardhan Ispat (India) Pvt. Ltd.
25/10/2019
Director

2344/2011, सिरियल संख्या 2311, बुक संख्या 1 को वसीका संख्या 2039 है। जिसकी निबंधन अवर निबंधन कार्यालय पटना सिटी में हुई है। जिसपर तारीख खरीदारी से स्वयं प्रथम पक्ष श्री गिरजा शंकर प्रसाद काबिज दखिल तथा मालिक मुस्तकील बिना किसी दूसरे के हस्तक्षेप के शांतिपूर्वक रहते हुए चले आते हैं वो हैं।

यह कि उपरोक्त आने संख्या 5 की वर्णित सम्पत्ति को प्रथम पक्ष अपने लाभ के लिए किराये पर लगाने की घोषणा किये वो कराये तो द्वितीय पक्ष को अपने व्यवसाय हेतु उपरोक्त वर्णित सम्पत्ति को किराया पर लेने की इच्छा जताये तो प्रथम पक्ष एवं द्वितीय पक्ष के बीच निम्नलिखित शर्तों पर वर्णित सम्पत्ति किराया पर लेने-देने की बातचीत तय हुई। जो दोनों पक्षों को मंजूर वो स्वीकार है:-

1. यह कि किरायनामा पत्र की अगधि 27 साल (सताईस साल) के लिए है। जो दिनांक 01.10.2019 ई0 से प्रभावी होकर दिनांक 30.09.2046 ई0 को समाप्त हो जायेगा।

2. यह कि दोनों पक्षों के बीच वर्णित सम्पत्ति का सालाना किराया अंकन 3,87,840/- (तीन लाख सतासी हजार आठ सौ घालीस) रुपये मात्र तथा प्रत्येक तीन साल पर किराये की रकम में 05% (पाँच प्रतिशत) की वृद्धि होती जायेगी। उक्त किराये की रकम द्वितीय पक्ष प्रत्येक माह/साल में नियमित रूप से प्रथम पक्ष को भुगतान कर दिया करेंगे तथा किराया देने के सबूत में प्रथम पक्ष से रसीद ले लिया करेंगे।

3. यह कि द्वितीय पक्ष उपरोक्त वर्णित सम्पत्ति पर काबिज दखिल होकर वो रहकर वर्णित सम्पत्ति को कारखाना के उपयोग में लावेंगे। द्वितीय पक्ष वर्णित सम्पत्ति में जिस तरह का निर्माण करना चाहें, करेंगे तथा वर्णित सम्पत्ति में किसी भी तरह का कोई गैर कानूनी सामान नहीं रखेंगे और न ही

Gur Kumar
25/10/19

Director
25/10/19

Govardhan Ispat (India) Pvt. Ltd.

कोई गैर कानूनी कार्य करेंगे। अगर ऐसा पाया जायेगा तो इसकी सारी जिम्मेवारी वो जवाबदेही द्वितीय पक्ष पर है तो होगी। इससे प्रथम पक्ष को कोई वास्ता वो सरोकार नहीं है वो न रहेगा।

4. यह कि द्वितीय पक्ष साउथ बिहार पावर डिस्ट्रीब्यूट कम्पनी लिमिटेड बोर्ड से कॉमर्शियल कनेक्शन लेकर बिजली का उपयोग करेंगे तथा प्रत्येक माह बिजली बिल नियमित रूप से भुगतान कर दिया करेंगे। जिस समय द्वितीय पक्ष वर्णित सम्पत्ति को छोड़ेंगे तो उस समय बिहार विद्युत बोर्ड से द्वितीय पक्ष बिजली बिल के बकाया भुगतान का नो इयुज का प्रमाण पत्र लेकर प्रथम पक्ष को दे देंगे।

5. यह कि वर्णित सम्पत्ति के निश्चित भूराजस्व प्रथम पक्ष भुगतान करेंगे तथा व्यवसाय संबंधित किसी भी प्रकार का टैक्स द्वितीय पक्ष भुगतान करेंगे।

6. यह कि द्वितीय पक्ष वर्णित सम्पत्ति को दर किराये पर किसी अन्य व्यक्ति को नहीं देंगे।

7. यह कि इस किरायनामा पत्र की अवधि 27 साल (सताईस साल) दिनांक 30.09.2046 ई0 को पुरा हो जायेगा तो उस वक्त द्वितीय पक्ष अपना कुल सामान वर्णित सम्पत्ति से हटाकर सम्पत्ति का दखल कब्जा प्रथम पक्ष को दे देंगे तथा यह किरायनामा पत्र स्वतः रद्द हो जायेगा।

8. यह कि दोनों पक्षों के बीच मधुर सम्बन्ध रहने पर किरायनामा पत्र की अवधि समाप्ती होने के उपरान्त दोनों पक्ष चाहें तो नये शर्तों के अनुसार किरायनामा पत्र का नवीकरण कर सकते हैं।

9. यह कि इस किरायनामा पत्र में लिखी गई सभी शर्तों की पूरी पूरी पाबंदी दोनों पक्षों पर तथा इन दोनों पक्षों के उत्तराधिकारियों पर है वो रहेगा।

25/10/19
Gaur Singh

25/10/19
Director

Govardhan Ispat (India) Pvt. Ltd.

अतएव लेख्यकारीगण दोनों पक्ष अपने-अपने मानसिक तथा शारीरिक स्वस्थ-अवस्था में रहकर बिना किसी बाहरी अनुचित दबाव वो धमकाव के अपने-अपने हानि-लाभ को खूब अच्छी तरह से सोंच विचारकर तथा हितैषियों एवं कानूनी सलाहकारों से परामर्श लेकर यह वसीका किरायनामा पत्र एक पक्ष ने बनाना वो वहक दूसरे पक्ष के लिख दिया कि समय पर काम आवे वो प्रमाण रहे।

तारीख : 25.10.2019 ई01

गवाहगण

प्रथम पक्ष का हस्ताक्षर

① श्रीमल ठाकुर
3/0- वि० रामनाथ ठाकुर
401 'E' मारामादगाणा
रामजीनिशानरोड
बागा - गाँव बिन्दान
जिला - पटना
दिनांक - 25-10-2019

Gur Samp
25/10/19

द्वितीय पक्ष का हस्ताक्षर
Govardhan Ispat (India) Pvt. Ltd.

25/10/2019
Director

② Bhaskar Sen
40 Late Bimbisan Sen
Jogiatola Yarpur
Patna - 800 001
Dated. 25.10.2019



बिहार BIHAR

Berikah No. 4221

२३५४५ / तारीख १६-३ नमर
क्रेता का नाम व पता
.....
.....
.....

वसुधैव कुटुम्बकम्
Date No. 4154

क्रमांक का नाम व पता 1-100-अपना 1-2004 4154
Deed No. 4154

November-1970

विमोच विहारी लाल

GOV. OF BRITISH COLUMBIA
 Youth Registry Office, 605-680-40-98/73
 62-1

Summary of Endorsement

Registration on 24/03/2021 by Shyam Narayan Singh

and other Fees of Rs. 246270/- has been paid in it.

Notarized copies of the following documents, if applicable, are affixed on the reverse page.

as Deed No. 4134 in Book No. 1, Volume No. 102 on pages from 29 to 17 pages in C.D. No. 16 / Year 2021

一

三

Signature with Date

Token No: 4299 /2021
[Nishikesh Sahpuri]
Registering Officer, Patna City

1000

4/15/2

100

[illegible]

ite Sale Deed

३३

112
27
20

नाययण सिंह

Narayan Singh),

20
115
20
20
140
110

11-11-11

70
41
12
229
2/1
32
46

$\frac{1}{2}$

12
13
14
15
16
17
18

पिता का नाम स्वर्गीय जन्गी सिंह, निवास स्थान ग्राम मीरचक कोठिया, पटना सिटी, थाना दीदारगंज, पत्रालय कोठिया भाया बेगमपुर, पटना 800009, जिला पटना। उम्र 60 वर्ष, जाति यादव, पेशा खेती, भारतीय नागरिक हैं। पैन JHWPS2666J. मोबाईल नं० 9110941029.

(2) लेख्यधारी का नाम एवं पता :-

नीलकमल स्टील्स प्राइवेट लिमिटेड (Neelkamal Steels Private Limited), सबलपुर, पटना सिटी। यह कंपनी भारतीय कंपनी एक्ट सन् 1956 ई० के अन्तर्गत निर्बंधित है। जिसका निर्बंधन संख्या AACCN1536HXM001 है। द्वारा प्रबंध निदेशक श्री बिनय कुमार सिंह (Binay Kumar Singh), पिता का नाम स्वर्गीय रामकृपाल सिंह, निवास स्थान 69 पाटलिपुत्र कॉलोनी, थाना बो पत्रालय पाटलिपुत्र, पटना 800013, जिला पटना। पेशा व्यवसाय, उम्र 58 वर्ष, जाति राजपूत, भारतीय नागरिक हैं।

पैन AACCN1536H. मोबाईल नं० 9771405906.

(3) लेख्य प्रकार :- निर्विवाद विक्रय पत्र।

(ABSOLUTE SALE DEED)

(4) सम्पत्ति का मूल्य :-

अंकेन 65,00,000/- (पैंसठ लाख) रुपये मात्र खरीदारी।

(सरकारी M.V.R के अनुसार)

Rs. 1,22,61,000/- (One Crore Twenty Two lac Sixty One Thousand) Only.

श्रेणी आवासीय सहायक सड़क। जिसका मूल्य दिया गया



24.8.2021
21/08/2021

(5) सम्पत्ति का सम्पूर्ण विवरण :-

क्षेत्रफल 32.2656 डिसमील (बत्तीस दशमलव दो छः पाँच छः डिसमील) आवासीय जमीन परती हकरैयती, सम्पत्ति अवस्थित मौजा सिमली मुरपुर (एन. एच. से दक्षिण), पटना सिटी, थाना मालसामी, जिला पटना। अवर निबंधन कार्यालय पटना सिटी वो जिला निबंधन कार्यालय पटना। सम्पत्ति पटना नगर निगम क्षेत्र के अन्दर है। जिसका तौजी संख्या 281 (दो सौ एकासी) पुराना वो वर्तमान तौजी बिहार सरकार, थाना संख्या 38 (अइतीस), खाता संख्या 345 (तीन सौ पैंतालीस), खेसरा संख्या 2023 (दो हजार तेईस) का अंश, भूमि का वार्षिक लगान अंकेन 10 रुपया अलावे शेष अंचलाधिकारी पटना सदर। भूराजस्व अदायगी की रसीद सन् 2020-21 ई0 तक का श्री श्याम नारायण सिंह (लेख्यकारी) के नाम से कटी हुई है। जिसका हल्का पुनाडीह, जमाबंदी संख्या 538, भाग वर्तमान 3 वो पृष्ठ संख्या 862 है।

इस वसीका के साथ नजरी नक्शा संलग्न है। नक्शा में वर्णित विक्रय सम्पत्ति को लाल रंग से दर्शाया हुआ है। नक्शा भी इस विक्रय पत्र का एक अभिन्न अंग है वो रहेगा।

चौहद्दी

उत्तर : खेसरा संख्या 2022, श्री विनय कुमार सिंह।

दक्षिण : खेसरा संख्या 2024, गोवर्धन इस्पात इण्डिया प्राइवेट लिमिटेड वो श्री दयानन्द राय।

पूरब : ग्रामीण डगर।

पश्चिम: गोवर्धन इस्पात इण्डिया प्राइवेट लिमिटेड, वर्णित

प्लॉट का भाग।



(Signature)

24.03.2021
21/12/2021

(Signature)
24.03.2021

लेख्य का कथन

इस विक्रय पत्र के खाने संख्या 5 की वर्णित सम्पत्ति को और भी सम्पत्तियों के साथ चन्दा देवी (लेख्यकारी की माँ) वो श्री श्याम नारायण सिंह (लेख्यकारी) ने दो निर्बंधित वसीका विक्रय पत्र के द्वारा अलग अलग खरीद किये है। जिसका विवरण इस प्रकार है:-

प्रथम वसीका विक्रय पत्र के द्वारा चन्दा देवी ने कुल एराजी 25 हिसमील भूमि को विक्रेता श्रीमती शान्ति देवी, पति का नाम श्री शिवशंकर प्रसाद, निवास स्थान महल्ला गौरी दास भट्टी, पट्ना सिटी, थाना मालसलामी, पत्रालय माधव मिल्स, जिला पट्ना से दिनांक 17.05.1989 ई0 को खरीद की थी। जिसका बुक संख्या 1, जिल्द संख्या 28, पेज संख्या 249 से 252 तक वो वसीका संख्या 4190 है। जिसकी निर्बंधन जिला निर्बंधन कार्यालय पट्ना सदर में हुई है। जिसपर तारीख खरीदारी से चन्दा देवी काबिज दखिल तथा मालकिन मुस्तकील हुई वो ताजीवन रही।

द्वितीय वसीका विक्रय पत्र के द्वारा श्री श्याम नारायण सिंह ने कुल एराजी 25 हिसमील भूमि को विक्रेता श्री शिवशंकर प्रसाद, पिता का नाम स्वर्गीय हीरा लाल, निवास स्थान महल्ला गौरी दास भट्टी, पट्ना सिटी, थाना मालसलामी, पत्रालय माधव मिल्स, जिला पट्ना से दिनांक 17.05.1989 ई0 को खरीद किये है। जिसका बुक संख्या 1, जिल्द संख्या 29, पेज संख्या 253 से 256 तक वो वसीका संख्या 4191 है। जिसकी निर्बंधन जिला निर्बंधन कार्यालय पट्ना सदर में हुई है।

यह कि बाद में चन्दा देवी तथा उनके पति जंगी सिंह (लेख्यकारी के माता पिता) अपने सभी सम्पत्तियों के उत्तराधिकारी अपने दो पुत्र 1. श्याम नारायण सिंह (लेख्यकारी) को 2. मुनचुन प्रसाद उर्फ मुनचुन सिंह को छोड़कर स्वर्गवास



(Handwritten signature)

24.03.2020
2020.03.24

कर गये। माता पिता के स्वर्गवास कर जाने के बाद दोनों भाई अपने सभी इज्जतमाली सम्पत्तियों को आपस में खानगी बांट लिये। बंटवारा के द्वारा बंटकर उपरोक्त वर्णित सम्पत्ति और भी सम्पत्तियों के साथ खास श्याम नारायण सिंह के हक वो हिस्सा में मिला वो पड़ा। जिसपर स्वयं लेख्यकारी श्री श्याम नारायण सिंह काबिज दखिल तथा मालिक मुस्तकील बिना किसी दूसरे के हस्तक्षेप के शांतिपूर्वक रहते हुए चले आते हैं वो हैं।

यह कि लेख्यकारी को रुपये की जरूरत वास्ते खर्च पारिवारिक, बनवाने मकान वो अन्य जरूरी कार्यों के लिए है। बिना उपरोक्त वर्णित सम्पत्ति को बिक्री किये रुपये का प्रबन्ध इस समय नहीं हो सकता है। इसलिए लेख्यकारी ने वर्णित सम्पत्ति को बिक्री करने का घोषणा किया वो कराया तो साथ लेख्यधारी के अंकेन 65,00,000/- (पैंसठ लाख) रुपये मात्र मूल्य में वर्णित सम्पत्ति की खरीद बिक्री की बातचीत पक्की हो गई। यह मूल्य समयानुसार तथा वर्तमान बाजार भाव के अनुसार बिल्कुल वाजिब और उचित है तथा सिवाय लेख्यधारी के और कोई अन्य क्रेता इतना वाजिब व उचित मूल्य देकर वर्णित सम्पत्ति को क्रय करने के लिए तैयार नहीं हुए तो लेख्यकारी ने साथ लेख्यधारी के वर्णित सम्पत्ति के निश्चित विक्रय पत्र का निष्पादन स्वीकार कर देना अति आवश्यक वो मुनासिब समझा।

अतएव लेख्यकारी अपने मानसिक तथा शारीरिक स्वस्थ अवस्था में रहकर बिना किसी बाहरी अनुचित दबाव व धमकाव के अपने तथा अपने परिवार के हानि लाभ को खूब अच्छी तरह से सोंच विचारकर तथा हितैषियों एवं कानूनी सलाहकारों से परामर्श लेकर उपरोक्त खाने संख्या 5 की वर्णित एराजी बत्तीस



[Handwritten signature]

32/12/2021 14:48
24.03.2021

दशमलव दो छः पाँच छः डिसमील भूमि को अंकेन 65,00,000/- (पैंसठ लाख) रुपये मात्र मूल्य में साथ नीलकमल स्टील्स प्राइवेट लिमिटेड लेख्यधारी खाने संख्या 2 के बिना कोई शर्त के बेचा वो बिक्री करने के सबूत में यह निर्विवाद विक्रय पत्र लिखा तथा विक्रय पत्र का एकरार स्वीकार किया।

यह कि मूल्य का कुल रकम अंकेन 65,00,000/- (पैंसठ लाख) रुपये मात्र में से अंकेन 48,750/- (अइतालीस हजार सात सौ पचास) रुपये मात्र लेख्यकारी लेख्यधारी से HDFC BANK, रामकृष्णा नगर, बाईपास रोड, पटना शाखा के चालान संख्या 280 तथा HDFC REF NO. 19518, दिनांक 18.03.2021 ई0 के द्वारा टी.डी.एस स्वरूप भुगतान पाये दो अंकेन 64,51,250/- (वैंसठ लाख एकावन हजार दो सौ पचास) रुपये मात्र एक चेक तथा दो RTGS के द्वारा लेख्यकारी इस विक्रय पत्र पर अपना सही एवं निशान बनाने के पूर्व लेख्यधारी से भुगतान पा चुके हैं। जिसका विवरण इस प्रकार है:-

1. चेक संख्या 408433, दिनांक 09.11.2020 ई0, भारतीय स्टेट बैंक, कथरुका निवास, साउथ गाँधी मैदान, पटना शाखा का अंकेन 25,00,000/- (पच्चीस लाख) रुपये मात्र।

2. UTR संख्या HHDFCR5202102277302863, दिनांक 22.02.2021 ई0, एच. डी. एफ. सी. बैंक, रामकृष्णा नगर, बाईपास रोड, पटना शाखा का अंकेन 27,00,000/- (सताईस लाख) रुपये मात्र।

3. UTR संख्या HDFCR52021031781771629, दिनांक 17.03.2021 ई0, एच. डी. एफ. सी. बैंक, रामकृष्णा नगर,



21/03/2021
24.03.2021

बाईपास रोड, पटना शाखा का अंकन 12,51,250/- (बारह लाख एकावन हजार दो सौ पचास) रुपये मात्र।

यह कि इस तरह लेख्यकारी ने मूल्य का कुल रकम लेख्यधारी से भुगतान पा लिया। अब एक पैसा भी लेख्यकारी का लेख्यधारी के जिम्मे वर्णित सम्पत्ति के मूल्य के निश्चय बाकी नहीं रहा।

यह कि मूल्य का कुल रकम भुगतान पाकर लेख्यकारी ने वर्णित सम्पत्ति का पूर्ण दखल कब्जा आज तारीख से लेख्यधारी को दे दिया। चाहिए कि लेख्यधारी अब आज की तारीख से उपरोक्त वर्णित सम्पत्ति पर काबिज-दखिल तथा सम्पत्ति के भूस्वामी वो उत्तराधिकारी होकर वो रहकर वर्णित सम्पत्ति को कम्पनी के इस्तेमाल में लावें या जो उचित समझेंगे, वह करेंगे। इसमें अब किसी भी तरह का हक-दावा या आपत्ति वगैरह करने का अधिकार लेख्यकारी को या उनके उत्तराधिकारी को नहीं रहा वो न होगा।

यह कि लेख्यकारी को या उनके उत्तराधिकारी को उपरोक्त खाने संख्या 5 की वर्णित सम्पत्ति में सम्पूर्ण स्वामित्व व अधिकार प्राप्त है या प्राप्त होता, वह सब सम्पूर्ण स्वामित्व व अधिकार अब आज तारीख से इस निर्विवाद विक्रय पत्र के द्वारा हस्तान्तरित होकर लेख्यधारी को प्राप्त हो गया। चाहिए कि लेख्यधारी कम्पनी का नाम अंचल कार्यालय सदर पटना में या जिस किसी कार्यालय में आवश्यक समझेंगे, वर्णित सम्पत्ति के निश्चय अंकित करवा लेवेंगे। इसमें लेख्यकारी को या उनके उत्तराधिकारी को कोई आपत्ति नहीं है वो न होगा।

यह कि लेख्यकारी ने लेख्यधारी को पूर्ण विश्वास व भरोसा दिलाया है कि उपरोक्त खाने संख्या 5 की वर्णित सम्पत्ति हर तरह के बुक्स-हकियत तथा ऋण-भार वगैरह से बिल्कुल मुक्त



[Handwritten signature]

31/11/2020
24.03.2021

है तथा हम लेख्यकारी के सिवाय और किसी अन्य व्यक्ति का हक-हिस्सा या दखल-कब्जा वगैरह वर्णित सम्पत्ति पर नहीं है। यदि इस निर्विवाद विक्रय पत्र के निष्पादन स्वीकार हो जाने के बाद यह सब दोष वगैरह वर्णित सम्पत्ति पर पाया जायेगा तो वह सबों की अदायगी की पूरी पूरी जिम्मेवारी को जवाबदेही लेख्यकारी पर या उनके उत्तराधिकारी पर है वो रहेगा।

यह कि उपरोक्त वर्णित स्वत्व-दोष वगैरह पाये जाने की वजह से यदि लेख्यधारी को उपरोक्त वर्णित सम्पत्ति के सम्पूर्ण भाग से या कुछ भी अंश से बेदखल होना पड़े या किसी प्रकार का सरकारी या गैर सरकारी ऋण-भार वगैरह वर्णित सम्पत्ति के निश्चित चुकाना पड़े, तो वैसी अवस्था में कुल क्षति की रकम मय हर्जा-खर्चा तथा कानूनी सूद समेत वल या अवल सम्पत्ति से लेख्यकारी से या उनके उत्तराधिकारी से लेख्यधारी या उनके उत्तराधिकारी वसूल कर लेवेंगे। इसमें लेख्यकारी को या उनके उत्तराधिकारी को कोई आपत्ति नहीं है वो न होगा।

यह कि लेख्यकारी यह भी एकरार करते हैं कि उक्त सम्पत्ति पर बिहार सरकार, न्यायालय अथवा किसी विभाग का रोक नहीं है तथा विक्रय भूमि बिहार सरकार गैर मजरुआ आम/कैसरे हिन्द/खास महाल के खाला एवं खेसरा से संबंधित नहीं है तथा विक्रय भूमि भू-हदबंदी से संबंधित नहीं है तथा इसके संबंध में भू-हदबंदी अधिनियम सन् 1963 ई0 की धारा 11 (1) के तहत प्रारूप या 15 (1) के तहत जिला गजट अधिसूचना में कभी भी प्रकाशित नहीं की गई है तथा भूमि बंदोबस्ती/नीलामी सूची भूदान एवं लाल कार्ड तथा वक्फ/न्यास से संबंधित नहीं है।

यह कि लेख्यकारी प्रमाणित करते हैं कि उपर्युक्त तथ्य सत्य व सही है तथा दस्तावेज में कोई ऐसा तथ्य छुपाया नहीं गया है।

जिससे सरकारी राजस्व की हानि हुई है और बाद में



1702. E0.47
31/10/2016 4/1/16

जॉचोपरान्त राजस्व चोरी पाये जाने पर पक्षकार पर कानूनी कार्रवाई के लिए राज्य सरकार स्वतंत्र होगी।

इस वास्ते यह निर्विवाद विक्रय पत्र लेख्यकारी ने बनाम वो वहक लेख्यधारी नीलकमल स्टील्स प्राईवेट लिमिटेड को लिख दिया कि समय पर काम आवें वो प्रमाण रहे।

दिनांक : 24.03.2021 ई०।

गवाहगण

विक्रेता का हस्ताक्षर

जहचानकर्ता

रूपाम गणपत सिंह

रवि कान्त

पिता स्व. गणपत सिंह

ग्राम पो० कोष्ठिया

ब्लॉक - दिदरगंज

जिला, पटना

24/03/2021

बोम्ब फुमार

क्रेता का हस्ताक्षर

Neelamal Steels Pvt. Ltd.

बिगमचुका (गिड)

24/3/21 Director

(2)

पिता रूपाम गणपत सिंह

ग्राम + पोस्ट कोष्ठिया

ब्लॉक - दिदरगंज

जिला - पटना

24.03.2021

प्रारूपकर्ता

गोविन्द कुमार पिता-रूपाम गणपत

सिंह ग्राम पो० - कोष्ठिया

ब्लॉक - दिदरगंज

जिला - पटना

24.03.2021



(3)

नजरी नक्शा

N

सम्पत्ति अवस्थित मौजा सिमली मुरारपुर (एन. एव. से दक्षिण), पटना सिटी, थाना मालसलामी, जिला पटना। जिसका तौजी संख्या 281 पुराना वो वर्तमान तौजी बिहार सरकार, थाना संख्या 38, खाता संख्या 345, खेसरा संख्या 2023 का अंश, एराजी 32.2656 डिसमील।

विश्रेता का नाम वो पता:- श्री श्याम नारायण सिंह, पिता का नाम स्वर्गीय जल्मी सिंह, निवास स्थान ग्राम मीरयक-कोठिया, पटना सिटी, थाना दीदारगंज, पत्रालय कोठिया भाया बेगमपुर, पटना 800009, जिला पटना।

क्रेता का नाम वो पता:- नीलकमल स्टील्स प्राइवेट लिमिटेड, सबलपुर, पटना सिटी। यह कम्पनी भारतीय कम्पनी एक्ट सन् 1956 ई0 के अन्तर्गत विबोधित है। जिसका निबधन संख्या AACCN1536HXM001 है। द्वारा प्रबंध निदेशक श्री विनय कुमार सिंह, पिता का नाम स्वर्गीय रामकृपाल सिंह, निवास स्थान 69 पाटलिपुत्र कॉलोनी, थाना वो पत्रालय पाटलिपुत्र, पटना 800013, जिला पटना।

S

विश्रेता का हस्ताक्षर

श्याम नारायण सिंह

खेसरा संख्या 2022, श्री
विनय कुमार सिंह।

विक्रय भूमि

। 21.03.2024

गोवर्धन इस्पात इण्डिया प्राइवेट
लिमिटेड, वर्णित प्लॉट का भाग।

क्रेता का हस्ताक्षर

For Neelamal Steels Pvt. Ltd.

स्विकृत (दि)
24/3/24 Director

पसलार द्वारा दिशावे
नगर जमीन का स्थान
जोच कागजात नमा
जमीन पट्टी नमादिना/
हो: नमादिना/
सहच: नमादिना/
नामादिना/
24-3-24



Endorsement of Certificate of Admissibility

Admissible under Rule 5 : duly Stamped (or exempted from or does not require stamp duty) under the Indian Stamp Act, 1899, Schedule I or I-A, No. '23'. Also admissible under section 26(a) of the B. T. Act.

Stamp duty paid under Indian Stamp Act Rs. 735660/-

Amt. Paid By N.J Stamp Paper	Rs.	1000/-
Amt. paid through Bank Challan	Rs.	1226150/-

Addl. Stamp duty paid under Municipal Act Rs. 245220/-

Registration Fee

A1	245220	C	0	H1b	0	K1a	0	L1	0
A8	0	D	0	H2	0	K1b	0	L1i	0
A9	0	DD	0	I	0	K1c	0	Mb	0
A10	0	E	0	J1	0	K2	0	Na	0
B	0	H1a	0	J2	0	L1	0	TOTAL-	245220

Total amount paid (Reg. fee+LLR, Proc+Service Charge) in Rs. - 246270

Date: 24/03/2021

Registering Officer
Patna City

Endorsement under section 52

Presented for registration at Registration Office, Patna City on Wednesday, 24th March 2021 by Shyam Narayan Singh Late Jagi Singh by profession Others. Status - Executant

श्याम नारायण सिंह
24.03.2021
Signature of T.I. of Presentant

Date: 24/03/2021

Registering Officer
Patna City

Endorsement under section 58

Execution is admitted by those Executants and Identified by the person identified by 'Ravi Kant' age '53' Sex 'M', 'Sri Ganpat Singh', resident of 'Maranchi Patna Rural Patna Bihar' whose Names, Photographs, Fingerprints and Signatures are affixed as such on back page / pages of the instrument.

Date : 24/03/2021

Registering Officer
Patna City

Endorsement of Certificate of Registration under section 60

Registered at Registration Office Patna City in Book 1 Volume No. 102 on pages on 29 -45, for the year 2021 and stored in CD volume No. CD-16 year 2021 .The document no. is printed on the Front Page of the document.

Date : 24/03/2021

Token No. : 4299 Year : 2021 S.No. : 4221 SCORE Ver.4.1 Deed No. : 4154

Registering Officer
Patna City



INDIA NON JUDICIAL Government of Bihar

e-Stamp

Certificate No. : IN-BR190659522111577

Certificate Issued Date :

23-Mar-2021 04:23 PM

Account Reference :

SHCIL (FIY) brshci01/ PATNA CITY SRO/ BR-PAT/ PTN

Unique Doc. Reference :

SUBIN-BFBRSHCIL01244604446097247

Purchased by :

NEELKAMAL STEELS PRIVATE LIMITED

Description of Document :

Article 23 Conveyance

Property Description :

Not Applicable

Consideration Price (Rs.) :

0 (Zero)

First Party :

Not Applicable

Second Party :

NEELKAMAL STEELS PRIVATE LIMITED

Stamp Duty Paid By :

NEELKAMAL STEELS PRIVATE LIMITED

Stamp Duty Paid (Rs.) :

9,79,880 (Nine Lakh Seventy Nine Thousand Eight Hundred And Eighty only)

Reg. fee (Rs.) :

2,45,220 (Two Lakh Forty Five Thousand Two Hundred And Twenty only)

LLR & P Fee (Rs.) :

550 (Five Hundred And Fifty only)

Miscellaneous Fee (Rs.) :

0 (Zero)


Discore SC (Rs.) :

500 (Five Hundred only)

Total Amount (Rs.) :

12,26,150 (Twelve Lakh Twenty Six Thousand One Hundred And Fifty only)

7-4299




श्रीमगलचल सिंह
24.03.2021

Do not write or type below this line

LB 0008328274

Statutory Alert:

This document of the Bihar Government issued by verified at www.bihar.gov.in only, or using e-Stamp Mobile App of Bihar Housing and Infrastrucure of the details of this Certificate and its validity for the website/Android app/holders of stamp.



राजस्व एवं भूमि सुधार विभाग, बिहार

सरकार

प्रपत्र-XIV ख
(देखें नियम-10)

लगान रसीद

ऑनलाइन

Running Unique No.: 22022021022926802077
(Receipt No.)

जिला - Patna	अंचल - Patna Sadar
इलाका - Punadith	मुकिया - विमलीनुरपुर
जमाबंदी साठ - 538	मौजा/थाना 300-39
भाग वर्तमान - 3	
प्लॉट संख्या - 862	
जमाबंदी रैयत का नाम - श्याम नारायण सिंह	पता - DIDARGANG, PATNA
अभिभावक का नाम - जंजी सिंह	

छाता संख्या	छेसा संख्या	रकबा/हिसमिल
345	2023	0 एकड़ 0.25 डिसेमील 0 हेक्टर

सालाना मांग/बकाया और वर्तमान) चालू वित्तीय वर्ष का

वित्तीय वर्ष	सालाना दर	बकाया	वर्तमान	बूट	कुल	अभिवृत्ति(बकाया का वर्ष कब से कब तक)
जमाबंदी लगान	10.00	10.00	10.00	0.00	20.00	2019-2020 से 2020-2021
सेसा/लगान का 50 प्रतिशत स्वास्थ्य सेस, 50 प्रतिशत शिक्षा सेस, 25 प्रतिशत रोड सेस एवं 20 प्रतिशत कृषि सेस)	14.50	14.50	14.50	0.00	30.00	2019-2020 से 2020-2021
कुल	24.50	24.50	24.50	0.00	50.00	2019-2020 से 2020-2021

वसूली

वित्तीय वर्ष	बकाया के विरुद्ध वसूली	वर्तमान मांग के विरुद्ध कुल वसूली	कुल वसूली	अवशेष राशि(बकाया का वर्ष कब से कब तक)	अभिवृत्ति
लगान	10.00	10.00	20.00	2019-2020 से 2020-2021	
सेसा/लगान का 50 प्रतिशत स्वास्थ्य सेस, 50 प्रतिशत शिक्षा सेस, 25 प्रतिशत रोड सेस एवं 20 प्रतिशत कृषि सेस)	14.50	14.50	30.00	2019-2020 से 2020-2021	
कुल	24.50	24.50	50.00	2019-2020 से 2020-2021	

कुल बकाया-50.00

वसूल की गयी राशि शब्दों में - Fifty Rupees

तिथि: 22-02-2021



श्याम नाथ यादव सिंह
24.03.2021



यह एक कंप्यूटर जनित प्रति है।
यह पत्र केवल प्राप्ति की जानकारी के लिए है।




प्रतिनिधि के लिए आवेदन की तारीख Date of application for the copy.	सामग्री और फोलियो की अपेक्षित संख्या सूचित करने की तिथि Date fixed for notifying the requisite number of stamps and folios.	अपेक्षित सामग्री और फोलियो देने की तारीख Date of delivery of the requisite stamps and folios.	तारीख, जबकि देने के लिए प्रतिनिधि तैयार थी Date on which the copy was ready for delivery.	आवेदक को प्रतिनिधि देने की तारीख Date of making over the copy to the applicant.

दाखिल खाटिज का जाँच प्रतिपेदन

दाखिल खाटिज नं. 1275 साल 1576 हल्का नं. 8 अंचल पटना सदर मीजा खिखलीपुरा
 राजस्व बाना मोहासुला बाना नं. 38 जिला पटना दा. टवा. में जमीन का टकवा 518.1112.2
 प्राप्ति का जरिया मु. भ. पूरा या टुकड़ा होतिया वसिवा नं. 738 तिथि 5/4/16
 (दाखिल खाटिज के पूर्व लगती) जमावन्दी नं. 94

रैयत का नाम एवं पूर्ण पता	खाता नं.	खेसरा नं.	पराजी ए. डी.	लगान	अभ्युक्तिर्वा
श्री विजय सिंह श्री प्रमोद सिंह श्री मोदीश	348	3024	066	4-80	मोहासुला की जमावन्दी दाखिल होकर प्राप्ति हो गयी है। इसी कारण मोहासुला मोहासुला के टकवा है। इसी कारण मोहासुला काम हो। कलाभासतल टुकड़े पर यदि कोई कागजि ठहरो तो डा. टवा. की स्वीकृति हो जायगी तो डा. टवा. कागजि हो। डा. टवा.
श्री कालीदास श्री लालदास श्री गिरीदास श्री लालदास श्री लालदास श्री लालदास	348	3024	09-17	5-00	कागजि हो। डा. टवा.



निवास स्थान महल्ला जलकहरबाग, पटना सिटी, थाना मालसलामी, पत्रालय पटना सिटी, पटना 800008, जिला पटना, वहैसियत मोख्तारआम मिनजानिब 1. श्री विजय सिंह, पिता का नाम श्री परमेश्वर सिंह वो 2. श्री सुबोध कुमार, पिता का नाम श्री विजय सिंह (जमीन मालिक संख्या एक), दोनों का निवास स्थान ग्राम कोठिया, पटना सिटी, थाना दीदारगंज, पत्रालय कोठिया भाया बेगमपुर, पटना 800009, जिला पटना। भारतीय नागरिक हैं। मोख्तारनामा आम की रजिस्ट्री तारीख 25. 03.2012 ई0, जिसका टोकन संख्या 2422/12, बुक संख्या 04, जिल्द संख्या 4, पेज संख्या 176 से 183 तक वो वसीका संख्या 260 है तथा कुल 08 पृष्ठों में सी0 डी0 01 में संधारित किया गया है। जिसकी निबंधन अवर निबंधन कार्यालय पटना सिटी में हुई है।

श्री: सेजम पांडेय
पिता - स्व. सुखदेव नाथ पांडेय
वही नुमा पटना सिटी
श्री: मालसलामी पटना सिटी
पटना (पिहार)

31-1-2014

(2) लेख्यधारी का नाम एवं पता :-

नील कमल स्टील प्राइवेट लिमिटेड सबलपुर, पटना सिटी, यह कम्पनी भारतीय कम्पनी एक्ट 1956 ई0 के अन्तर्गत निबंधित है। जिसका निबंधन संख्या AACCN1536HXM001 है। द्वारा प्रबंध निदेशक श्री विनय कुमार सिंह, पिता का नाम स्वर्गीय रामकृपाल सिंह, निवास स्थान ग्राम सबलपुर, पटना सिटी, थाना दीदारगंज, पत्रालय सबलपुर भाया बेगमपुर, पटना 800009, जिला पटना। भारतीय नागरिक हैं।
पैन-AKHPS1622H.

श्री: Anshu Kumar Pandey

31-1-2014

(3) लेख्य प्रकार :- निर्विवाद विक्रय पत्र।

(ABSOLUTE SALE DEED)



(4) सम्पत्ति का मूल्य :-

अंकेन 35,00,000/- (पैंतीस लाख) रुपये मात्र वो सम्पत्ति का वर्तमान बाजार मूल्य अंकेन 1,10,88,000/- (एक करोड़ दस लाख अठसी हजार) रुपये मात्र होता है। जिसपर मुद्रांक एवं निबंधन शुल्क दी गई है।

(5) सम्पत्ति का सम्पूर्ण विवरण :-

क्षेत्रफल 09 कट्छ 17 धुर 02 धुरकी (नौ कट्छ सतरह धुर दो धुरकी) आवासीय जमीन परती हकरैयती, सम्पत्ति अवस्थित मौजा सिमली मुरारपुर (एन0 एच0 से दक्षिण), पटना सिटी, थाना मालसलामी, जिला पटना। अवर निबंधन कार्यालय पटना सिटी वो जिला निबंधन कार्यालय पटना। सम्पत्ति पटना नगर निगम क्षेत्र के अन्दर है। जिसका वर्तमान तौजी बिहार सरकार, थाना संख्या 38 (अइतीस), खाता संख्या 348 (तीन सौ अइतालीस), खेसरा संख्या 2024 (दो हजार चौबीस) का अंश, भूमि का वार्षिक लगान अंकेन 05 रुपया अलावे शेष अंचलाधिकारी पटना सदर। जिसका जमाबंदी संख्या 94 है।

रकम में मुद्रा 2/12

इस वसीका के साथ नजरी नक्शा संलग्न है। नक्शा में वर्णित विक्रय सम्पत्ति को लाल रंग से दर्शाया हुआ है। नक्शा भी इस विक्रय पत्र का एक अभिन्न अंग है वो रहेगा।



पटना नगर निगम

पटना नगर निगम

पटना नगर निगम

पटना नगर निगम

21-1-2014

Patna District Office

21-1-2014

चौहद्दी

उत्तर : वर्णित खेसरा संख्या 2024 का भाग।

दक्षिण : खेसरा संख्या 2025।

पूरब : डगर।

पश्चिम : वर्णित खेसरा संख्या 2024 का भाग।

लेख्य का कथन

इस विक्रय पत्र के खाने संख्या 5 की वर्णित सम्पत्ति और भी सम्पत्तियों के साथ जमीन मालिकगण का पैतृक सम्पत्ति चला आता है वो है।

यह कि विपत सिंह (जमीन मालिक संख्या एक के दादा वो जमीन मालिक संख्या दो के परदादा) अपने सभी सम्पत्तियों का उत्तराधिकारी अपने एकमात्र पुत्र परमेश्वर सिंह (जमीन मालिक संख्या एक के पिता वो जमीन मालिक संख्या दो के दादा) को छोड़कर स्वर्गवास कर गये। पिता के स्वर्गवास कर जाने के बाद परमेश्वर सिंह अपने पिता के सम्पूर्ण सम्पत्ति पर काबिज दखिल तथा मालिक मुस्तकील हुए वो रहे।

यह कि परमेश्वर सिंह के कुल पाँच पुत्र 1. विजय सिंह (जमीन मालिक संख्या एक), 2. जय सिंह, 3. महेन्द्र सिंह, 4. विलासी सिंह वो 5. रंजीत सिंह हुए वो हैं। बाद में यह छहों पिता-पुत्रगण आपस में अपने सभी इजमाली सम्पत्तियों को दिनांक 28.12.2008 ई0 को खानगी बांट लिये। बंटवारा के द्वारा बंटकर उपरोक्त वर्णित सम्पत्ति पर और भी सम्पत्तियों के साथ खास विजय सिंह के हक वो हिस्से में मिला वो पड़ा। जिसपर दोनों जमीन मालिकगण श्री विजय सिंह वो श्री सुबोध कुमार (पिता-पुत्र) इजमाल काबिज दखिल तथा मालिक मुस्तकील बिना किसी दूसरे के हस्तक्षेप के शांतिपूर्वक रहते हुए



Received
31-1-2019

चले आते हैं वो हैं। जिसके निश्चत भूराजस्व अदायगी की रसीद श्री विजय सिंह (जमीन मालिक संख्या एक) के नाम से कट रही है। जिसका जमाबंदी संख्या 94 है।

यह कि जमीन मालिकगण को रुपये की जरूरत वास्ते बनवाने मकान, देने कर्ज महाजन वो अन्य जरूरी कार्यों के लिए है। बिना वर्णित सम्पत्ति को बिक्री किये रुपये का प्रबन्ध इस समय नहीं हो सकता है। इसलिए जमीन मालिकगण द्वारा मनोनीत मुख्तार लेख्यकारी ने वर्णित सम्पत्ति को बिक्री करने का घोषणा किया वो कराया तो साथ लेख्यधारी के अंकेन 35,00,000/- (पैंतीस लाख) रुपये मात्र मूल्य में वर्णित सम्पत्ति की खरीद बिक्री की बातचीत पक्की हो गई। यह मूल्य समयानुसार तथा वर्तमान बाजार भाव के अनुसार बिल्कुल वाजिब और उचित है तथा सिवाय लेख्यधारी के और कोई अन्य क्रेता इतना वाजिब व उचित मूल्य देकर वर्णित सम्पत्ति को क्रय करने के लिए तैयार नहीं हुए तो लेख्यकारी ने साथ लेख्यधारी के वर्णित सम्पत्ति के निश्चत विक्रय पत्र का निष्पादन स्वीकार कर देना अति आवश्यक वो मुनासिब समझा।

अतएव लेख्यकारी अपने मानसिक तथा शारीरिक स्वस्थ-अवस्था में रहकर बिना किसी बाहरी अनुचित दबाव व धमकाव के अपने तथा अपने जमीन मालिकगण के हानि-लाभ को खूब अच्छी तरह से सोंच विचारकर तथा हितैषियों एवं कानूनी सलाहकारों से परामर्श लेकर उपरोक्त खाने संख्या 5 की वर्णित एराजी नौ कट्ठा सतरह धुर दो धुरकी भूमि को अंकेन 35,00,000/- (पैंतीस लाख) रुपये मात्र मूल्य में साथ नील कमल स्टील प्राइवेट लिमिटेड लेख्यधारी खाने संख्या 2 के बिना कोई शर्त के बेचा वो बिक्री करने के सबूत में यह



सह गिरी २१ सित
अ. १. १५

Prityanshu Singh

31-1-2014



निर्विवाद विक्रय पत्र लिखा तथा विक्रय पत्र का एकरार स्वीकार किया।

यह कि मूल्य का कुल रकम अंकेन 35,00,000/- (पैंतीस लाख) रुपये मात्र लेख्यकारी पाँच चेक के द्वारा लेख्यधारी से पहले भुगतान पा चुके हैं। जिसका विवरण इस प्रकार है।

1. चेक संख्या 284450 दिनांक 04.10.2013 ई0, भारतीय स्टेट बैंक, नागेश्वर कॉलोनी, बोरिंग रोड, पटना शाखा का अंकेन 10,00,000/- (दस लाख) रुपये मात्र।
2. चेक संख्या 284451 दिनांक 04.10.2013 ई0, भारतीय स्टेट बैंक, नागेश्वर कॉलोनी, बोरिंग रोड, पटना शाखा का अंकेन 4,00,000/- (चार लाख) रुपये मात्र।
3. चेक संख्या 000700 दिनांक 05.11.2013 ई0, भारतीय स्टेट बैंक, नागेश्वर कॉलोनी, बोरिंग रोड, पटना शाखा का अंकेन 5,00,000/- (पाँच लाख) रुपये मात्र।
4. चेक संख्या 284524 दिनांक 23.11.2013 ई0, भारतीय स्टेट बैंक, नागेश्वर कॉलोनी, बोरिंग रोड, पटना शाखा का अंकेन 6,00,000/- (छ लाख) रुपये मात्र।
5. चेक संख्या 892808 दिनांक 17.01.2014 ई0, भारतीय स्टेट बैंक, नागेश्वर कॉलोनी, बोरिंग रोड, पटना शाखा का अंकेन 10,00,000/- (दस लाख) रुपये मात्र।

यह कि इस तरह लेख्यकारी ने मूल्य का कुल रकम लेख्यधारी से भुगतान पा लिया। अब एक पैसा भी लेख्यकारी का लेख्यधारी के जिम्मे वर्णित सम्पत्ति के मूल्य के निश्चत बाकी नहीं रहा।

यह कि मूल्य का कुल रकम भुगतान पाकर लेख्यकारी ने वर्णित सम्पत्ति का पूर्ण दखल कब्जा आज तारीख से लेख्यधारी को दे दिया। चाहिए कि लेख्यधारी अब आज तारीख से



रजिस्ट्रार पटना

31.1.2014

पतिंगर प्रसाद

31.1.2014

उपरोक्त वर्णित सम्पत्ति पर काबिज दखिल तथा सम्पत्ति के एकमात्र भूस्वामी वो उत्तराधिकारी होकर वो रहकर वर्णित सम्पत्ति को अपने इच्छानुसार इस्तेमाल में लावे या जो उचित समझेंगे, वह करेंगे। इसमें अब किसी भी तरह का हक-दावा या आपत्ति वगैरह करने का अधिकार जमीन मालिकगण को या उनके उत्तराधिकारी को नहीं रहा वो न होगा।

यह कि जमीन मालिकगण को या उनके उत्तराधिकारी को उपरोक्त खाने संख्या 5 की वर्णित सम्पत्ति में सम्पूर्ण स्वामित्व व अधिकार प्राप्त है या प्राप्त होता, वह सब सम्पूर्ण स्वामित्व व अधिकार अब आज तारीख से इस निर्विवाद विक्रय पत्र के द्वारा हस्तान्तरित होकर लेख्यधारी को प्राप्त हो गया। चाहिए कि लेख्यधारी अपना नाम अंचल कार्यालय पटना सदर में या जिस किसी कार्यालय में आवश्यक समझेंगे, वर्णित सम्पत्ति के निश्चित अंकित करवा लेवेंगे। इसमें जमीन मालिकगण को या उनके उत्तराधिकारी को कोई आपत्ति नहीं है वो न होगा।

यह कि लेख्यधारी ने लेख्यधारी को पूर्ण विश्वास व भरोसा दिलाया है कि उपरोक्त खाने संख्या 5 की वर्णित सम्पत्ति हर तरह के नुक्स-हकियत तथा ऋण-भार वगैरह से बिल्कुल मुक्त है तथा जमीन मालिकगण के सिवाय और किसी अन्य व्यक्ति का हक-हिस्सा या दखल-कब्जा वगैरह वर्णित सम्पत्ति पर नहीं है। यदि इस निर्विवाद विक्रय पत्र के निष्पादन स्वीकार हो जाने के बाद यह सब दोष वगैरह वर्णित सम्पत्ति पर पाया जायेगा तो वह सबों की अदायगी की पूरी जिम्मेवारी वो जवाबदेही जमीन मालिकगण पर या उनके उत्तराधिकारी पर है वो रहेगा।

यह कि उपरोक्त वर्णित स्वत्व-दोष वगैरह पाये जाने की वजह से यदि लेख्यधारी को उपरोक्त वर्णित सम्पत्ति के सम्पूर्ण भाग से या कुछ भी अंश से बेदखल होना पड़े या किसी प्रकार का



Handwritten signature

31-1-2014

सरकारी या गैर सरकारी ऋण-भार वगैरह वर्णित सम्पत्ति के निश्चित चुकाना पड़े, तो वैसी अवस्था में कुल क्षति की रकम मय हर्जा-खर्चा तथा कानूनी सूद समेत चल या अचल सम्पत्ति से जमीन मालिकगण से या उनके उत्तराधिकारी से लेख्यधारी या उनके उत्तराधिकारी वसूल कर लेवेंगे। इसमें जमीन मालिकगण को या उनके उत्तराधिकारी को कोई आपत्ति नहीं है वो न होगा।

यह कि लेख्यकारी यह भी एकरार करते हैं कि उक्त सम्पत्ति पर बिहार सरकार, न्यायालय अथवा किसी विभाग का सेक नहीं है तथा विक्रय भूमि बिहार सरकार गैर मजरूआ आम/कैसरे हिन्दू/खास महाल के खाता एवं खेसरा से संबंधित नहीं है तथा विक्रय भूमि भू-हदबंदी से संबंधित नहीं है तथा इसके संबंध में भू-हदबंदी अधिनियम 1963 ई0 के धारा 11 (1) के तहत प्रारूप या 15 (1) के तहत जिला गजट अधिसूचना में कभी भी प्रकाशित नहीं की गई है तथा भूमि बंदोबस्ती/निलामी सूची भूदान एवं लाल कार्ड तथा वक्फ/न्यास से संबंधित नहीं है।

प्रमाणित किया जाता है कि जमीन मालिकगण जीवित हैं तथा उक्त पावर ऑफ अटर्नी को रद्द/वापस नहीं किये हैं तथा वर्तमान समय में उक्त पावर ऑफ अटर्नी प्रभावी है।

इस वास्ते यह निर्विवाद विक्रय पत्र लेख्यकारी ने बनाम वो वहक लेख्यधारी नील कमल स्टील प्राइवेट लिमिटेड को लिख दिया कि समय पर काम आवें वो प्रमाण रहे।

दिनांक : 31.01.2014 ई0।

टंकक :

संतोष कुमार
रानीपुर नीमतल

पटना सिटी

ड्राफ्टकर्ता कातीव

प्रकाश कुमार जायसवाल
प्रकाश कुमार जायसवाल
लाईसेन्स नं0-219/2002

अवर निबंधन कार्यालय

पटना सिटी

निवासी-दरियापुर, थाना

फतुहा, जिला-पटना।



नोट - मैं न. 6 के संकेत न. 13 में आर. गै. से ये रकम
इसे उभारे तथा ऊपर में बैंक ऑफ इंडिया लिखा
गया है। लेख्यकारी का खरीद का हुआ है।

प्रकाश कुमार जायसवाल
31.01.2014

signature power

31-1-2014


For NEELKAMAL STEELS PVT. LTD.
निर्देशिका
31/1/2014
Director

नजरीनक्शा

सम्पत्ति अवस्थित मौजा सिमली मुरापुर (एन0 एच0 से दक्षिण), पटना सिटी, थाना मालसलामी, जिला पटना। जिसका वर्तमान तौजी बिहार सरकार, थाना संख्या 38, खाता संख्या 348, खेसरा संख्या 2024 का अंश, एराजी 09 कट्टा 17 धुर 02 धुरकी।

विक्रेता:- श्री विद्या सागर प्रसाद, पिता का नाम श्री वासदेव प्रसाद, निवास स्थान महल्ला जलकदरबाग, पटना सिटी, थाना मालसलामी, पत्रालय पटना सिटी, पटना 800008, जिला पटना, वहैसियत मोख्तारआम मिनजानिब 1. श्री विजय सिंह, पिता का नाम श्री परमेश्वर सिंह वो 2. श्री सुबोध कुमार, पिता का नाम श्री विजय सिंह (जमीन मालिक संख्या एक), दोनों का निवास स्थान ग्राम कोठिया, पटना सिटी, थाना दीदारगंज, पत्रालय कोठिया भाया बेगमपुर, पटना 800009, जिला पटना।

क्रेता:- नील कमल स्टील प्राइवेट लिमिटेड सबलपुर, पटना सिटी, यह कम्पनी भारतीय कम्पनी एक्ट 1956 ई0 के अन्तर्गत निबंधित है। जिसका निबंधन संख्या AACCN1536HXM001 है। द्वारा प्रबंध निदेशक श्री विनय कुमार सिंह, पिता का नाम स्वर्गीय रामकृपाल सिंह, निवास स्थान ग्राम सबलपुर, पटना सिटी, थाना दीदारगंज, पत्रालय सबलपुर भाया बेगमपुर, पटना 800009, जिला पटना।



विक्रेता का हस्ताक्षर

Pradyasagar prasad
31-1-2014

क्रेता का हस्ताक्षर

For NEELKAMAL STEELS PVT. LTD.
विनय कुमार सिंह
31/1/2014
Director

मल्ल विभागाध्यक्ष
रजिस्ट्रार कार्यालय से मिला सा
AK
5-2-14.



Endorsement of Certificate of Admissibility

under Rule 5 : duly Stamped (or exempted from or does not require stamp duty) under the Stamp Act, 1899, Schedule I or I-A, No. '23'. Also admissible under section 26(a) of the B. T. Act.

Stamp duty paid under Indian Stamp Act Rs. 665280/-
Addl. Stamp duty paid under Municipal Act Rs. 221760/-

Amt. Paid By N.J Stamp Paper	Rs. 1000/-
Amt. paid through Bank Challan	Rs. 1108625/-

Registration Fee										LLR + Proc Fee	Service Charge	
FEE PAID	A1	221760	C	0	H1b	0	K1a	0	Lii	LLR	500	275
	A8	0	D	0	H2	0	K1b	0	Liii	Proc.Fee	50	
	A9	0	DD	0	I	0	K1c	0	Mb	Total	550	
	A10	0	E	0	J1	0	K2	0	Na			
	B	0	H1a	0	J2	0	Li	0				
	TOTAL-									221760		
Total amont paid (Reg. fee+LLR, Proc+Service Charge) in Rs. - 222585												

Date: 05/02/2014

Registering Officer
Patna City

Endorsement under section 52

Presented for registration at Registration Office, Patna City on Wednesday, 05th February 2014 by Vidya Sagar Prasad (Agn) Sri Basdeo Prasad by profession Others. Status - Executant

Vidya Sagar Prasad
5-2-2014

Signature/L.T.I. of Presentan:

Date: 05/02/2014

Registering Officer
Patna City

Endorsement under section 58

Execution is admitted by those Executants and Identified by the person (Identified by 'Sanjay Pandey' age '48' Sex 'M', 'Late Surendra Nath Sharma', resident of 'Bari Nagla, Ps-Malsalami, Patna'.), whose Names, Photographs, Fingerprints and Signatures are affixed as such on back page / pages of the instrument.

Date : 05/02/2014

Registering Officer
Patna City

Endorsement of Certificate of Registration under section 60

Registered at Registration Office Patna City in Book 1 Volume No. 13 on pages on 419 -429 , for the year 2014 and stored in CD volume No. CD-2 year 2014 . The document no. is printed on the Front Page of the document.



SCANNED BY *[Signature]*

Date : 05/02/2014

Token No. : 761

Year : 2014 S.No. : 755

SCORE Ver.3.0

Registering Officer
Patna City

Deed No. : 738

31/12/2019
1
2019

2. श्री सुबोध कुमार पिता का नाम- श्री विजय सिंह,
दोनों का निवास स्थान ग्राम- कोठिया, थाना- दीदारगंज,
पत्रालय- कोठिया, जिला- पटना भारतीय नागरिक।

(२) लेख्यधारी का नाम व पूरा पता :

श्री विद्या सागर प्रसाद पिता का नाम- श्री वासदेव
प्रसाद, निवास स्थान महल्ला- जलकदूदबाग, थाना-
मालसलामी, पत्रालय- पटना सिटी, जिला- पटना,
भारतीय नागरिक हैं।

(३) लेख्य प्रकार - मोखतारनामा आम।

(४) सम्पत्ति का विवरण :

क्षेत्रफल- 09 कट्ठा 17 धुर 02 धुरकी (नौ कट्ठा
सतरह धुर दो धुरकी) एराजी हकियत जमीन परती, सम्पत्ति
अवस्थित मौजा- सिमली मुरारपुर, थाना- मालसलामी, जिला-
पटना, सब रजिस्ट्री पटना सिटी वो सदर रजिस्ट्री बांकीपुर पटना।
जिसका थाना नं०- 38 (अड़तीस), तौजी- बिहार सरकार,
खाता नं०- 348 (तीन सौ अड़तालीस), खसरा नं०- 2024
(दो हजार चौबीस) का भाग, एराजी विकास प्राधिकार क्षेत्र वो
के अन्दर है, व जमींदारी बिहार सरकार, सर्किल ऑफिसर सदर
पटना, जिला-पटना सम्पत्ति का सलाना लगान मो० 02 रूपया
70 पैसा अलावे शेष।

उपर्युक्त वर्णित सम्पत्ति राष्ट्रीय उच्च पथ के दक्षिण
लगभग 1½ किलोमिटर कि दुरी पर है।



महोदय श्री सुबोध कुमार 2- बंकिम पार्क
लेखा सी. डी. मई ई. कागज पर
समझा लिया गवर्नर के
मुबोध कुमार
25-3-2012

500- रंजित कुमार गुप्ता
पता- 100 श्रीमंत बाबू गुप्ता
500- बाबाजी नं. 38 अड़तीस
500- जलकदूदबाग
500- मालसलामी
500- पटना
25-3-2012

श्री विजय सिंह
पता- 100 गुप्ता गुप्ता
25-3-2012

चौहददी

उत्तर : प्लॉट नं०- 2024 का भाग

दक्षिण : प्लॉट नं०- 2025

पूरब : डगर

पश्चिम : प्लॉट नं०- 2024 का भाग

लेख-संदर्भ

यह कि उपरोक्त खाने संख्या 4 की वर्णित सम्पत्ति लेख्यकारीगण का पैतृक सम्पत्ति है।

यह कि लेख्यकारी नं०- 1 ने अपने हिस्से का आपसी बंटवारा अपने पिता/भाई लोगों से तारीख- 28-12-2008 ई० कर लिये है। बंटवारा के अनुसार लेख्यकारी नं०- 1 अपने हिस्से के एराजी पर अपने पुत्र लेख्यकारी नं०- 2 के साथ आज तक शान्तिपूर्ण ढंग से काबिज दखिल मालिक मुस्तकिल हैं वो रहते चले आते हैं। वो बिहार सरकार का लगान अदायगी का रसीद लेख्यकारी नं०- 1 के नाम से कटता है। जिसका जमाबंदी नं०- 94 है।

यह कि लेख्यकारीगण अपने कार्यों में हमेशा व्यस्त रहा करते हैं। इसलिए उक्त जमीन को देखभाल करने में कठिनाई होती है। इसलिए लेख्यकारीगण ने सोचा कि उक्त सम्पत्ति के निश्चत् लेख्यधारी के नाम से मोख्तारनामा आम लिख दूँ ताकि लेख्यधारी उक्त सम्पत्ति को अच्छी ढंग से देखभाल करें तथा उसकी सुरक्षा करे। लेख्यकारीगण को पूर्ण यकिन और विश्वास है कि उक्त जमीन के लेख्यधारी अच्छी ढंग से देखभाल करेंगे। लेख्यकारीगण इस मोख्तारनामा के

श्री राजेश सिंह
वि. लेखन कार
25.3.2012

जमाबंदी नं०- 94
5/0-2/2012
नया हैना छे राज लीखा
बाना - सत्यलाल
जिला - पटना
25/3/2012



जरिये लेख्यधारी को यह अधिकार देते हैं कि वे उपरोक्त जमीन को दिगर व्यक्ति के हाथ हस्तांतरण (विक्रय पत्र), वो हर तरह के दस्तावेज अपने सही वो निशान से करेंगे। लेख्यकारीगण लेख्यधारी को पूर्ण अधिकार देते हैं कि उक्त जमीन के निश्चत् किसी भी न्यायालय में कोई भी केस मुकदमा का पैरवी इत्यादि तथा उक्त सम्पत्ति के निश्चत् किसी भी प्रकार का दस्तावेज निष्पादित करने के लिए सरकारी कार्यालय मे जो कार्य करना पड़े वह सभी कार्य लेख्यधारी अपने सही तथा निशान से करेंगे। लेख्यधारी दस्तावेज निबंधन कार्यालय में दाखिल करे तथा निबंधन पदाधिकारी के समक्ष दस्तावेज का निष्पादन स्वीकार करेंगे।

यह कि निबंधन संबंधी सभी कागजातों, शपथ पत्र, डिक्लरेशन तथा जरूरीयत् के मुताबिक सभी कार्य हमारे बदले में करेंगे।

यह कि निबंधन के पश्चात् चिरकुट वसुली बनाने का भी अधिकार मोख्तार (लेख्यधारी) का होगा। यह कि इस सम्पत्ति से जो भी प्राप्ति होगी वह कुल जरसम्पन्न लेख्यधारी लेख्यकारीगण को भुगतान करेंगे।

यह कि उक्त मोख्तार (लेख्यधारी) द्वारा उक्त जमीन संबंधित किया गया कोई भी कार्य हमारे द्वारा किया हुआ माना जायेगा।

अतएव लेख्यकारीगण अपने-अपने मानसिक तथा शरीरिक स्वस्थ अवस्था में रहकर अपने हानि-लाभ को पूर्ण ज्ञान सहित भली भाँति समझ बुझकर लेख्यधारी को मोख्तारनामा दिया, यह कि लेख्यधारी उक्त भूमि को बिना किसी निर्माण एवं विकास के निष्पादित करेंगे।



25-5-2012
25-5-2012

यह कि इस मोख्तारनामा आम के बदले कोई प्रतिफल प्राप्त नहीं किया है।

इस वास्ते यह मोख्तारनामा बनाम व हक लेख्यधारी के नाम लिख दिया कि समय पर काम आवे।

दिनांक 25.03.2012

टंकण :- चन्दन कुमार

— 157324

अवर निबंधन कार्यालय
पटना सिटी, पटना

डाफ्टकर्ता :

मलिन मोहन प्रसाद

ललित मोहन प्रसाद

वसीका नवीस

लाइसेंस नं०-199/2002

अवर निबंधन कार्यालय

पटना सिटी, पटना (बिहार)

लिखित रूप में
दिनांक 25.03.2012

Prityasagar prasad

25-3-2012



PROPERTY SITUATED AT MAUZA :- SIMLI MURARPUR. P.S. :- MALSALAM
PRESENT P.S. :- DIDARGANI PATNA. CITY DISTT :- PATNA. TAUKI NO :-
BIHAR GOVT. THANA NO :- 38, KHATA NO :- 348, C.S. KHESARA NO :-
2024 (PART)

NAME OF THE VENDOR :- SRI YITAY SINGH S/O SRI PRAMESHWAR
SINGH R/O MOH :- KOTHIA. P.S. :- DIDARGANI PATNA CITY DISTT :-
PATNA.

NAME OF THE YENDEE :- SRI BIDYA SAGAR PRASAD S/O SRI
BASUDEY PRASAD R/O MOH :- JALKADAR BAG P.S. :-
MALSALAMI PATNA CITY. DISTT :- PATNA.

AREA :- 13415.5 SQ. FT. (9 KATHA 17 DHURS 2 DHURKI)

SALE PROPERTY SHOWN IN RED COLOUR :-



NORTH

P. NO :- 2023

25-3-2012

P. P. NO :- 2024

WEST
P. P. NO.
2024

106'2"	140'0"	191'0"
29'2 1/2"	P. P. NO 2024	32'6"
103'2"	140'0"	191'0"

4'0" WIDE COM. PASS.

P. NO :- 2025

SOUTH

EAST

MAP DRAWN BY
Rajmish 157

Endorsement of Certificate of Admissibility (Rule - 35)

Admissible under Rule 21 : duly stamped (or exempted from or does not require stamp duty) under the Indian Stamp Act, 1899, Schedule I or I-A, No. 48. Also admissible under section 26(a) of the B. T. Act.

Stamp duty paid under Indian Stamp Act				Rs.	500
Addl. Stamp duty paid under RDA/Municipal Act				Rs.	
(Paid Rs. 500/-	by N.J. Stamp Paper and		Rs. 504/-	through Bank Challan.)	
FEE PAID	A1	0 C	0 H1b	0 Ka1	0 Lii
	A8	0 D	0 H2	0 K1b	0 Liii
	A9	0 DD	0 I	0 K1c	0 Mb
	A10	0 E	250 J1	0 K2	0 Na
	B	0 H1a	0 J2	0 Li	0 Scan
					54
					200

Total Fee
504

Date : 25/03/2012

Registering Officer
Patna City

Endorsement under section 52

Presented for registration at 04:43 PM on Sunday, 25th March 2012 at the Sub
Registry Office, Patna City by Vijay Singh
(Principal) S/O Sri Parmeshwar Singh

by profession Others.

Signature of Presentant

Date: 25/03/2012

Registering Officer
Patna City

Endorsement under section 58

Execution is admitted by persons and identified by others whose names, photographs, fingerprints and signatures are affixed on the reverse pages of the instrument and are identified by Sanjay Kumar Gupta age 40 Sex M son/daughter of Late Lal Babu Gupta resident of Nakhas Mangal Akhara, Ps-Malsalami, Patna.

Date : 25/03/2012

Registering Officer
Patna City

Endorsement of Certificate of Registration under section 60

Registered in Book 4 of DSRO/ SRO Patna City having 8 pages in the volume CD-1 and document no. of which is printed on the First Page of the document.

Date : 25/03/2012

Registering Officer
Patna City

Token No. 2422

Year - 2012

Sl.No. 2409

SCORE Ver. 2.0

Deed No. 260 NIC-Bihar

SCANNED BY

ANNEXURE III

Copy of ToR



F. No. - SIA/3(u)/2367/2023

**STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY,
BIHAR**

2nd Floor, Beltron Bhawan
Shastri Nagar
Patna - 800 021

E-mail:- seiaabihar@gmail.com
seiaa.ms.br@gmail.com

Dated:- 12/05/2023.

To,

**Shri Vibhor Singh,
Director,
M/s Govardhan Ispat India Private Limited,
2nd Floor, Bhuvaneshwar Plaza,
Budh Marg (New Market Station Road),
Patna, Bihar,
Pin code:- 800 001,
E-mail:- govardhanispat@gmail.com,
Telephone No.:- 0612 - 2227722.**

**Sub: Proposed Metallurgical Project at Mauza:- Simli
Murarpur, Deedarganj, Tehsil:- Patna Rural, District:-
Patna, State:- Bihar; Area:- 2.56 Ha (6.34 Acres) by M/s
Govardhan Ispat India Private Limited [Production of 200
MT/day/ 60,000 MT/Year of M.S Section- Angle, Channel,
Patti, Rod at Simli Murarpur, Deedarganj Patna City] -
Terms of Reference regarding.**

Ref: 1. Online Application - SIA/BR/TND1/423745/2023.

2. Scrutiny fee submission dated 21-04-2023.
3. Minutes of the SEAC meeting held on 29-04-2023.
4. Minutes of the SEIAA meeting held on 09-05-2023.

Sir,

This has reference to the online proposal submitted in the State Level Environment Impact Assessment Authority to prescribe the Terms of Reference (ToR) for undertaking detailed EIA study for the purpose of obtaining Environmental Clearance in accordance with the provisions of the EIA Notification, 2006. For this purpose, the proponent had submitted online information in the prescribed format (Form - I) along with a Pre-feasibility Report. The details of the proposal as described in the application are as follows:

- | | |
|--|---|
| 1. <u>Online Proposal No.</u> | SLA/BR/IND1/423745/2023 |
| 2. <u>File No.:</u> | SLA/3(a)/2367/2023 |
| 3. <u>Name of the Proposal</u> | Proposed Metallurgical Project at
Mauza:- Simli Murapur,
Deedarganj, Tehsil:- Patna Rural,
District:- Patna, State:- Bihar,
by M/s Govardhan Ispat India
Private Limited |
| 4. <u>Category of the Proposal:</u> | Metallurgical Industries
(Ferrous & Non-Ferrous) Project.
3(a) |
| 5. <u>Project/Activity applied for</u> | Metallurgical Industries
(Ferrous & Non-Ferrous) Project |

In this regard, under the provisions of the EIA Notification, 2006 as amended, the ToR for the purpose of preparing Environment Impact Assessment report and Environment Management Plan for obtaining prior Environmental Clearance is prescribed as follows:-

A. STANDARD TERMS OF REFERENCE (TOR)

1. Executive Summary.

2. Introduction.

- i. Details of the EIA Consultant including NABET accreditation.
- ii. Information about the project proponent.
- iii. Importance and benefits of the project.

3. Project Description.

- i. Cost of project and time of completion.
- ii. Products with capacities for the proposed project.
- iii. Details of existing products with capacities and whether adequate land is available for expansion, reference of earlier EC if any.
- iv. List of raw materials required and their source along with mode of transportation.
- v. Other chemicals and materials required with quantities and storage capacities.
- vi. Details of Emission, effluents, solid waste, hazardous waste generation and their management.
- vii. Requirement of water, power, with source of supply, status of approval, water balance diagram, man-power requirement (regular and contractual).
- viii. Process description along with major equipments and machineries, process flow sheet (quantative) from raw material to products to be provided.
- ix. Production of a report / certificate from concerned authority enforcing Factory Act regarding suitability of existing unit / plant for proposed expansion mentioning whether existing plant is a satisfactory compliant of Factory Act.
- x. The proposal of the expansion of capacity to include thorough renovation/up-gradation of all existing infrastructure of the unit consisting

development/construction of First aid center/dispensary room for workers, development of facilities (toilets/urinals/washing rooms, canteen etc.)

- xi. Hazard identification and details of proposed safety systems.
- xii. Submit a copy of application submitted to competent authority / agency with regard to supply of PNG gas pipe line.
- xiii. Expansion/modernization proposals:
 - a) Copy of all the Environmental Clearance(s) including Amendments thereto obtained for the project from MoEF&CC/SEIAA shall be attached as an Annexure. A certified copy of the latest Monitoring Report of the Regional Office of the Ministry of Environment and Forests as per circular dated 30th May, 2012 on the status of compliance of conditions stipulated in all the existing Environmental Clearances including Amendments shall be provided. In addition, status of compliance of Consent to Operate for the ongoing existing operation of the project from SPCB shall be attached with the EIA-EMP report.
 - b) In case the existing project has not obtained Environmental Clearance, reasons for not taking EC under the provisions of the EIA Notification 1994 and/or EIA Notification, 2006 shall be provided. Copies of Consent to Establish/No Objection Certificate and Consent to Operate (in case of units operating prior to EIA Notification 2006, CTE and CTO of FY 2005-2006) obtained from the SPCB shall be submitted. Further, compliance report to the conditions of consents from the SPCB shall be submitted.

4. Site Details.

- i. Location of the project site with description of surround covering village, Taluka/Tehsil, District and State, Justification for selecting the site, whether alternative sites were considered.

- ii. A toposheet of the study area of radius of 10 km and site location on 1:50,000/1:25,000 scale on an A₃/A₂ sheet. (including all eco-sensitive areas and environmentally sensitive places).
- iii. Details w.r.t. option analysis for selection of site.
- iv. Co-ordinates (lat-long) of all four corners of the site.
- v. Google map-Earth downloaded of the project site.
- vi. Layout maps indicating existing unit as well as proposed unit indicating storage area, plant area, greenbelt area, utilities etc. If located within an Industrial area/Estate/Complex, layout of Industrial Area indicating location of unit within the Industrial area/Estate.
- vii. Photographs of the proposed and existing (if applicable) plant site. If existing, show photographs of plantation/greenbelt, in particular.
- viii. Landuse break-up of total land of the project site (identified and acquired). government/private - agricultural, forest, wasteland, water bodies, settlements, etc shall be included. (not required for industrial area).
- ix. A list of major industries with name and type within study area (10km radius) shall be incorporated. Land use details of the study area.
- x. Geological features and Geo-hydrological status of the study area shall be included.
- xi. Details of Drainage of the project upto 5km radius of study area. If the site is within 2 km radius of any major river, peak and lean season river discharge as well as flood occurrence frequency based on peak rainfall data of the past 30 years. Details of Flood Level of the project site and maximum Flood Level of the river shall also be provided. (mega green field projects).
- xii. Status of acquisition of land. If acquisition is not complete, stage of the acquisition process and expected time of complete possession of the land.
- xiii. R&R details in respect of land in line with state Government policy.

5. Environmental Status

- i. Determination of atmospheric inversion level at the project site and site-specific micrometeorological data using temperature, relative humidity, hourly wind speed and direction and rainfall.
- ii. Surface water quality of nearby River (100meter upstream and downstream of discharge point) and other surface drains at eight locations as per CPCB/MoEF&CC guidelines.
- iii. Whether the site falls near to polluted stretch of river identified by the CPCB/MoEF&CC, if yes give details.
- iv. Ground water monitoring at minimum at 8 locations shall be included.
- v. Noise levels monitoring at 8 locations within the study area.
- vi. Soil Characteristic as per CPCB guidelines.
- vii. Traffic study of the area, type of vehicles, frequency of vehicles for transportation of materials, additional traffic due to proposed project, parking arrangement etc.
- viii. A detailed report shall be submitted using suitable model used to predict increase in air pollutants due to increased traffic load due to proposed project.
- ix. Detailed description of flora and fauna (terrestrial, avifauna and aquatic) existing in the study area shall be given with special reference to rare, endemic and endangered species. If Schedule-I fauna are found within the study area, a Wildlife Conservation Plan shall be prepared and furnished.
- x. Socio-economic status of the study area.

6. Impact and Environment Management Plan.

- i. Assessment of ground level concentration of pollutants from the stack emission based on site-specific meteorological features. In case the project is located on a hilly terrain, the AQIP Modelling shall be done using inputs of the specific terrain

characteristics for determining the potential impacts of the project on the AAQ. Cumulative impact of all sources of emissions (including transportation) on the AAQ of the area shall be assessed. Details of the model used and the input data used for modelling shall also be provided. The air quality contours shall be plotted on a location map showing the location of project site, habitation nearby, sensitive receptors, if any.

- ii. Water Quality modelling - in case of discharge in water body.
- iii. Ground water classification as per the Central Ground Water Authority and NOC from CGWB.
- iv. Impact of the transport of the raw materials and end products on the surrounding environment shall be assessed and provided. In this regard, options for transport of raw materials and finished products and wastes (large quantities) by rail or rail-cum road transport or conveyor-cum-rail transport shall be examined.
- v. A note on treatment of wastewater from different plant operations, extent recycled and reused for different purposes shall be included. Complete scheme of effluent treatment. Characteristics of untreated and treated effluent to meet the prescribed standards of discharge under E(P) Rules.
- vi. Details of stack emission and action plan for control of emissions to meet standards.
- vii. Measures for fugitive emission control.
- viii. Details of hazardous waste generation and their storage, utilization and management. Copies of MoU regarding utilization of solid and hazardous waste in cement plant shall also be included. EMP shall include the concept of waste-minimization, recycle/reuse/recover techniques, Energy conservation, and natural resource conservation.
- ix. Proper utilization of fly ash, shall be ensured as per Fly Ash Notification, 2009. A detailed plan of action shall be provided.

- x. Arrangement of land/alternative sites for green-belt development inside unit or in the proximity of unit.
- xi. Submit an action plan for the three tier plantation to develop a green belt development plan in 33 % area i.e. land with not less than 1,500 trees per ha. Giving details of species, width of plantation, planning schedule etc. shall be included. The green belt shall be around the project boundary and a scheme for greening of the roads used for the project shall also be incorporated.
- xii. Action plan for rainwater harvesting measures at plant site shall be submitted to harvest rainwater from the roof tops and storm water drains to recharge the ground water and also to use for the various activities at the project site to conserve fresh water and reduce the water requirement from other sources.
- xiii. Total capital cost and recurring cost/annum for environmental pollution control measures shall be included.
- xiv. Action plan for post-project environmental monitoring shall be submitted.
- xv. Onsite and Offsite Disaster (natural and Man-made) Preparedness and Emergency Management Plan including Risk Assessment and damage control. Disaster management plan should be linked with District Disaster Management Plan.

7. Occupational health

- i. Plan and fund allocation to ensure the occupational health & safety of all contract and casual workers.
- ii. Details of exposure specific health status evaluation of worker. If the workers' health is being evaluated by pre designed format, chest x rays, Audiometry, Spirometry, Vision testing (Far & Near vision, colour vision and any other ocular defect) ECG, during pre placement and periodical examinations give the details of the same. Details regarding last month analyzed data of above mentioned parameters as per age, sex, duration of exposure and department wise.

- iii. Details of existing Occupational & Safety Hazards. What are the exposure levels of hazards and whether they are within Permissible Exposure level (PEL). If these are not within PEL, what measures the company has adapted to keep them within PEL so that health of the workers can be preserved.
- iv. Annual report of health status of workers with special reference to Occupational Health and Safety.
- v. Making provisions for all personal safety/security related gears (shoes /hats/ helmets/ jacket/ gloves, specks, ear plugs etc.) for all workers and enforcing use of the same.

8. Corporate Environment Policy

- i. Does the company have a well laid down Environment Policy approved by its Board of Directors? If so, it may be detailed in the EIA report.
- ii. The Project Proponent shall prepare report with the provisions contained in Ministry of Environment, Forest & Climate Change OM Vide E. No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibilities.
- iii. Does the Environment Policy prescribe for standard operating process / procedures to bring into focus any infringement / deviation / violation of the environmental or forest norms / conditions? If so, it may be detailed in the EIA.
- iv. What is the hierarchical system or Administrative order of the company to deal with the environmental issues and for ensuring compliance with the environmental clearance conditions? Details of this system may be given.
- v. Does the company have system of reporting of non compliances / violations of environmental norms to the Board of Directors of the company and / or shareholders or stakeholders at large? This reporting mechanism shall be detailed in the EIA report.

9. Details regarding infrastructure facilities such as sanitation, fuel, restroom etc. to be provided to the labour force during construction as well as to the casual workers including truck drivers during operation phase.
10. **Enterprise Social Commitment (ESC)**
 - i. Adequate funds (at least 2.5 % of the project cost) shall be earmarked towards the Enterprise Social Commitment based on Public Consultation issues and item-wise details along with time bound action plan shall be included. Socio-economic development activities need to be elaborated upon.
11. Any litigation pending against the project and/or any direction/order passed by any Court of Law against the project. If so, details thereof shall also be included. Has the unit received any notice under the Section 5 of Environment (Protection) Act, 1986 or relevant Sections of Air and Water Acts? If so, details thereof and compliance/AIR to the notice(s) and present status of the case.

SPECIFIC TERMS OF REFERENCE FOR EIA STUDIES FOR METALLURGICAL INDUSTRIES (FERROUS & NON FERROUS)

1. Complete process flow diagram describing each unit, its processes and operations, along with material and energy inputs & outputs (material and energy balance).
2. Details on blast furnace/ open hearth furnace/ basic oxygen furnace/ladle refining, casting and rolling plants etc.
3. Details on installation/activation of capacity meters with recording with proper calibration system.
4. Details on toxic metals including mercury, arsenic and fluoride emissions.
5. Details on stack height requirement for integrated steel.
6. Details on ash disposal and management -Non-ferrous metal.

7. Complete process flow diagram describing production of lead/zinc/copper/ aluminum, etc.
8. Raw materials substitution or elimination.
9. Details on smelting, thermal refining, melting, slag fuming, and Waelz kiln operation.
10. Details on Holding and de-gassing of molten metal from primary and secondary aluminum, materials pre-treatment, and from melting and smelting of secondary aluminum.
11. Details on solvent recycling.
12. Details on precious metals recovery
13. Details on composition, generation and utilization of waste/fuel gases from coke oven plant and their utilization.
14. Details on toxic metal content in the waste material and its composition and end use (particularly of slag).
15. Trace metals Mercury, arsenic and fluoride emissions in the raw material.
16. Trace metals in waste material especially slag.
17. Plan for trace metal recovery.
18. Trace metals in water.
19. A tabular chart with index for point wise compliance of above ToR.

Additional Condition

- I. Submit a report on status of the project area with respect to ground water resource assessment as per updated report of Central Ground Water Board (CGWB).

2. Plantation details along with list of species to be planted, capital and recurring expenditure for maintenance of the same.
3. Evaluation of traffic condition of the area, type of vehicles, frequency of vehicles for transportation of materials, additional traffic due to proposed project. parking arrangement etc
4. Explore using alternative clean fuel instead of the fossil fuel in order to reduce the pollution load.
5. Baseline Data shall be collected in the month of March to May, 2023.

Sd/-
(Sudhir Kumar)
Member-Secretary
SEIAA, Bihar

Copy, through email, for information and necessary action to :-

1. Member Secretary, Bihar State Pollution Control Board, Patna.
2. Guard File.

5 14/5/2023
(Sudhir Kumar)
Member-Secretary
SEIAA, Bihar
Member Secretary
SEIAA, Bihar

ANNEXURE IV

Factory license



Government of Bihar
Factory Inspection Department
(Labour Resource Department)

LICENCE

Under Rules 4 to 10 of the Bihar Factories Rules, 1950 and Section 6(l)(d) of the Factories Act, 1948

Registration no: **4651/BR/PTN (System Reference No - FCTYREN/2019/00081)** Fees Rs : 66000
Additional Payment : 66000
Total Payment : 132000

Granted Licence for the calendar year: 2028 .

Name of the Factory: GOVARDHAN ISPAT INDIA PVT. LTD
Address and Location: SIMLI MURARPUR, PATNA, PATNA
Name(s) of Occupier(s): BINAY KUMAR SINGH
Maximum number of workers to be employed: 50

Total installed capacity (not exceeding)

(a) in Horse Power (other than (b)): 1641
(b) in case of Electricity Generating Station KWs: 1224
(c) in case of Electricity Transforming Station KWs: 3500
(d) in case of Electricity Transmitting Station KWs: 0

Dated: 25/09/2019

Sanjay Kr
Inspector Of Factories Patna Circle - 2

Office of Factory Inspector of Circle (Factory Inspector- Patna Circle - II)

Note: This Licence is Valid: Till 31st december 2028 .

Licence renewed subject to the following conditions:
1-The licence already granted shall cease to remain valid after the change in the no of workers or in the installed capacity.
2-Annual returns must be filed without fail by the occupier/manager.
3-NOC from BPPCB should be available.

ANNEXURE V

Baseline data monitoring



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-5/03/2023

DATE OF REPORT : 10-06-2023

AMBIENT AIR QUALITY MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Analysis Start Date : 05-03-2023
Analysis End Date : 30-05-2023
Sampling Done By : ETS STAFF
Sampling Location : AAQ-1 PROJECT SITE
Sampling Method : AS PER CPCB GUIDELINES
Sampling Machine Placed At Height : 1.5 MTR. (FROM GROUND)
Weather Condition : CLEAR

Test Parameters			Particulate Matter(PM10)	Particulate Matter(PM2.5)	Sulphur Dioxide(SO ₂)	Nitrogen Dioxide(NO ₂)	Carbon Monoxide(CO)
Unit			µg/m ³	µg/m ³	µg/m ³	µg/m ³	mg/m ³
Limit (as Per CPCB)			24 Hrs.=100	24 Hrs.=60	24 Hrs.=80	24 Hrs.=80	1 Hrs.=04
Test Method			IS:5182(Pt-23)	Grav.Method	IS:5182(Pt-2)	IS:5182(Pt-6)	IS:5182(Pt-10)
Sl.N.	Monitoring Date	Sample ID	Test Results				
1	01.03.2023	ETS/SL-001	165.06	95.34	11.46	27.53	1.12
2	04.03.2023	ETS/SL-008	158.21	108.50	14.62	29.33	1.64
3	08.03.2023	ETS/SL-015	156.29	106.50	12.23	24.88	1.83
4	11.03.2023	ETS/SL-022	157.59	113.96	10.94	25.91	1.26
5	15.03.2023	ETS/SL-029	161.67	99.42	15.39	29.41	2.47
6	18.03.2023	ETS/SL-036	168.37	86.95	13.42	28.64	2.01
7	22.03.2023	ETS/SL-043	178.45	125.04	11.29	26.08	1.87
8	25.03.2023	ETS/SL-050	171.29	119.66	15.73	29.24	1.50
9	01.04.2023	ETS/SL-057	163.29	126.51	14.19	29.07	1.46
10	04.04.2023	ETS/SL-064	179.22	93.80	13.25	28.56	0.94
11	08.04.2023	ETS/SL-071	190.84	108.96	14.45	26.68	2.06
12	11.04.2023	ETS/SL-078	183.22	98.03	11.88	27.19	1.55
13	15.04.2023	ETS/SL-085	192.99	104.96	12.83	26.42	2.39
14	18.04.2023	ETS/SL-092	165.60	99.50	13.68	28.81	1.12
15	22.04.2023	ETS/SL-099	166.75	88.18	14.96	25.99	1.83
16	25.04.2023	ETS/SL-106	180.30	92.19	15.99	26.51	2.12
17	01.05.2023	ETS/SL-113	194.91	83.57	11.12	25.56	1.41
18	04.05.2023	ETS/SL-120	190.10	84.18	12.06	28.30	2.20
19	08.05.2023	ETS/SL-127	185.30	84.72	12.23	26.93	1.83
20	11.05.2023	ETS/SL-134	172.83	86.03	9.58	28.39	2.53
21	15.05.2023	ETS/SL-141	179.68	84.95	10.86	30.44	1.83
22	18.05.2023	ETS/SL-148	160.59	85.72	13.25	31.72	2.25
23	22.05.2023	ETS/SL-155	157.58	83.64	12.31	25.65	1.97
24	25.05.2023	ETS/SL-162	163.60	92.95	15.22	25.82	3.14
Minimum			156.29	83.57	9.58	24.88	0.94
Maximum			194.91	126.51	15.99	31.72	3.14
Average			172.65	98.05	13.04	27.63	1.85
98 Percentile			194.03	125.83	15.87	31.13	2.86

****End of Test Report****

Page 1 of 1

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of law without prior written permission of the laboratory.

Format No ETS/LAB/IR-02, Issue No. 05, Date 01.04.2019, Amend. No. 04 Date 01.04.2019

For Enviro-Tech Services

AUTHORIZED SIGNATORY



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-6/03/2023

DATE OF REPORT : 10-06-2023

AMBIENT AIR QUALITY MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Analysis Start Date : 07-03-2023
Analysis End Date : 30-05-2023
Sampling Done By : ETS STAFF
Sampling Location : AAQ-2 GYAN NIKETAN CONVENT SCHOOL KOTHIYA
Sampling Method : AS PER CPCB GUIDELINES
Sampling Machine Placed At Height : 1.5 MTR. (FROM GROUND)
Weather Condition : CLEAR

Test Parameters			Particulate Matter(PM10)	Particulate Matter(PM2.5)	Sulphur Dioxide(SO2)	Nitrogen Dioxide(NO2)	Carbon Monoxide(CO)
Unit			µg/m3	µg/m3	µg/m3	µg/m3	mg/m3
Limit (as Per CPCB)			24 Hrs.=100	24 Hrs.=60	24 Hrs.=80	24 Hrs.=80	1 Hrs.=04
Test Method			IS:5182(Pt-23)	Grav.Method	IS:5182(Pt-2)	IS:5182(Pt-6)	IS:5182(Pt-10)
Sl.N.	Monitoring Date	Sample ID	Test Results				
1	03.03.2023	ETS/SL-002	137.33	80.03	11.80	32.70	0.98
2	06.03.2023	ETS/SL-009	143.70	83.72	15.08	28.12	0.98
3	10.03.2023	ETS/SL-016	139.90	91.03	12.62	23.85	1.69
4	13.03.2023	ETS/SL-023	141.14	79.41	11.29	24.89	1.26
5	17.03.2023	ETS/SL-030	135.26	79.95	16.01	28.22	1.27
6	20.03.2023	ETS/SL-037	133.66	80.49	13.95	27.46	1.97
7	24.03.2023	ETS/SL-044	134.70	81.72	11.59	24.99	1.65
8	27.03.2023	ETS/SL-051	138.16	80.72	16.31	28.03	2.44
9	03.04.2023	ETS/SL-058	138.72	81.41	14.67	27.84	1.92
10	06.04.2023	ETS/SL-065	139.62	79.49	13.75	27.36	2.67
11	10.04.2023	ETS/SL-072	169.26	79.64	14.98	25.56	1.12
12	13.04.2023	ETS/SL-079	173.62	97.34	12.31	26.13	1.41
13	17.04.2023	ETS/SL-086	161.16	104.88	13.34	25.27	2.25
14	20.04.2023	ETS/SL-093	153.05	95.96	14.26	27.65	1.12
15	24.04.2023	ETS/SL-100	147.86	86.95	15.49	24.99	1.83
16	27.04.2023	ETS/SL-107	169.61	91.11	16.62	25.37	2.53
17	03.05.2023	ETS/SL-114	175.49	106.19	11.49	24.51	1.41
18	06.05.2023	ETS/SL-121	143.98	102.88	12.52	27.08	1.55
19	10.05.2023	ETS/SL-128	158.52	91.80	15.50	25.84	1.69
20	13.05.2023	ETS/SL-135	155.62	96.03	12.00	27.17	2.39
21	17.05.2023	ETS/SL-142	138.23	89.03	11.18	29.26	1.69
22	20.05.2023	ETS/SL-149	174.25	82.41	13.75	30.40	2.39
23	24.05.2023	ETS/SL-156	161.02	98.73	12.83	24.61	1.83
24	27.05.2023	ETS/SL-163	138.65	95.11	15.80	24.80	1.59
Minimum			133.66	79.41	11.18	23.85	0.98
Maximum			175.49	106.19	16.62	32.70	2.67
Average			150.10	89.00	13.71	26.75	1.73
98 Percentile			174.92	105.59	16.48	31.64	2.61

Page 1 of 1

****End of Test Report****
For Enviro-Tech Services

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No compensation will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

AUTHORIZED SIGNATORY

Rajni Kant Mittal
Lab In-charge



ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



TEST REPORT

TEST REPORT NO : ETS/2023-7/03/2023

DATE OF REPORT : 10-06-2023

AMBIENT AIR QUALITY MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Analysis Start Date : 05-03-2023
Analysis End Date : 30-05-2023
Sampling Done By : ETS STAFF
Sampling Location : AAQ-3 EDIFY SCHOOL PATNA
Sampling Method : AS PER CPCB GUIDELINES
Sampling Machine Placed At Height : 1.5 MTR. (FROM GROUND)
Weather Condition : CLEAR

Test Parameters			Particulate Matter(PM10)	Particulate Matter(PM2.5)	Sulphur Dioxide(SO2)	Nitrogen Dioxide(NO2)	Carbon Monoxide(CO)
Unit			µg/m3	µg/m3	µg/m3	µg/m3	mg/m3
Limit (as Per CPCB)			24 Hrs.=100	24 Hrs.=60	24 Hrs.=80	24 Hrs.=80	1 Hrs.=04
Test Method			IS:5182(Pt-23)	Grav.Method	IS:5182(Pt-2)	IS:5182(Pt-6)	IS:5182(Pt-10)
Sl.N.	Monitoring Date	Sample ID	Test Results				
1	01.03.2023	ETS/SL-003	149.53	88.72	13.44	26.90	0.88
2	04.03.2023	ETS/SL-010	150.08	101.09	17.16	28.70	0.78
3	08.03.2023	ETS/SL-017	152.33	99.14	14.40	24.40	0.70
4	11.03.2023	ETS/SL-024	153.65	106.14	12.84	25.40	1.44
5	15.03.2023	ETS/SL-031	147.36	92.61	18.12	28.80	1.03
6	18.03.2023	ETS/SL-038	145.57	80.95	15.72	28.00	1.65
7	22.03.2023	ETS/SL-045	146.66	116.41	13.20	25.60	2.06
8	25.03.2023	ETS/SL-052	150.54	111.43	18.48	28.60	2.68
9	01.04.2023	ETS/SL-059	151.01	117.88	16.68	28.40	2.47
10	04.04.2023	ETS/SL-066	152.10	87.32	15.60	28.00	1.86
11	08.04.2023	ETS/SL-073	166.87	101.48	17.16	26.10	0.62
12	11.04.2023	ETS/SL-080	177.76	91.29	14.04	26.60	1.03
13	15.04.2023	ETS/SL-087	170.61	97.74	15.00	25.90	1.65
14	18.04.2023	ETS/SL-094	179.70	92.69	16.08	28.20	2.47
15	22.04.2023	ETS/SL-101	154.20	82.11	17.52	25.50	2.27
16	25.04.2023	ETS/SL-108	155.29	85.85	18.84	25.90	1.86
17	01.05.2023	ETS/SL-115	186.86	77.84	13.08	25.00	2.06
18	04.05.2023	ETS/SL-122	181.49	78.38	14.16	27.70	2.27
19	08.05.2023	ETS/SL-129	191.37	78.85	14.40	26.40	2.06
20	11.05.2023	ETS/SL-136	172.55	80.17	11.28	27.80	0.82
21	15.05.2023	ETS/SL-143	160.96	79.16	12.60	29.90	1.65
22	18.05.2023	ETS/SL-150	155.75	79.86	15.60	31.10	2.27
23	22.05.2023	ETS/SL-157	168.19	77.92	14.64	25.10	2.47
24	25.05.2023	ETS/SL-164	167.26	78.07	17.88	25.30	2.06
Minimum			145.57	77.84	11.28	24.40	0.62
Maximum			191.37	117.88	18.84	31.10	2.68
Average			161.99	90.96	15.33	27.05	1.71
98 Percentile			189.29	117.20	18.67	30.55	2.59

End of Test Report

Page 1 of 1

Notes:

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

Format No ETS/LAB/IR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

For Enviro-Tech Services

AUTHORIZED SIGNATORY



ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)



ISO 45001

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



TEST REPORT

TEST REPORT NO : ETS/2023-8/03/2023

DATE OF REPORT : 10-06-2023

AMBIENT AIR QUALITY MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Analysis Start Date : 07-03-2023
Analysis End Date : 30-05-2023
Sampling Done By : ETS STAFF
Sampling Location : AAQ-4 SABALPUR
Sampling Method : AS PER CPCB GUIDELINES
Sampling Machine Placed At Height : 1.5 MTR. (FROM GROUND)
Weather Condition : CLEAR

Test Parameters			Particulate Matter(PM10)	Particulate Matter(PM2.5)	Sulphur Dioxide(SO ₂)	Nitrogen Dioxide(NO ₂)	Carbon Monoxide(CO)
Unit			µg/m ³	µg/m ³	µg/m ³	µg/m ³	mg/m ³
Limit (as Per CPCB)			24 Hrs.=100	24 Hrs.=60	24 Hrs.=80	24 Hrs.=80	1 Hrs.=04
Test Method			IS:5182(Pt-23)	Grav.Method	IS:5182(Pt-2)	IS:5182(Pt-6)	IS:5182(Pt-10)
Sl.N.	Monitoring Date	Sample ID	Test Results				
1	03.03.2023	ETS/SL-004	144.53	75.03	11.34	29.11	2.44
2	06.03.2023	ETS/SL-011	143.16	78.59	14.56	30.99	2.04
3	10.03.2023	ETS/SL-018	149.86	85.36	12.19	26.24	1.95
4	13.03.2023	ETS/SL-025	145.83	74.56	11.00	27.32	2.04
5	17.03.2023	ETS/SL-032	147.13	74.97	15.41	31.09	0.66
6	20.03.2023	ETS/SL-039	141.04	75.51	13.54	30.20	0.78
7	24.03.2023	ETS/SL-046	139.33	76.68	11.34	27.42	0.97
8	27.03.2023	ETS/SL-053	140.43	75.79	15.74	30.89	1.26
9	03.04.2023	ETS/SL-060	144.05	76.40	14.22	30.69	1.75
10	06.04.2023	ETS/SL-067	144.60	74.62	13.37	30.10	2.04
11	10.04.2023	ETS/SL-074	145.56	74.76	14.56	28.12	2.44
12	13.04.2023	ETS/SL-081	176.40	91.31	11.85	28.71	2.73
13	17.04.2023	ETS/SL-088	181.05	98.36	12.87	27.82	2.04
14	20.04.2023	ETS/SL-095	168.06	90.08	13.88	30.39	0.88
15	24.04.2023	ETS/SL-102	159.51	81.60	14.90	27.42	1.26
16	27.04.2023	ETS/SL-109	154.11	85.43	16.08	27.92	1.75
17	03.05.2023	ETS/SL-116	176.81	99.59	11.17	27.03	0.97
18	06.05.2023	ETS/SL-123	182.90	98.22	12.02	29.80	2.24
19	10.05.2023	ETS/SL-130	150.14	86.18	12.19	28.41	1.46
20	13.05.2023	ETS/SL-137	165.25	90.15	17.58	29.90	1.17
21	17.05.2023	ETS/SL-144	162.24	83.52	10.83	32.18	2.04
22	20.05.2023	ETS/SL-151	144.12	77.36	13.37	33.46	1.75
23	24.05.2023	ETS/SL-158	181.67	92.68	12.36	27.13	2.44
24	27.05.2023	ETS/SL-165	167.85	89.19	15.24	35.79	2.63
Minimum			139.33	74.56	10.83	26.24	0.66
Maximum			182.90	99.59	17.58	35.79	2.73
Average			156.48	83.58	13.40	29.50	1.74
98 Percentile			182.34	99.02	16.89	34.72	2.68

****End of Test Report****

Page 1 of 1

Note:

- Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
- The results indicated only refer to the tested samples and listed applicable parameters.
- No complaint will be entertained if received after 7 days of issue of test report.
- Our liability is limited to invoice value only.
- The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
- This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

Format No ETS/LAB/IR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

For Enviro-Tech Services

AUTHORIZED SIGNATORY



ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-9/03/2023

DATE OF REPORT : 10-06-2023

AMBIENT AIR QUALITY MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Analysis Start Date : 05-03-2023
Analysis End Date : 30-05-2023
Sampling Done By : ETS STAFF
Sampling Location : AAQ-5 KARMALI CHOWK
Sampling Method : AS PER CPCB GUIDELINES
Sampling Machine Placed At Height : 1.5 MTR. (FROM GROUND)
Weather Condition : CLEAR

Test Parameters			Particulate Matter(PM10)	Particulate Matter(PM2.5)	Sulphur Dioxide(SO2)	Nitrogen Dioxide(NO2)	Carbon Monoxide(CO)
Unit			µg/m3	µg/m3	µg/m3	µg/m3	mg/m3
Limit (as Per CPCB)			24 Hrs.=100	24 Hrs.=60	24 Hrs.=80	24 Hrs.=80	1 Hrs.=04
Test Method			IS:5182(Pt-23)	Grav.Method	IS:5182(Pt-2)	IS:5182(Pt-6)	IS:5182(Pt-10)
Sl.N.	Monitoring Date	Sample ID	Test Results				
1	01.03.2023	ETS/SL-005	130.10	67.51	13.08	33.36	1.34
2	04.03.2023	ETS/SL-012	128.87	70.73	16.68	33.84	3.23
3	08.03.2023	ETS/SL-019	134.88	76.81	14.04	28.68	3.08
4	11.03.2023	ETS/SL-026	131.26	67.10	12.60	29.76	3.19
5	15.03.2023	ETS/SL-033	132.42	67.44	17.64	33.96	0.99
6	18.03.2023	ETS/SL-040	126.95	67.99	15.60	33.00	1.23
7	22.03.2023	ETS/SL-047	125.38	69.02	13.08	29.88	1.54
8	25.03.2023	ETS/SL-054	126.40	68.19	18.12	33.72	2.00
9	01.04.2023	ETS/SL-061	129.62	68.74	16.32	33.48	2.77
10	04.04.2023	ETS/SL-068	130.17	67.17	15.36	32.88	3.23
11	08.04.2023	ETS/SL-075	130.99	67.31	16.68	30.72	1.65
12	11.04.2023	ETS/SL-082	158.76	82.22	13.56	31.32	3.06
13	15.04.2023	ETS/SL-089	162.93	88.51	14.76	30.36	3.20
14	18.04.2023	ETS/SL-096	151.23	81.05	15.96	33.12	1.39
15	22.04.2023	ETS/SL-103	143.57	73.46	17.16	29.88	2.00
16	25.04.2023	ETS/SL-110	138.72	76.88	18.48	30.48	2.77
17	01.05.2023	ETS/SL-117	159.17	89.60	12.84	29.52	1.54
18	04.05.2023	ETS/SL-124	164.64	88.37	13.80	32.52	2.44
19	08.05.2023	ETS/SL-131	135.16	77.57	14.04	30.96	2.31
20	11.05.2023	ETS/SL-138	148.70	81.12	17.50	32.64	1.85
21	15.05.2023	ETS/SL-145	146.03	75.17	12.48	35.16	3.08
22	18.05.2023	ETS/SL-152	129.69	69.63	15.36	36.48	2.77
23	22.05.2023	ETS/SL-159	163.48	83.45	14.16	29.64	1.65
24	25.05.2023	ETS/SL-166	151.10	80.30	17.52	34.12	3.06
Minimum			125.38	67.10	12.48	28.68	0.99
Maximum			164.64	89.60	18.48	36.48	3.23
Average			140.84	75.22	15.28	32.06	2.31
98 Percentile			164.10	89.10	18.31	35.87	3.23

End of Test Report

Page 1 of 1

For Enviro-Tech Services

Note:

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No refund will be entertained if received after 7 days of issue of test report.
4. Only final bill will be issued on invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

AUTHORIZED SIGNATORY

For Enviro-Tech Services
Rishabh Mittal
In-charge



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-10/03/2023

DATE OF REPORT : 10-06-2023

AMBIENT AIR QUALITY MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Analysis Start Date : 07-03-2023
Analysis End Date : 30-05-2023
Sampling Done By : ETS STAFF
Sampling Location : AAQ-6 DEVI STHAN SUKULPUR, KHASPUR
Sampling Method : AS PER CPCB GUIDELINES
Sampling Machine Placed At Height : 1.5 MTR. (FROM GROUND)
Weather Condition : CLEAR

Test Parameters			Particulate Matter(PM10)	Particulate Matter(PM2.5)	Sulphur Dioxide(SO ₂)	Nitrogen Dioxide(NO ₂)	Carbon Monoxide(CO)
Unit			µg/m ³	µg/m ³	µg/m ³	µg/m ³	mg/m ³
Limit (as Per CPCB)			24 Hrs.=100	24 Hrs.=60	24 Hrs.=80	24 Hrs.=80	1 Hrs.=04
Test Method			IS:5182(Pt-23)	Grav.Method	IS:5182(Pt-2)	IS:5182(Pt-6)	IS:5182(Pt-10)
Sl.N.	Monitoring Date	Sample ID	Test Results				
1	03.03.2023	ETS/SL-006	154.28	75.32	10.26	24.04	1.07
2	06.03.2023	ETS/SL-013	153.44	78.74	13.02	25.56	2.59
3	10.03.2023	ETS/SL-020	137.18	71.36	10.93	21.76	2.46
4	13.03.2023	ETS/SL-027	137.64	71.82	9.79	22.71	2.55
5	17.03.2023	ETS/SL-034	139.69	72.28	13.78	25.65	0.79
6	20.03.2023	ETS/SL-041	140.90	73.49	12.07	24.99	0.99
7	24.03.2023	ETS/SL-048	135.13	72.58	10.07	22.71	1.23
8	27.03.2023	ETS/SL-055	133.46	73.19	14.16	25.46	1.60
9	03.04.2023	ETS/SL-062	134.52	71.44	12.64	25.37	2.22
10	06.04.2023	ETS/SL-069	138.02	71.52	11.88	24.89	2.59
11	10.04.2023	ETS/SL-076	138.55	81.40	13.02	23.28	1.32
12	13.04.2023	ETS/SL-083	139.38	92.72	10.55	23.75	2.45
13	17.04.2023	ETS/SL-090	152.99	90.97	11.50	23.09	2.56
14	20.04.2023	ETS/SL-097	163.02	97.36	12.35	25.18	1.11
15	24.04.2023	ETS/SL-104	156.41	84.89	13.30	22.71	1.60
16	27.04.2023	ETS/SL-111	164.77	74.25	14.25	23.18	2.22
17	03.05.2023	ETS/SL-118	141.36	106.70	9.88	22.33	1.23
18	06.05.2023	ETS/SL-125	142.42	102.22	10.74	24.70	1.95
19	10.05.2023	ETS/SL-132	171.30	108.00	10.93	23.56	1.85
20	13.05.2023	ETS/SL-139	166.44	80.10	10.26	24.80	1.48
21	17.05.2023	ETS/SL-146	191.22	93.02	9.60	26.60	2.46
22	20.05.2023	ETS/SL-153	158.23	83.68	11.88	27.74	2.22
23	24.05.2023	ETS/SL-160	147.59	89.68	11.02	22.42	1.32
24	27.05.2023	ETS/SL-167	142.80	84.97	13.68	25.60	2.45
Minimum			133.46	71.36	9.60	21.76	0.79
Maximum			191.22	108.00	14.25	27.74	2.59
Average			149.20	83.40	11.73	24.25	1.85
98 Percentile			182.06	107.40	14.21	27.22	2.59

****End of Test Report****

Page 1 of 1

Note:

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. **CHECKED BY** only refer to the tested samples and listed applicable parameters.
3. **SHRADDHA GUPTA** retained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used as advertising media or as evidence in the court of Law without prior written permission of the laboratory.

For Enviro-Tech Services

AUTHORIZED SIGNATORY

Rajnikar Mittal
Lab In-charge



ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-11/03/2023

DATE OF REPORT : 10-06-2023

AMBIENT AIR QUALITY MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Analysis Start Date : 05-03-2023
Analysis End Date : 30-05-2023
Sampling Done By : ETS STAFF
Sampling Location : AAQ-7 MARCHA
Sampling Method : AS PER CPCB GUIDELINES
Sampling Machine Placed At Height : 1.5 MTR. (FROM GROUND)
Weather Condition : CLEAR

Test Parameters			Particulate Matter(PM10)	Particulate Matter(PM2.5)	Sulphur Dioxide(SO2)	Nitrogen Dioxide(NO2)	Carbon Monoxide(CO)
Unit			µg/m3	µg/m3	µg/m3	µg/m3	mg/m3
Limit (as Per CPCB)			24 Hrs.=100	24 Hrs.=60	24 Hrs.=80	24 Hrs.=80	1 Hrs.=04
Test Method			IS:5182(Pt-23)	Grav.Method	IS:5182(Pt-2)	IS:5182(Pt-6)	IS:5182(Pt-10)
Sl.N.	Monitoring Date	Sample ID	Test Results				
1	01.03.2023	ETS/SL-007	139.90	73.37	10.35	31.51	0.86
2	04.03.2023	ETS/SL-014	126.94	76.75	13.23	25.35	0.96
3	08.03.2023	ETS/SL-021	142.56	83.45	11.07	28.43	0.87
4	11.03.2023	ETS/SL-028	143.78	73.01	13.05	29.73	0.98
5	15.03.2023	ETS/SL-035	137.81	73.30	14.04	33.70	0.85
6	18.03.2023	ETS/SL-042	136.15	73.80	12.24	32.81	1.12
7	22.03.2023	ETS/SL-049	137.23	74.95	10.17	29.81	1.32
8	25.03.2023	ETS/SL-056	140.76	74.02	14.31	33.45	1.24
9	01.04.2023	ETS/SL-063	141.34	74.66	12.87	33.21	1.03
10	04.04.2023	ETS/SL-070	142.27	73.30	12.06	32.64	1.35
11	08.04.2023	ETS/SL-077	172.44	73.01	13.14	30.54	1.44
12	11.04.2023	ETS/SL-084	176.90	89.28	15.12	31.19	1.50
13	15.04.2023	ETS/SL-091	164.16	96.19	11.70	30.13	1.02
14	18.04.2023	ETS/SL-098	155.95	87.98	12.51	32.97	0.98
15	22.04.2023	ETS/SL-105	150.62	79.70	13.59	29.81	1.19
16	25.04.2023	ETS/SL-112	172.80	83.52	14.58	30.29	2.64
17	01.05.2023	ETS/SL-119	178.78	97.34	10.08	29.24	1.76
18	04.05.2023	ETS/SL-126	146.66	94.32	10.98	32.32	3.11
19	08.05.2023	ETS/SL-133	161.50	84.17	11.07	30.86	2.67
20	11.05.2023	ETS/SL-140	158.54	88.06	10.53	32.40	1.30
21	15.05.2023	ETS/SL-147	180.58	113.26	9.99	34.91	2.43
22	18.05.2023	ETS/SL-154	177.55	116.50	12.06	36.29	1.08
23	22.05.2023	ETS/SL-161	164.09	90.50	11.25	37.18	3.00
24	25.05.2023	ETS/SL-168	141.26	87.19	13.86	29.57	1.96
Minimum			126.94	73.01	9.99	25.35	0.85
Maximum			180.58	116.50	15.12	37.18	3.11
Average			153.77	84.65	12.24	31.60	1.53
98 Percentile			179.75	115.01	14.87	36.77	3.06

****End of Test Report****

For Enviro-Tech Services

Page 1 of 1

Note:

- Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
- Checked by only refer to the tested samples and listed applicable parameters.
- No complaint will be entertained if received after 7 days of issue of test report.
- Our liability is limited to invoice value only.
- The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
- This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

AUTHORIZED SIGNATORY

Pushpal Mittal
Lab In-charge



TEST REPORT

TEST REPORT NO : ETS/2023-12/03/2023

DATE OF REPORT : 10-06-2023

AMBIENT AIR QUALITY MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Analysis Start Date : 07-03-2023
Analysis End Date : 30-05-2023
Sampling Done By : ETS STAFF
Sampling Location : AAQ-8 MARUFGANJ
Sampling Method : AS PER CPCB GUIDELINES
Sampling Machine Placed At Height : 1.5 MTR. (FROM GROUND)
Weather Condition : CLEAR

Test Parameters			Particulate Matter(PM10)	Particulate Matter(PM2.5)	Sulphur Dioxide(SO2)	Nitrogen Dioxide(NO2)	Carbon Monoxide(CO)
Unit			µg/m3	µg/m3	µg/m3	µg/m3	mg/m3
Limit (as Per CPCB)			24 Hrs.=100	24 Hrs.=60	24 Hrs.=80	24 Hrs.=80	1 Hrs.=04
Test Method			IS:5182(Pt-23)	Grav.Method	IS:5182(Pt-2)	IS:5182(Pt-6)	IS:5182(Pt-10)
Sl.N.	Monitoring Date	Sample ID	Test Results				
1	03.03.2023	ETS/SL-008	138.60	80.54	11.50	38.90	0.69
2	06.03.2023	ETS/SL-015	125.76	84.26	14.70	31.30	0.77
3	10.03.2023	ETS/SL-022	141.24	91.61	12.30	35.10	0.70
4	13.03.2023	ETS/SL-030	142.45	80.15	14.50	36.70	0.78
5	17.03.2023	ETS/SL-036	136.53	80.46	15.60	41.60	0.68
6	20.03.2023	ETS/SL-043	134.89	81.02	13.60	40.50	0.90
7	24.03.2023	ETS/SL-050	135.96	82.28	11.30	36.80	1.06
8	27.03.2023	ETS/SL-057	139.46	81.25	15.90	41.30	0.99
9	03.04.2023	ETS/SL-064	140.03	81.96	14.30	41.00	0.83
10	06.04.2023	ETS/SL-071	140.96	80.46	13.40	40.30	1.08
11	10.04.2023	ETS/SL-078	170.84	80.15	14.60	37.70	1.15
12	13.04.2023	ETS/SL-085	175.27	98.01	16.80	38.50	1.20
13	17.04.2023	ETS/SL-092	162.64	105.60	13.00	37.20	0.82
14	20.04.2023	ETS/SL-099	154.51	96.59	13.90	40.70	0.78
15	24.04.2023	ETS/SL-106	149.23	87.50	15.10	36.80	0.95
16	27.04.2023	ETS/SL-113	171.20	91.69	16.20	37.40	2.11
17	03.05.2023	ETS/SL-120	177.12	106.86	11.20	36.10	1.41
18	06.05.2023	ETS/SL-127	145.31	103.54	12.20	39.90	2.49
19	10.05.2023	ETS/SL-134	160.00	92.40	12.30	38.10	2.14
20	13.05.2023	ETS/SL-141	157.08	96.67	11.70	40.00	1.04
21	17.05.2023	ETS/SL-148	178.90	124.33	11.10	43.10	1.94
22	20.05.2023	ETS/SL-155	175.91	127.89	13.40	44.80	0.85
23	24.05.2023	ETS/SL-162	162.57	99.35	12.50	45.90	2.40
24	27.05.2023	ETS/SL-167	139.96	95.72	15.40	36.50	1.57
Minimum			125.76	80.15	11.10	31.30	0.68
Maximum			178.90	127.89	16.80	45.90	2.49
Average			152.35	92.93	13.60	39.01	1.22
98 Percentile			178.08	126.25	16.52	45.39	2.45

****End of Test Report****

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. **CHECKED BY** only refer to the tested samples and listed applicable parameters.
3. Sample claim will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

For Enviro-Tech Services

AUTHORIZED SIGNATORY

TEST REPORT

TEST REPORT NO : ETS/2023-1/05/2023

DATE OF REPORT : 10.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 15.05.2023
Analysis Start Date : 17.05.2023
Analysis End Date : 20.05.2023
Sample ID No : 2023-1
Sampling Done By : ETS STAFF
Sampling Description : GROUND WATER
Sampling Location : GW-1 PROJECT SITE
Sampling Method : ETS/STP/WATER-01
Sampling Quantity : 2.0 +0.5 Lt.
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Drinking Water Standards / Limit (IS:10500 2012)		Test Method
				Desirable	Permissible	
1.	Colour	Hazen	<5.0	5	15	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.63	6.5 - 8.5	No Relaxation	IS:3025 (Pt-11)
4.	Taste	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-8)
5.	Turbidity	NTU	<1.0	1	5	IS:3025 (Pt-10)
6.	Total Dissolve Solid (TDS)	mg/L	459.5	500	2000	IS:3025 (Pt-16)
7.	Total Alkalinity (CaCO ₃)	mg/L	151.6	200	600	IS:3025 (Pt-23)
8.	Total Hardness(CaCO ₃)	mg/L	252.5	200	600	IS:3025 (Pt-21)
9.	Chloride (Cl)	mg/L	96.4	250	1000	IS:3025 (Pt-32)
10.	Calcium (Ca)	mg/L	52.8	75	200	IS:3025 (Pt-40)
11.	Mineral Oil	mg/L	<0.01	0.5	No Relaxation	IS:3025 (Pt-39)
12.	Sulphate (SO ₄)	mg/L	42.84	200	400	IS:3025 (Pt-24)
13.	Nitrate (NO ₃)	mg/L	2.42	45	No Relaxation	IS:3025 (Pt-34)
14.	Fluoride (F)	mg/L	0.23	1	1.5	IS:3025 (Pt-60)
15.	Iron (Fe)	mg/L	0.24	0.3	No Relaxation	IS:3025 (Pt-53)
16.	Aluminium (Al)	mg/L	<0.02	0.03	0.2	APHA-3500 (B)
17.	Selenium (Se)	mg/L	<0.01	0.01	No. Relaxation	APHA-3113 (B)
18.	Cyanide (Cn)	mg/L	<0.01	0.05	No. Relaxation	APHA-4500 (C)
19.	Copper(Cu)	mg/L	0.08	0.05	1.5	APHA-3111(B)
20.	Magnesium (Mg)	mg/L	25.1	30	100	IS:3025 (Pt-45)
21.	Manganese(Mn)	mg/L	<0.1	0.1	0.3	APHA-3111(B)
22.	Zinc(Zn)	mg/L	0.66	5	15	APHA-3111 (B)
23.	Cadmium(Cd)	mg/L	<0.001	0.003	No. Relaxation	APHA-3111 (B)
24.	Lead(Pb)	mg/L	<0.01	0.01	No. Relaxation	APHA-3111 (B)
25.	Mercury(Hg)	mg/L	<0.001	0.001	No. Relaxation	APHA-3112 (B)
26.	Nickel (Ni)	mg/L	<0.01	0.02	No. Relaxation	APHA-3111 (B)
27.	Arsenic(As)	mg/L	<0.01	0.01	0.05	APHA-3500 (B)
28.	Chromium (Cr+6)	mg/L	<0.01	0.05	No. Relaxation	APHA-3500 Cr-B
29.	Phenolic Compound (C6H5OH)	mg/L	<0.001	0.001	0.002	APHA-5530
30.	Conductivity (25 °C)	mhos/cm	579.4	Not Specified	Not Specified	APHA-2510
31.	E. Coli	Coli/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
32.	Total Coliform	MPN/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
33.	Temperature	°C	25.8	Not Specified	Not Specified	IS:3025 (Pt-9)
34.	Sodium (Na)	mg/L	49.3	Not Specified	Not Specified	APHA-3500 (Na)
35.	Fecal Coliform	MPN/100ml	Absent	Shall Not Be Detectable		APHA-9221

****End of Test Report****

Note:-

1. CHECKED BY: Without ETS LAB HOLOGRAM are not issued by our laboratory.

2. SHRADDHA ROY: Only refer to the tested samples and listed applicable parameters.

3. No complaint will be entertained if received after 7 days of issue of test report.

4. Our liability is limited to invoice value only.

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

TEST REPORT

TEST REPORT NO : ETS/2023-2/05/2023

DATE OF REPORT : 10.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 15.05.2023

Analysis Start Date : 17.05.2023

Analysis End Date : 20.05.2023

Sample ID No : 2023-2

Sampling Done By : ETS STAFF

Sampling Description : GROUND WATER

Sampling Location : GW-2 TAKHAT SRI HARIMANDIR JI (PATNA SAHIB) - GURUDWARA

Sampling Method : ETS/STP/WATER-01

Sampling Quantity : 2.0 +0.5 Lt.

Packing Condition : SEALED

Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Drinking Water Standards / Limit (IS:10500 2012)		Test Method
				Desirable	Permissible	
1.	Colour	Hazen	<5.0	5	15	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.78	6.5 - 8.5	No Relaxation	IS:3025 (Pt-11)
4.	Taste	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-8)
5.	Turbidity	NTU	<1.0	1	5	IS:3025 (Pt-10)
6.	Total Dissolve Solid (TDS)	mg/L	306.9	500	2000	IS:3025 (Pt-16)
7.	Total Alkalinity (CaCO ₃)	mg/L	137.5	200	600	IS:3025 (Pt-23)
8.	Total Hardness(CaCO ₃)	mg/L	143.9	200	600	IS:3025 (Pt-21)
9.	Chloride (Cl)	mg/L	83.5	250	1000	IS:3025 (Pt-32)
10.	Calcium (Ca)	mg/L	68.0	75	200	IS:3025 (Pt-40)
11.	Mineral Oil	mg/L	<0.01	0.5	No Relaxation	IS:3025 (Pt-39)
12.	Sulphate (SO ₄)	mg/L	34.9	200	400	IS:3025 (Pt-24)
13.	Nitrate (NO ₃)	mg/L	0.78	45	No Relaxation	IS:3025 (Pt-34)
14.	Fluoride (F)	mg/L	0.36	1	1.5	IS:3025 (Pt-60)
15.	Iron (Fe)	mg/L	0.13	0.3	No Relaxation	IS:3025 (Pt-53)
16.	Aluminium (Al)	mg/L	<0.02	0.03	0.2	APHA-3500 (B)
17.	Selenium (Se)	mg/L	<0.01	0.01	No. Relaxation	APHA-3113 (B)
18.	Cyanide (Cn)	mg/L	<0.01	0.05	No. Relaxation	APHA-4500 (C)
19.	Copper(Cu)	mg/L	0.07	0.05	1.5	APHA-3111(B)
20.	Magnesium (Mg)	mg/L	22.4	30	100	IS:3025 (Pt-45)
21.	Manganese(Mn)	mg/L	<0.1	0.1	0.3	APHA-3111(B)
22.	Zinc(Zn)	mg/L	0.08	5	15	APHA-3111 (B)
23.	Cadmium(Cd)	mg/L	<0.001	0.003	No. Relaxation	APHA-3111 (B)
24.	Lead(Pb)	mg/L	<0.01	0.01	No. Relaxation	APHA-3111 (B)
25.	Mercury(Hg)	mg/L	<0.001	0.001	No. Relaxation	APHA-3112 (B)
26.	Nickel (Ni)	mg/L	<0.01	0.02	No. Relaxation	APHA-3111 (B)
27.	Arsenic(As)	mg/L	<0.01	0.01	0.05	APHA-3500 (B)
28.	Chromium (Cr+6)	mg/L	<0.01	0.05	No. Relaxation	APHA-3500 Cr-B
29.	Phenolic Compound (C ₆ H ₅ OH)	mg/L	<0.001	0.001	0.002	APHA-5530
30.	Conductivity (25 °C)	mhos/cm	542.8	Not Specified	Not Specified	APHA-2510
31.	E. Coli	Coli/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
32.	Total Coliform	MPN/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
33.	Temperature	°C	24.9	Not Specified	Not Specified	IS:3025 (Pt-9)
34.	Sodium (Na)	mg/L	55.3	Not Specified	Not Specified	APHA-3500 (Na)
35.	Faecal Coliform	MPN/100ml	Absent	Shall Not Be Detectable		APHA-9221

****End of Test Report****



Note: 1. Reports without ETS LAB HOLOGRAM are not issued by our laboratory.

2. The results indicated only refer to the tested samples and listed applicable parameters.

3. No complaint will be entertained if received after 7 days of issue of test report.

4. Our liability is limited to invoice value only.

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

Page 1 of 1

For Enviro-Tech Services

AUTHORIZED SIGNATORY
Lab In-charge



ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-3/05/2023

DATE OF REPORT : 10.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 18.05.2023
Analysis Start Date : 20.05.2023
Analysis End Date : 23.05.2023
Sample ID No : 2023-3
Sampling Done By : ETS STAFF
Sampling Description : GROUND WATER
Sampling Location : GW-3 MAHADEV ASTHAN(NEAR BYPASS THANA)
Sampling Method : ETS/STP/WATER-01
Sampling Quantity : 2.0 +0.5 Lt.
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Drinking Water Standards / Limit (IS:10500 2012)		Test Method
				Desirable	Permissible	
1.	Colour	Hazen	<5.0	5	15	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.34	6.5 - 8.5	No Relaxation	IS:3025 (Pt-11)
4.	Taste	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-8)
5.	Turbidity	NTU	<1.0	1	5	IS:3025 (Pt-10)
6.	Total Dissolve Solid (TDS)	mg/L	545.0	500	2000	IS:3025 (Pt-16)
7.	Total Alkalinity (CaCO ₃)	mg/L	254.8	200	600	IS:3025 (Pt-23)
8.	Total Hardness(CaCO ₃)	mg/L	288.1	200	600	IS:3025 (Pt-21)
9.	Chloride (Cl)	mg/L	135.7	250	1000	IS:3025 (Pt-32)
10.	Calcium (Ca)	mg/L	92.9	75	200	IS:3025 (Pt-40)
11.	Mineral Oil	mg/L	<0.01	0.5	No Relaxation	IS:3025 (Pt-39)
12.	Sulphate (SO ₄)	mg/L	37.56	200	400	IS:3025 (Pt-24)
13.	Nitrate (NO ₃)	mg/L	0.92	45	No Relaxation	IS:3025 (Pt-34)
14.	Fluoride (F)	mg/L	0.31	1	1.5	IS:3025 (Pt-60)
15.	Iron (Fe)	mg/L	0.20	0.3	No Relaxation	IS:3025 (Pt-53)
16.	Aluminium (Al)	mg/L	<0.02	0.03	0.2	APHA-3500 (B)
17.	Selenium (Se)	mg/L	<0.01	0.01	No Relaxation	APHA-3113 (B)
18.	Cyanide (Cn)	mg/L	<0.01	0.05	No Relaxation	APHA-4500 (C)
19.	Copper(Cu)	mg/L	0.12	0.05	1.5	APHA-3111(B)
20.	Magnesium (Mg)	mg/L	29.01	30	100	IS:3025 (Pt-45)
21.	Manganese(Mn)	mg/L	<0.1	0.1	0.3	APHA-3111(B)
22.	Zinc(Zn)	mg/L	0.684	5	15	APHA-3111 (B)
23.	Cadmium(Cd)	mg/L	<0.001	0.003	No Relaxation	APHA-3111 (B)
24.	Lead(Pb)	mg/L	<0.01	0.01	No Relaxation	APHA-3111 (B)
25.	Mercury(Hg)	mg/L	<0.001	0.001	No Relaxation	APHA-3112 (B)
26.	Nickel (Ni)	mg/L	<0.01	0.02	No Relaxation	APHA-3111 (B)
27.	Arsenic(As)	mg/L	<0.01	0.01	0.05	APHA-3500 (B)
28.	Chromium (Cr+6)	mg/L	<0.01	0.05	No Relaxation	APHA-3500 Cr-B
29.	Phenolic Compound (C ₆ H ₅ OH)	mg/L	<0.001	0.001	0.002	APHA-5530
30.	Conductivity (25 °C)	mhos/cm	753.84	Not Specified	Not Specified	APHA-2510
31.	E. Coli	Coli/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
32.	Total Coliform	MPN/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
33.	Temperature	°C	26.3	Not Specified	Not Specified	IS:3025 (Pt-9)
34.	Sodium (Na)	mg/L	49.8	Not Specified	Not Specified	APHA-3500 (Na)
35.	Fecal Coliform	MPN/100ml	Absent	Shall Not Be Detectable		APHA-9221

****End of Test Report****

Note:-

1. Test report without ETS LAB HOLOGRAM are not issued by our laboratory.

2. Our report is only refer to the tested samples and listed applicable parameters.

3. No complaint will be entertained if received after 7 days of issue of test report.

4. Our liability is limited to invoice value only.

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

Page 1 of 1

For Enviro-Tech Services

AUTHORIZED SIGNATORY
Lab In-charge

TEST REPORT

TEST REPORT NO : ETS/2023-4/05/2023

DATE OF REPORT : 10.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer

M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling

20.05.2023

Analysis Start Date

22.05.2023

Analysis End Date

25.05.2023

Sample ID No

2023-4

Sampling Done By

ETS STAFF

Sampling Description

GROUND WATER

Sampling Location

GW-4 BHOLA HOTEL - RESTAURANT

Sampling Method

ETS/STP/WATER-01

Sampling Quantity

2.0 +0.5 Lt.

Packing Condition

SEALED

Packed In

P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Drinking Water Standards / Limit (IS:10500 2012)		Test Method
				Desirable	Permissible	
1.	Colour	Hazen	<5.0	5	15	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.58	6.5 - 8.5	No Relaxation	IS:3025 (Pt-11)
4.	Taste	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-8)
5.	Turbidity	NTU	<1.0	1	5	IS:3025 (Pt-10)
6.	Total Dissolve Solid (TDS)	mg/L	575.9	500	2000	IS:3025 (Pt-16)
7.	Total Alkalinity (CaCO ₃)	mg/L	249.5	200	600	IS:3025 (Pt-23)
8.	Total Hardness(CaCO ₃)	mg/L	336.6	200	600	IS:3025 (Pt-21)
9.	Chloride (Cl)	mg/L	114.6	250	1000	IS:3025 (Pt-32)
10.	Calcium (Ca)	mg/L	48.51	75	200	IS:3025 (Pt-40)
11.	Mineral Oil	mg/L	<0.01	0.5	No Relaxation	IS:3025 (Pt-39)
12.	Sulphate (SO ₄)	mg/L	40.74	200	400	IS:3025 (Pt-24)
13.	Nitrate (NO ₃)	mg/L	1.34	45	No Relaxation	IS:3025 (Pt-34)
14.	Fluoride (F)	mg/L	0.31	1	1.5	IS:3025 (Pt-60)
15.	Iron (Fe)	mg/L	0.44	0.3	No Relaxation	IS:3025 (Pt-53)
16.	Aluminium (Al)	mg/L	<0.02	0.03	0.2	APHA-3500 (B)
17.	Selenium (Se)	mg/L	<0.01	0.01	No. Relaxation	APHA-3113 (B)
18.	Cyanide (Cn)	mg/L	<0.01	0.05	No. Relaxation	APHA-4500 (C)
19.	Copper(Cu)	mg/L	0.03	0.05	1.5	APHA-3111(B)
20.	Magnesium (Mg)	mg/L	36.86	30	100	IS:3025 (Pt-45)
21.	Manganese(Mn)	mg/L	<0.1	0.1	0.3	APHA-3111(B)
22.	Zinc(Zn)	mg/L	0.47	5	15	APHA-3111 (B)
23.	Cadmium(Cd)	mg/L	<0.001	0.003	No. Relaxation	APHA-3111 (B)
24.	Lead(Pb)	mg/L	<0.01	0.01	No. Relaxation	APHA-3111 (B)
25.	Mercury(Hg)	mg/L	<0.001	0.001	No. Relaxation	APHA-3112 (B)
26.	Nickel (Ni)	mg/L	<0.01	0.02	No. Relaxation	APHA-3111 (B)
27.	Arsenic(As)	mg/L	<0.01	0.01	0.05	APHA-3500 (B)
28.	Chromium (Cr+6)	mg/L	<0.01	0.05	No. Relaxation	APHA-3500 Cr-B
29.	Phenolic Compound (C ₆ H ₅ OH)	mg/L	<0.001	0.001	0.002	APHA-5530
30.	Conductivity (25 °C)	mhos/cm	826.5	Not Specified	Not Specified	APHA-2510
31.	E. Coli	Coli/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
32.	Total Coliform	MPN/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
33.	Temperature	°C	25.8	Not Specified	Not Specified	IS:3025 (Pt-9)
34.	Sodium (Na)	mg/L	65.1	Not Specified	Not Specified	APHA-3500 (Na)
35.	Fecal Coliform	MPN/100ml	Absent	Shall Not Be Detectable		APHA-9221

End of Test Report



Note: Without ETS LAB HOLOGRAM are not issued by our laboratory.

3. No complaint will be entertained if received after 7 days of issue of test report.

4. Our liability is limited to invoice value only.

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-14/05/2023

DATE OF REPORT : 10.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 20.05.2023
Analysis Start Date : 22.05.2023
Analysis End Date : 25.05.2023
Sample ID No : 2023-14
Sampling Done By : ETS STAFF
Sampling Description : GROUND WATER
Sampling Location : GW-5 BAIRIA KARANPUR
Sampling Method : ETS/STP/WATER-01
Sampling Quantity : 2.0 +0.5 Lt.
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Drinking Water Standards / Limit (IS:10500 2012)		Test Method
				Desirable	Permissible	
1.	Colour	Hazen	<5.0	5	15	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.41	6.5 - 8.5	No Relaxation	IS:3025 (Pt-11)
4.	Taste	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-8)
5.	Turbidity	NTU	<1.0	1	5	IS:3025 (Pt-10)
6.	Total Dissolve Solid (TDS)	mg/L	567.0	500	2000	IS:3025 (Pt-16)
7.	Total Alkalinity (CaCO ₃)	mg/L	194.8	200	600	IS:3025 (Pt-23)
8.	Total Hardness(CaCO ₃)	mg/L	326.1	200	600	IS:3025 (Pt-21)
9.	Chloride (Cl)	mg/L	112.8	250	1000	IS:3025 (Pt-32)
10.	Calcium (Ca)	mg/L	59.1	75	200	IS:3025 (Pt-40)
11.	Mineral Oil	mg/L	<0.01	0.5	No Relaxation	IS:3025 (Pt-39)
12.	Sulphate (SO ₄)	mg/L	38.9	200	400	IS:3025 (Pt-24)
13.	Nitrate (NO ₃)	mg/L	1.11	45	No Relaxation	IS:3025 (Pt-34)
14.	Fluoride (F)	mg/L	0.31	1	1.5	IS:3025 (Pt-60)
15.	Iron (Fe)	mg/L	0.08	0.3	No Relaxation	IS:3025 (Pt-53)
16.	Aluminium (Al)	mg/L	<0.02	0.03	0.2	APHA-3500 (B)
17.	Selenium (Se)	mg/L	<0.01	0.01	No. Relaxation	APHA-3113 (B)
18.	Cyanide (Cn)	mg/L	<0.01	0.05	No. Relaxation	APHA-4500 (C)
19.	Copper(Cu)	mg/L	0.10	0.05	1.5	APHA-3111(B)
20.	Magnesium (Mg)	mg/L	38.6	30	100	IS:3025 (Pt-45)
21.	Manganese(Mn)	mg/L	<0.1	0.1	0.3	APHA-3111(B)
22.	Zinc(Zn)	mg/L	0.45	5	15	APHA-3111 (B)
23.	Cadmium(Cd)	mg/L	<0.001	0.003	No. Relaxation	APHA-3111 (B)
24.	Lead(Pb)	mg/L	<0.01	0.01	No. Relaxation	APHA-3111 (B)
25.	Mercury(Hg)	mg/L	<0.001	0.001	No. Relaxation	APHA-3112 (B)
26.	Nickel (Ni)	mg/L	<0.01	0.02	No. Relaxation	APHA-3111 (B)
27.	Arsenic(As)	mg/L	<0.01	0.01	0.05	APHA-3500 (B)
28.	Chromium (Cr+6)	mg/L	<0.01	0.05	No. Relaxation	APHA-3500 Cr-B
29.	Phenolic Compound (C6H5OH)	mg/L	<0.001	0.001	0.002	APHA-5530
30.	Conductivity (25 °C)	mhos/cm	784.3	Not Specified	Not Specified	APHA-2510
31.	E. Coli	Coli/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
32.	Total Coliform	MPN/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
33.	Temperature	°C	24.9	Not Specified	Not Specified	IS:3025 (Pt-9)
34.	Sodium (Na)	mg/L	45.3	Not Specified	Not Specified	APHA-3500 (Na)
35.	Fecal Coliform	MPN/100ml	Absent	Shall Not Be Detectable		APHA-9221

****End of Test Report****

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.

2. The test results only refer to the tested samples and listed applicable parameters.

3. No complaint will be entertained if received after 7 days of issue of test report.

4. Our liability is limited to invoice value only.

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

Page 1 of 1

For Enviro-Tech Services

AUTHORIZED SIGNATORY
Lab In-charge



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-13/05/2023

DATE OF REPORT : 10.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 22.05.2023
Analysis Start Date : 24.05.2023
Analysis End Date : 26.05.2023
Sample ID No : 2023-13
Sampling Done By : ETS STAFF
Sampling Description : GROUND WATER
Sampling Location : GW-6 DPS SCHOOL
Sampling Method : ETS/STP/WATER-01
Sampling Quantity : 2.0 +0.5 Lt.
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Drinking Water Standards / Limit (IS:10500 2012)		Test Method
				Desirable	Permissible	
1.	Colour	Hazen	<5.0	5	15	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.26	6.5 - 8.5	No Relaxation	IS:3025 (Pt-11)
4.	Taste	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-8)
5.	Turbidity	NTU	<1.0	1	5	IS:3025 (Pt-10)
6.	Total Dissolve Solid (TDS)	mg/L	471.8	500	2000	IS:3025 (Pt-16)
7.	Total Alkalinity (CaCO ₃)	mg/L	213.3	200	600	IS:3025 (Pt-23)
8.	Total Hardness(CaCO ₃)	mg/L	241.4	200	600	IS:3025 (Pt-21)
9.	Chloride (Cl)	mg/L	129.01	250	1000	IS:3025 (Pt-32)
10.	Calcium (Ca)	mg/L	78.8	75	200	IS:3025 (Pt-40)
11.	Mineral Oil	mg/L	<0.01	0.5	No Relaxation	IS:3025 (Pt-39)
12.	Sulphate (SO ₄)	mg/L	38.97	200	400	IS:3025 (Pt-24)
13.	Nitrate (NO ₃)	mg/L	1.49	45	No Relaxation	IS:3025 (Pt-34)
14.	Fluoride (F)	mg/L	0.34	1	1.5	IS:3025 (Pt-60)
15.	Iron (Fe)	mg/L	0.12	0.3	No Relaxation	IS:3025 (Pt-53)
16.	Aluminium (Al)	mg/L	<0.02	0.03	0.2	APHA-3500 (B)
17.	Selenium (Se)	mg/L	<0.01	0.01	No. Relaxation	APHA-3113 (B)
18.	Cyanide (Cn)	mg/L	<0.01	0.05	No. Relaxation	APHA-4500 (C)
19.	Copper(Cu)	mg/L	0.15	0.05	1.5	APHA-3111(B)
20.	Magnesium (Mg)	mg/L	41.2	30	100	IS:3025 (Pt-45)
21.	Manganese(Mn)	mg/L	<0.1	0.1	0.3	APHA-3111(B)
22.	Zinc(Zn)	mg/L	0.69	5	15	APHA-3111 (B)
23.	Cadmium(Cd)	mg/L	<0.001	0.003	No. Relaxation	APHA-3111 (B)
24.	Lead(Pb)	mg/L	<0.01	0.01	No. Relaxation	APHA-3111 (B)
25.	Mercury(Hg)	mg/L	<0.001	0.001	No. Relaxation	APHA-3112 (B)
26.	Nickel (Ni)	mg/L	<0.01	0.02	No. Relaxation	APHA-3111 (B)
27.	Arsenic(As)	mg/L	<0.01	0.01	0.05	APHA-3500 (B)
28.	Chromium (Cr+6)	mg/L	<0.01	0.05	No. Relaxation	APHA-3500 Cr-B
29.	Phenolic Compound (C ₆ H ₅ OH)	mg/L	<0.001	0.001	0.002	APHA-5530
30.	Conductivity (25 °C)	mhos/cm	896.0	Not Specified	Not Specified	APHA-2510
31.	E. Coli	Coli/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
32.	Total Coliform	MPN/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
33.	Temperature	°C	26.7	Not Specified	Not Specified	IS:3025 (Pt-9)
34.	Sodium (Na)	mg/L	47.0	Not Specified	Not Specified	APHA-3500 (Na)
35.	Fecal Coliform	MPN/100ml	Absent	Shall Not Be Detectable		APHA-9221

****End of Test Report****

Notes:

Page 1 of 1

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.

2. The results indicated only refer to the tested samples and listed applicable parameters.

3. The results will be entertained if received after 7 days of issue of test report.

4. Our liability is limited to invoice value only. ETS /LAB/TR-09 Issue No 04 dt 01/06/2019 Rev No 03 dt 01/06/2019

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

For Enviro-Tech Services

AUTHORIZED SIGNATORY

TEST REPORT

TEST REPORT NO : ETS/2023-16/05/2023

DATE OF REPORT : 10.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 24.05.2023
Analysis Start Date : 26.05.2023
Analysis End Date : 30.05.2023
Sample ID No : 2023-16
Sampling Done By : ETS STAFF
Sampling Description : GROUND WATER
Sampling Location : GW-7 SONAWAN
Sampling Method : ETS/STP/WATER-01
Sampling Quantity : 2.0 +0.5 Lt.
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Drinking Water Standards / Limit (IS:10500 2012)		Test Method
				Desirable	Permissible	
1.	Colour	Hazen	<5.0	5	15	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.81	6.5 - 8.5	No Relaxation	IS:3025 (Pt-11)
4.	Taste	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-8)
5.	Turbidity	NTU	<1.0	1	5	IS:3025 (Pt-10)
6.	Total Dissolve Solid (TDS)	mg/L	365.9	500	2000	IS:3025 (Pt-16)
7.	Total Alkalinity (CaCO ₃)	mg/L	134.4	200	600	IS:3025 (Pt-23)
8.	Total Hardness(CaCO ₃)	mg/L	230.8	200	600	IS:3025 (Pt-21)
9.	Chloride (Cl)	mg/L	118.1	250	1000	IS:3025 (Pt-32)
10.	Calcium (Ca)	mg/L	44.01	75	200	IS:3025 (Pt-40)
11.	Mineral Oil	mg/L	<0.01	0.5	No Relaxation	IS:3025 (Pt-39)
12.	Sulphate (SO ₄)	mg/L	39.7	200	400	IS:3025 (Pt-24)
13.	Nitrate (NO ₃)	mg/L	1.41	45	No Relaxation	IS:3025 (Pt-34)
14.	Fluoride (F)	mg/L	0.29	1	1.5	IS:3025 (Pt-60)
15.	Iron (Fe)	mg/L	0.88	0.3	No Relaxation	IS:3025 (Pt-53)
16.	Aluminium (Al)	mg/L	<0.02	0.03	0.2	APHA-3500 (B)
17.	Selenium (Se)	mg/L	<0.01	0.01	No. Relaxation	APHA-3113 (B)
18.	Cyanide (Cn)	mg/L	<0.01	0.05	No. Relaxation	APHA-4500 (C)
19.	Copper(Cu)	mg/L	0.117	0.05	1.5	APHA-3111(B)
20.	Magnesium (Mg)	mg/L	42.12	30	100	IS:3025 (Pt-45)
21.	Manganese(Mn)	mg/L	<0.1	0.1	0.3	APHA-3111(B)
22.	Zinc(Zn)	mg/L	0.54	5	15	APHA-3111 (B)
23.	Cadmium(Cd)	mg/L	<0.001	0.003	No. Relaxation	APHA-3111 (B)
24.	Lead(Pb)	mg/L	<0.01	0.01	No. Relaxation	APHA-3111 (B)
25.	Mercury(Hg)	mg/L	<0.001	0.001	No. Relaxation	APHA-3112 (B)
26.	Nickel (Ni)	mg/L	<0.01	0.02	No. Relaxation	APHA-3111 (B)
27.	Arsenic(As)	mg/L	<0.01	0.01	0.05	APHA-3500 (B)
28.	Chromium (Cr+6)	mg/L	<0.01	0.05	No. Relaxation	APHA-3500 Cr-B
29.	Phenolic Compound (C ₆ H ₅ OH)	mg/L	<0.001	0.001	0.002	APHA-5530
30.	Conductivity (25 °C)	mhos/cm	602.01	Not Specified	Not Specified	APHA-2510
31.	E. Coli	Coli/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
32.	Total Coliform	MPN/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
33.	Temperature	°C	26.3	Not Specified	Not Specified	IS:3025 (Pt-9)
34.	Sodium (Na)	mg/L	51.7	Not Specified	Not Specified	APHA-3500 (Na)
35.	Fecal Coliform	MPN/100ml	Absent	Shall Not Be Detectable		APHA-9221

****End of Test Report****

Note:-

Page 1 of 1

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.

2. The results indicated only refer to the tested samples and listed applicable parameters.

3. No complaint will be entertained if received after 7 days of issue of test report.

4. Our liability is limited to invoice value only.

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

For Enviro-Tech Services

 AUTHORIZED SIGNATORY
 Lab In-charge

TEST REPORT

TEST REPORT NO : ETS/2023-15/05/2023

DATE OF REPORT : 10.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 24.05.2023
Analysis Start Date : 26.05.2023
Analysis End Date : 30.05.2023
Sample ID No : 2023-15
Sampling Done By : ETS STAFF
Sampling Description : GROUND WATER
Sampling Location : GW-8 HIRANANDPUR
Sampling Method : ETS/STP/WATER-01
Sampling Quantity : 2.0 +0.5 Lt.
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Drinking Water Standards / Limit (IS:10500 2012)		Test Method
				Desirable	Permissible	
1.	Colour	Hazen	<5.0	5	15	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.08	6.5 - 8.5	No Relaxation	IS:3025 (Pt-11)
4.	Taste	---	Agreeable	Agreeable	Agreeable	IS:3025 (Pt-8)
5.	Turbidity	NTU	<1.0	1	5	IS:3025 (Pt-10)
6.	Total Dissolve Solid (TDS)	mg/L	478.2	500	2000	IS:3025 (Pt-16)
7.	Total Alkalinity (CaCO ₃)	mg/L	146.0	200	600	IS:3025 (Pt-23)
8.	Total Hardness(CaCO ₃)	mg/L	250.2	200	600	IS:3025 (Pt-21)
9.	Chloride (Cl)	mg/L	110.0	250	1000	IS:3025 (Pt-32)
10.	Calcium (Ca)	mg/L	55.1	75	200	IS:3025 (Pt-40)
11.	Mineral Oil	mg/L	<0.01	0.5	No Relaxation	IS:3025 (Pt-39)
12.	Sulphate (SO ₄)	mg/L	40.5	200	400	IS:3025 (Pt-24)
13.	Nitrate (NO ₃)	mg/L	1.50	45	No Relaxation	IS:3025 (Pt-34)
14.	Fluoride (F)	mg/L	0.26	1	1.5	IS:3025 (Pt-60)
15.	Iron (Fe)	mg/L	1.116	0.3	No Relaxation	IS:3025 (Pt-53)
16.	Aluminium (Al)	mg/L	<0.02	0.03	0.2	APHA-3500 (B)
17.	Selenium (Se)	mg/L	<0.01	0.01	No. Relaxation	APHA-3113 (B)
18.	Cyanide (Cn)	mg/L	<0.01	0.05	No. Relaxation	APHA-4500 (C)
19.	Copper(Cu)	mg/L	0.18	0.05	1.5	APHA-3111(B)
20.	Magnesium (Mg)	mg/L	28.5	30	100	IS:3025 (Pt-45)
21.	Manganese(Mn)	mg/L	<0.1	0.1	0.3	APHA-3111(B)
22.	Zinc(Zn)	mg/L	0.59	5	15	APHA-3111 (B)
23.	Cadmium(Cd)	mg/L	<0.001	0.003	No. Relaxation	APHA-3111 (B)
24.	Lead(Pb)	mg/L	<0.01	0.01	No. Relaxation	APHA-3111 (B)
25.	Mercury(Hg)	mg/L	<0.001	0.001	No. Relaxation	APHA-3112 (B)
26.	Nickel (Ni)	mg/L	<0.01	0.02	No. Relaxation	APHA-3111 (B)
27.	Arsenic(As)	mg/L	<0.01	0.01	0.05	APHA-3500 (B)
28.	Chromium (Cr+6)	mg/L	<0.01	0.05	No. Relaxation	APHA-3500 Cr-B
29.	Phenolic Compound (C6H5OH)	mg/L	<0.001	0.001	0.002	APHA-5530
30.	Conductivity (25 °C)	mhos/cm	660.1	Not Specified	Not Specified	APHA-2510
31.	E. Coli	Coli/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
32.	Total Coliform	MPN/100ml	Absent	Shall Not Be Detectable		IS:1622-1981
33.	Temperature	°C	24.6	Not Specified	Not Specified	IS:3025 (Pt-9)
34.	Sodium (Na)	mg/L	53.01	Not Specified	Not Specified	APHA-3500 (Na)
35.	Fecal Coliform	MPN/100ml	Absent	Shall Not Be Detectable		APHA-9221

****End of Test Report****

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

Page 1 of 1

For Enviro-Tech Services

AUTHORIZED SIGNATORY



TEST REPORT

TEST REPORT NO : ETS/2023-17/05/2023

DATE OF REPORT : 10-06-2023

NOISE MONITORING REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Monitoring : 15-05-2023

Monitoring Start Date : 15-05-2023

Monitoring End Date : 16-05-2023

Monitoring Done By : ETS STAFF

Monitoring Duration : 24.0 HOURS

Place Of Monitoring : NQ-1 PROJECT SITE

Category Of Area : INDUSTRIAL AREA

Sampling Method : ETS/LAB/NOISE-01

S. No.	Test Parameters	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1.	Noise Level Day Time	Leq :dB (A)	68.5	75	IS: 9989
2.	Noise Level Night Time	Leq :dB (A)	50.3	70	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

****End of Test Report****

Note:-

CHECKED BY

SHRADDHA GUPTA

1. Test report and CERTIFICATE of ANALYSIS are not issued by our laboratory.

2. The results indicated only refer to the tested samples and listed applicable parameters.

3. No complaint will be entertained from the client if the results are not as per the order.

4. Our liability is limited to invoice value only.

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

For Enviro-Tech Services


AUTHORIZED SIGNATORY



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



TEST REPORT

TEST REPORT NO : ETS/2023-18/05/2023

DATE OF REPORT : 10-06-2023

NOISE MONITORING REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Monitoring : 15-05-2023

Monitoring Start Date : 15-05-2023

Monitoring End Date : 16-05-2023

Monitoring Done By : ETS STAFF

Monitoring Duration : 24.0 HOURS

Place Of Monitoring : NQ-2 GYAN NIKETAN CONVENT SCHOOL KOTHIYA

Category Of Area : SILENCE ZONE

Sampling Method : ETS/LAB/NOISE-01

S. No.	Test Parameters	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1.	Noise Level Day Time	Leq :dB (A)	48.5	50	IS: 9989
2.	Noise Level Night Time	Leq :dB (A)	36.3	40	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

****End of Test Report****

Note:-

CHECKED BY

SHRADDHA GUPTA

1. Test report and CERTIFICATE OF ANALYSIS PROGRAM are not issued by our laboratory.

2. The results indicated only refer to the tested samples and listed applicable parameters.

3. No complaint will be entertained from any client if the test results are not as per the test method.

4. Our liability is limited to invoice value only.

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

Page 1 of 1

For Enviro-Tech Services

AUTHORIZED SIGNATORY

Lab In-charge



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



TEST REPORT

TEST REPORT NO : ETS/2023-19/05/2023

DATE OF REPORT : 10-06-2023

NOISE MONITORING REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Monitoring : 18-05-2023

Monitoring Start Date : 18-05-2023

Monitoring End Date : 19-05-2023

Monitoring Done By : ETS STAFF

Monitoring Duration : 24.0 HOURS

Place Of Monitoring : NQ-3 KOTHIYA VILLAGE

Category Of Area : RESIDENTIAL AREA

Sampling Method : ETS/LAB/NOISE-01

S. No.	Test Parameters	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1.	Noise Level Day Time	Leq :dB (A)	52.1	55	IS: 9989
2.	Noise Level Night Time	Leq :dB (A)	36.8	45	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

****End of Test Report****



Note:-

CHECKED BY

SHRADDHA GUPTA

Page 1 of 1

For Enviro-Tech Services

AUTHORIZED SIGNATORY

Pushkar Mittal
Lab in-charge

1. Test reports without ETS LAB LOGOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained from any customer after 05 days from the date of issue of report. Date 01.04.2019, Amd. No. 04 Date 01.04.2019
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-20/05/2023

DATE OF REPORT : 10-06-2023

NOISE MONITORING REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Monitoring : 18-05-2023

Monitoring Start Date : 18-05-2023

Monitoring End Date : 19-05-2023

Monitoring Done By : ETS STAFF

Monitoring Duration : 24.0 HOURS

Place Of Monitoring : NQ-4 SIMLI MURARPUR

Category Of Area : RESIDENTIAL AREA

Sampling Method : ETS/LAB/NOISE-01

S. No.	Test Parameters	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1.	Noise Level Day Time	Leq :dB (A)	47.2	55	IS: 9989
2.	Noise Level Night Time	Leq :dB (A)	36.6	45	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

****End of Test Report****



CHECKED BY

SHRADDHA GUPTA

Page 1 of 1

For Enviro-Tech Services

Pushkar Mittal

AUTHORIZED SIGNATORY

Note:-

1. Test reports and CERTIFICATE OF ANALYSIS are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 15 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



TEST REPORT

TEST REPORT NO : ETS/2023-21/05/2023

DATE OF REPORT : 10-06-2023

NOISE MONITORING REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Monitoring : 20-05-2023

Monitoring Start Date : 20-05-2023

Monitoring End Date : 21-05-2023

Monitoring Done By : ETS STAFF

Monitoring Duration : 24.0 HOURS

Place Of Monitoring : NQ-5 NEW MODEL ENGLISH SCHOOL, PATNA CITY

Category Of Area : SILENCE ZONE

Sampling Method : ETS/LAB/NOISE-01

S. No.	Test Parameters	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1.	Noise Level Day Time	Leq :dB (A)	45.3	50	IS: 9989
2.	Noise Level Night Time	Leq :dB (A)	35.7	40	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

****End of Test Report****

Note:-

1. Test reports without ETS-LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



Page 1 of 1

For Enviro-Tech Services


AUTHORIZED SIGNATORY
Lab in-charge



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-22/05/2023

DATE OF REPORT : 10-06-2023

NOISE MONITORING REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Monitoring : 24-05-2023

Monitoring Start Date : 24-05-2023

Monitoring End Date : 25-05-2023

Monitoring Done By : ETS STAFF

Monitoring Duration : 24.0 HOURS

Place Of Monitoring : NQ-6 DHAULPURA

Category Of Area : RESIDENTIAL AREA

Sampling Method : ETS/LAB/NOISE-01

S. No.	Test Parameters	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1.	Noise Level Day Time	Leq :dB (A)	45.2	55	IS: 9989
2.	Noise Level Night Time	Leq :dB (A)	34.5	45	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

****End of Test Report****

Note:-

CHECKED BY

SHRADDHA GUPTA

Page 1 of 1

For Enviro-Tech Services

AUTHORIZED SIGNATORY

Lab In-charge

1. Test report and ETS LAB LOGOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 15 days from the date of issue of report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



TEST REPORT

TEST REPORT NO : ETS/2023-23/05/2023

DATE OF REPORT : 10-06-2023

NOISE MONITORING REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Monitoring : 25-05-2023

Monitoring Start Date : 25-05-2023

Monitoring End Date : 26-05-2023

Monitoring Done By : ETS STAFF

Monitoring Duration : 24.0 HOURS

Place Of Monitoring : NQ-7 MATESHWARI PAPER MILLS PVT LTD. PATNA

Category Of Area : INDUSTRIAL AREA

Sampling Method : ETS/LAB/NOISE-01

S. No.	Test Parameters	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1.	Noise Level Day Time	Leq :dB (A)	70.6	75	IS: 9989
2.	Noise Level Night Time	Leq :dB (A)	64.1	70	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

****End of Test Report****



Note:-

1. Test reports and ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

Page 1 of 1

For Enviro-Tech Services

Pupkar Mittal
LAB IN CHARGE
AUTHORIZED SIGNATORY



ETS-LAB



TEST REPORT

TEST REPORT NO : ETS/2023-24/05/2023

DATE OF REPORT : 10-06-2023

NOISE MONITORING REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Monitoring : 25-05-2023

Monitoring Start Date : 25-05-2023

Monitoring End Date : 26-05-2023

Monitoring Done By : ETS STAFF

Monitoring Duration : 24.0 HOURS

Place Of Monitoring : NQ-8 DAK-BABA, SHANI DHAAM/BHARATMATA MANDIR

Category Of Area : RESIDENTIAL AREA

Sampling Method : ETS/LAB/NOISE-01

S. No.	Test Parameters	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1.	Noise Level Day Time	Leq :dB (A)	45.0	55	IS: 9989
2.	Noise Level Night Time	Leq :dB (A)	32.7	45	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

****End of Test Report****



CHECKED BY

SHRADDHA GUPTA

Page 1 of 1

For Enviro-Tech Services

Pushkar Singh

AUTHORIZED SIGNATORY

Note:-

1. Test reports of ETS-LAB/GRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if For use of ETS-LAB/GRAM is not used as per Date 01.04.2019, Amd. No. 04 Date 01.04.2019
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

TEST REPORT

TEST REPORT NO : ETS/2023-28/05/2023

DATE OF REPORT : 10-06-2023

SOIL SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 20-05-2023

Analysis Start Date : 23-05-2023

Analysis End Date : 25-05-2023

Sample ID No : 2023-28

Sampling Done By : ETS STAFF

Sampling & Testing Method : ETS/LAB/SOIL-01

Sampling Location : SQ-1 PROJECT SITE

Sampling Quantity : 2 kg.

Packing Condition : SEALED

Packed In : ZIP POLLY BAG

S. No.	Test Parameters	Unit	Result	Test Method
1.	Texture	---	Sandy Clay Loam	IS:2720 (Pt-4)
2.	Sand	%	60.1	IS:2720 (Pt-4)
3.	Silt	%	25.7	IS:2720 (Pt-4)
4.	Clay	%	14.2	IS:2720 (Pt-4)
5.	pH (1:2 Suspension)	---	7.65	IS:2720 (Pt-26)
6.	Cation Exchange Capacity(CEC)	meq/100	33.2	IS:2720 (Pt-24)
7.	Electrical Conductivity (1:2)	µmho/cm	362.2	IS:14767
8.	Water Holding Capacity(WHC)	%	40.5	IS 2720 (Part-2)
9.	Sodium (Na)	mg/kg	161.2	APHA-3055B
10.	Calcium (Ca)	mg/kg	1089.4	IS 2720 (Part-23)
11.	Magnesium (Mg)	mg/kg	573.2	ETS/STP/SOIL-08
12.	Bulk Density	g/cm ³	1.86	IS 2386 (Part-4)
13.	Total Nitrogen (N)	mg/kg	107.3	APHA,Pt 4500:(N)
14.	Phosphorus (PO ₄)	mg/kg	47.6	ETS/STP/SOIL-19
15.	Potassium (K)	mg/kg	241.5	APHA-3055B
16.	Organic Matter	%	1.17	IS : 2720 (P-22)
17.	Organic Carbon	%	1.74	BS 1377 -3)
18.	Sulphate as (SO ₄)	mg/kg	2.06	IS:3025(P-24)
19.	Porosity	%	21.43	IS 13030

****End of Test Report****

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint is entertained if received after 7 days of issue of test report.
4. Our liability is limited to analytical error only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any legal proceedings.

For Enviro-Tech Services

AUTHORIZED SIGNATORY

Shankar Mishra

in-charge

Date of issue of the laboratory.

TEST REPORT

TEST REPORT NO : ETS/2023-29/05/2023

DATE OF REPORT : 10-06-2023

SOIL SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 20-05-2023

Analysis Start Date : 23-05-2023

Analysis End Date : 25-05-2023

Sample ID No : 2023-29

Sampling Done By : ETS STAFF

Sampling & Testing Method : ETS/LAB/SOIL-01

Sampling Location : SQ-2 AGRICULTURE LAND (SIMLI MURARPUR)

Sampling Quantity : 2 kg.

Packing Condition : SEALED

Packed In : ZIP POLLY BAG

S. No.	Test Parameters	Unit	Result	Test Method
1.	Texture	...	Sandy Clay Loam	IS:2720 (Pt-4)
2.	Sand	%	65.7	IS:2720 (Pt-4)
3.	Silt	%	21.2	IS:2720 (Pt-4)
4.	Clay	%	13.1	IS:2720 (Pt-4)
5.	pH (1:2 Suspension)	..	7.87	IS:2720 (Pt-26)
6.	Cation Exchange Capacity(CEC)	meq/100	28.5	IS:2720 (Pt-24)
7.	Electrical Conductivity (1:2)	µmho/cm	329.4	IS:14767
8.	Water Holding Capacity(WHC)	%	47.7	IS 2720 (Part-2)
9.	Sodium (Na)	mg/kg	181.1	APHA-3055B
10.	Calcium (Ca)	mg/kg	1143.7	IS 2720 (Part-23)
11.	Magnesium (Mg)	mg/kg	438	ETS/STP/SOIL-08
12.	Bulk Density	g/cm ³	1.37	IS 2386 (Part-4)
13.	Total Nitrogen (N)	mg/kg	186.1	APHA,Pt 4500:(N)
14.	Phosphorus (PO ₄)	mg/kg	64.6	ETS/STP/SOIL-19
15.	Potassium (K)	mg/kg	347.2	APHA-3055B
16.	Organic Matter	%	0.95	IS : 2720 (P-22)
17.	Organic Carbon	%	1.76	BS 1377 -3)
18.	Sulphate as (SO ₄)	mg/kg	1.59	IS:3025(P-24)
19.	Porosity	%	15.32	IS 13030

****End of Test Report****

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaints are entertained if received after 7 days of issue of test report.
4. Our liability is limited to the above only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any legal proceedings.



Page 1 of 1

For Enviro-Tech Services

P. Anil Mittal

AUTHORIZED SIGNATORY

TEST REPORT

TEST REPORT NO : ETS/2023-30/05/2023

DATE OF REPORT : 10-06-2023

SOIL SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 20-05-2023

Analysis Start Date : 23-05-2023

Analysis End Date : 25-05-2023

Sample ID No : 2023-30

Sampling Done By : ETS STAFF

Sampling & Testing Method : ETS/LAB/SOIL-01

Sampling Location : SQ-3 AGRICULTURE LAND NEAR SUMITRA NAGAR

Sampling Quantity : 2 kg.

Packing Condition : SEALED

Packed In : ZIP POLLY BAG

S. No.	Test Parameters	Unit	Result	Test Method
1.	Texture	...	Sandy Clay Loam	IS:2720 (Pt-4)
2.	Sand	%	58.0	IS:2720 (Pt-4)
3.	Silt	%	25.6	IS:2720 (Pt-4)
4.	Clay	%	16.4	IS:2720 (Pt-4)
5.	pH (1:2 Suspension)	...	8.0	IS:2720 (Pt-26)
6.	Cation Exchange Capacity(CEC)	meq/100	34.4	IS:2720 (Pt-24)
7.	Electrical Conductivity (1:2)	µmho/cm	366.3	IS:14767
8.	Water Holding Capacity(WHC)	%	35.5	IS 2720 (Part-2)
9.	Sodium (Na)	mg/kg	151.8	APHA-3055B
10.	Calcium (Ca)	mg/kg	1175.4	IS 2720 (Part-23)
11.	Magnesium (Mg)	mg/kg	521.8	ETS/STP/SOIL-08
12.	Bulk Density	g/cm ³	1.73	IS 2386 (Part-4)
13.	Total Nitrogen (N)	mg/kg	213.2	APHA, Pt 4500: (N)
14.	Phosphorus (PO ₄)	mg/kg	38.5	ETS/STP/SOIL-19
15.	Potassium (K)	mg/kg	362.7	APHA-3055B
16.	Organic Matter	%	1.03	IS : 2720 (P-22)
17.	Organic Carbon	%	3.43	BS 1377 -3)
18.	Sulphate as (SO ₄)	mg/kg	2.07	IS:3025(P-24)
19.	Porosity	%	14.45	IS 13030

****End of Test Report****

Note:

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No compensation is given if received after 7 days of issue of test report.
4. Our liability is limited to the test only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used if any parameter is found to be outside the scope of the laboratory.

Page 1 of 1

For Enviro-Tech Services

AUTHORIZED SIGNATORY



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-31/05/2023

DATE OF REPORT : 10-06-2023

SOIL SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 20-05-2023

Analysis Start Date : 23-05-2023

Analysis End Date : 25-05-2023

Sample ID No : 2023-31

Sampling Done By : ETS STAFF

Sampling & Testing Method : ETS/LAB/SOIL-01

Sampling Location : SQ-4 AGRICULTURE LAND NEAR RANIPUR

Sampling Quantity : 2.0 kg.

Packing Condition : SEALED

Packed In : ZIP POLLY BAG

S. No.	Test Parameters	Unit	Result	Test Method
1.	Texture	---	Sandy Clay Loam	IS:2720 (Pt-4)
2.	Sand	%	68.3	IS:2720 (Pt-4)
3.	Silt	%	20.2	IS:2720 (Pt-4)
4.	Clay	%	11.5	IS:2720 (Pt-4)
5.	pH (1:2 Suspension)	..	7.02	IS:2720 (Pt-26)
6.	Cation Exchange Capacity(CEC)	meq/100	21.5	IS:2720 (Pt-24)
7.	Electrical Conductivity (1:2)	µmho/cm	317.4	IS:14767
8.	Water Holding Capacity(WHC)	%	36.2	IS 2720 (Part-2)
9.	Sodium (Na)	mg/kg	137.1	APHA-3055B
10.	Calcium (Ca)	mg/kg	1038.7	IS 2720 (Part-23)
11.	Magnesium (Mg)	mg/kg	521.3	ETS/STP/SOIL-08
12.	Bulk Density	g/cm ³	2.10	IS 2386 (Part-4)
13.	Total Nitrogen (N)	mg/kg	145.1	APHA, Pt 4500:(N)
14.	Phosphorus (PO ₄)	mg/kg	42.3	ETS/STP/SOIL-19
15.	Potassium (K)	mg/kg	252.8	APHA-3055B
16.	Organic Matter	%	1.10	IS : 2720 (P-22)
17.	Organic Carbon	%	1.73	BS 1377 -3)
18.	Sulphate as (SO ₄)	mg/kg	1.04	IS:3025(P-24)
19.	Porosity	%	14.18	IS 13030

****End of Test Report****

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.

2. The results indicated only refer to the tested samples and listed applicable parameters.

3. No compensation is given if received after 7 days of issue of test report.

4. Our liability is limited to the test only.

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used if original report is not received. Date of issue: 10/06/2023, Date of receipt: 10/06/2023, Date of destruction: 10/06/2023.

Page 1 of 1

For Enviro-Tech Services

Pankaj Mittal
 Pankaj Mittal
 Lab In-charge
 AUTHORIZED SIGNATORY



TEST REPORT

TEST REPORT NO : ETS/2023-32/05/2023

DATE OF REPORT : 10-06-2023

SOIL SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 20-05-2023

Analysis Start Date : 23-05-2023

Analysis End Date : 25-05-2023

Sample ID No : 2023-32

Sampling Done By : ETS STAFF

Sampling & Testing Method : ETS/LAB/SOIL-01

Sampling Location : SQ-5 AGRICULTURE LAND NEAR MIRCHI

Sampling Quantity : 2.0 kg.

Packing Condition : SEALED

Packed In : ZIP POLLY BAG

S. No.	Test Parameters	Unit	Result	Test Method
1.	Texture	...	Sandy Clay Loam	IS:2720 (Pt-4)
2.	Sand	%	62.3	IS:2720 (Pt-4)
3.	Silt	%	17.2	IS:2720 (Pt-4)
4.	Clay	%	10.5	IS:2720 (Pt-4)
5.	pH (1:2 Suspension)	..	7.67	IS:2720 (Pt-26)
6.	Cation Exchange Capacity(CEC)	meq/100	33.6	IS:2720 (Pt-24)
7.	Electrical Conductivity (1:2)	µmho/cm	407.3	IS:14767
8.	Water Holding Capacity(WHC)	%	43.1	IS 2720 (Part-2)
9.	Sodium (Na)	mg/kg	167.4	APHA-3055B
10.	Calcium (Ca)	mg/kg	1042.1	IS 2720 (Part-23)
11.	Magnesium (Mg)	mg/kg	557.3	ETS/STP/SOIL-08
12.	Bulk Density	g/cm ³	1.28	IS 2386 (Part-4)
13.	Total Nitrogen (N)	mg/kg	121.4	APHA, Pt 4500:(N)
14.	Phosphorus (PO ₄)	mg/kg	54.3	ETS/STP/SOIL-19
15.	Potassium (K)	mg/kg	287.1	APHA-3055B
16.	Organic Matter	%	1.10	IS : 2720 (P-22)
17.	Organic Carbon	%	1.90	BS 1377 -3)
18.	Sulphate as (SO ₄)	mg/kg	1.54	IS:3025(P-24)
19.	Porosity	%	24.03	IS 13030

****End of Test Report****

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to the analysis only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any other way than for the purpose for which it was issued.

Page 1 of 1

For Enviro-Tech Services

Pushkar Mittal
AUTHORIZED SIGNATORY



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-33/05/2023

DATE OF REPORT : 10-06-2023

SOIL SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 20-05-2023

Analysis Start Date : 23-05-2023

Analysis End Date : 25-05-2023

Sample ID No : 2023-33

Sampling Done By : ETS STAFF

Sampling & Testing Method : ETS/LAB/SOIL-01

Sampling Location : SQ-6 AGRICULTURE LAND NEAR MADHOPUR

Sampling Quantity : 2.0 kg.

Packing Condition : SEALED

Packed In : ZIP POLLY BAG

S. No.	Test Parameters	Unit	Result	Test Method
1.	Texture	...	Sandy Clay Loam	IS:2720 (Pt-4)
2.	Sand	%	60.9	IS:2720 (Pt-4)
3.	Silt	%	23.0	IS:2720 (Pt-4)
4.	Clay	%	16.1	IS:2720 (Pt-4)
5.	pH (1:2 Suspension)	..	7.14	IS:2720 (Pt-26)
6.	Cation Exchange Capacity(CEC)	meq/100	34.7	IS:2720 (Pt-24)
7.	Electrical Conductivity (1:2)	µmho/cm	347.3	IS:14767
8.	Water Holding Capacity(WHC)	%	34.2	IS 2720 (Part-2)
9.	Sodium (Na)	mg/kg	130.6	APHA-3055B
10.	Calcium (Ca)	mg/kg	1051.3	IS 2720 (Part-23)
11.	Magnesium (Mg)	mg/kg	476.6	ETS/STP/SOIL-08
12.	Bulk Density	g/cm ³	1.47	IS 2386 (Part-4)
13.	Total Nitrogen (PO ₄)	mg/kg	163.6	APHA, Pt 4500:(N)
14.	Phosphorus (P)	mg/kg	44.2	ETS/STP/SOIL-19
15.	Potassium (K)	mg/kg	256.5	APHA-3055B
16.	Organic Matter	%	1.03	IS : 2720 (P-22)
17.	Organic Carbon	%	2.16	BS 1377 -3)
18.	Sulphate as (SO ₄)	mg/kg	1.72	IS:3025(P-24)
19.	Porosity	%	18.4	IS 13030

****End of Test Report****

For Enviro-Tech Services

Note:

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.

2. The results indicated only refer to the tested samples and listed applicable parameters.

3. No complaint will be entertained if received after 7 days of issue of test report.

4. Our liability is limited to the fee only.

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used in any advertisement or as evidence in any court of law without the prior permission of the laboratory.



Page 1 of 1

For Enviro-Tech Services
Authorized Signatory

AUTHORIZED SIGNATORY



An Analytical Laboratory

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



ISO 45001

TEST REPORT NO : ETS/2023-34/05/2023

DATE OF REPORT : 10-06-2023

SOIL SAMPLE ANALYSIS REPORT

Name And Address of Customer	: M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL, DISTRICT- PATNA, STATE- BIHAR.
Date of Sampling	: 20-05-2023
Analysis Start Date	: 23-05-2023
Analysis End Date	: 25-05-2023
Sample ID No	: 2023-34
Sampling Done By	: ETS STAFF
Sampling& Testing Method	: ETS/LAB/SOIL-01
Sampling Location	: SQ-7 DEVI STHAN SUKULPUR
Sampling Quantity	: 2.0 kg.
Packing Condition	: SEALED
Packed In	: ZIP POLLY BAG

S. No.	Test Parameters	Unit	Result	Test Method
20.	Texture	...	Sandy Clay Loam	IS:2720 (Pt-4)
21.	Sand	%	57.2	IS:2720 (Pt-4)
22.	Silt	%	25.7	IS:2720 (Pt-4)
23.	Clay	%	17.1	IS:2720 (Pt-4)
24.	pH (1:2 Suspension)	..	7.67	IS:2720 (Pt-26)
25.	Cation Exchange Capacity(CEC)	meq/100	33.6	IS:2720 (Pt-24)
26.	Electrical Conductivity (1:2)	µmho/cm	407.3	IS:14767
27.	Water Holding Capacity(WHC)	%	40.4	IS 2720 (Part-2)
28.	Sodium (Na)	mg/kg	167.3	APHA-3055B
29.	Calcium (Ca)	mg/kg	1023.2	IS 2720 (Part-23)
30.	Magnesium (Mg)	mg/kg	532.7	ETS/STP/SOIL-08
31.	Bulk Density	g/cm ³	1.64	IS 2386 (Part-4)
32.	Total Nitrogen (N)	mg/kg	181.2	APHA,Pt 4500:(N)
33.	Phosphorus (PO ₄)	mg/kg	54.7	ETS/STP/SOIL-19
34.	Potassium (K)	mg/kg	292.4	APHA-3055B
35.	Organic Matter	%	1.16	IS : 2720 (P-22)
36.	Organic Carbon	%	2.67	BS 1377 -3)
37.	Sulphate as (SO ₄)	mg/kg	1.61	IS:3025(P-24)
38.	Porosity	%	25.03	IS 13030

****End of Test Report****

Note:

1. Test reports without **ETS LAB HOLOGRAM** are not issued by our laboratory. Page 1 of 1

2. The results indicated only refer to the tested samples and listed applicable parameters.

3. No compensation to be obtained if received after 7 days of issue of test report.

4. Our liability is limited to the amount of the insurance policy only.

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used in any advertising, labeling or as evidence in the court of Law without prior written permission of the laboratory.

For Enviro-Tech Services

AUTHORIZED SIGNATORY



ETS-LAB



TEST REPORT

TEST REPORT NO : ETS/2023-35/05/2023

DATE OF REPORT : 10-06-2023

SOIL SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 20-05-2023

Analysis Start Date : 23-05-2023

Analysis End Date : 25-05-2023

Sample ID No : 2023-35

Sampling Done By : ETS STAFF

Sampling & Testing Method : ETS/LAB/SOIL-01

Sampling Location : SQ-8 AGRICULTURE LAND NEAR DPS SCHOOL

Sampling Quantity : 2.0 kg.

Packing Condition : SEALED

Packed In : ZIP POLLY BAG

S. No.	Test Parameters	Unit	Result	Test Method
20.	Texture	...	Sandy Clay Loam	IS:2720 (Pt-4)
21.	Sand	%	64.0	IS:2720 (Pt-4)
22.	Silt	%	25.5	IS:2720 (Pt-4)
23.	Clay	%	10.5	IS:2720 (Pt-4)
24.	pH (1:2 Suspension)	..	7.48	IS:2720 (Pt-26)
25.	Cation Exchange Capacity(CEC)	meq/100	36.2	IS:2720 (Pt-24)
26.	Electrical Conductivity (1:2)	µmho/cm	346.5	IS:14767
27.	Water Holding Capacity(WHC)	%	42.7	IS 2720 (Part-2)
28.	Sodium (Na)	mg/kg	148.4	APHA-3055B
29.	Calcium (Ca)	mg/kg	1131.2	IS 2720 (Part-23)
30.	Magnesium (Mg)	mg/kg	576.6	ETS/STP/SOIL-08
31.	Bulk Density	g/cm ³	1.35	IS 2386 (Part-4)
32.	Total Nitrogen (PO ₄)	mg/kg	173.6	APHA,Pt 4500:(N)
33.	Phosphorus (P)	mg/kg	45.7	ETS/STP/SOIL-19
34.	Potassium (K)	mg/kg	271.6	APHA-3055B
35.	Organic Matter	%	1.07	IS : 2720 (P-22)
36.	Organic Carbon	%	2.12	BS 1377 -3)
37.	Sulphate as (SO ₄)	mg/kg	2.35	IS:3025(P-24)
38.	Porosity	%	27.01	IS 13030

****End of Test Report****

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to the test only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



Page 1 of 1

For Enviro-Tech Services

AUTHORIZED SIGNATORY



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-25/05/2023

DATE OF REPORT : 10.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 15.05.2023
Analysis Start Date : 17.05.2023
Analysis End Date : 20.05.2023
Sampling Done By : ETS STAFF
Sampling Description : SURFACE WATER
Sampling Location : SW-1 GANGA RIVER UPSTREAM
Sampling Method : ETS/STP/WATER-01
Sampling Quantity : 2.0 +0.5 Lt.
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Test Method
1.	Colour	Hazen	<5.0	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.88	IS:3025 (Pt-11)
4.	Turbidity	NTU	10.6	IS:3025 (Pt-10)
5.	Total Dissolve Solid (TDS)	mg/L	340.0	IS:3025 (Pt-16)
6.	Total Alkalinity (CaCO ₃)	mg/L	157.2	IS:3025 (Pt-23)
7.	Total Hardness(CaCO ₃)	mg/L	181.7	IS:3025 (Pt-21)
8.	Chloride (Cl)	mg/L	92.4	IS:3025 (Pt-32)
9.	Calcium (Ca)	mg/L	53.1	IS:3025 (Pt-40)
10.	Mineral Oil	mg/L	<0.01	IS:3025 (Pt-39)
11.	Sulphate (SO ₄)	mg/L	40.4	IS:3025 (Pt-24)
12.	Nitrate (NO ₃)	mg/L	1.88	IS:3025 (Pt-34)
13.	Fluoride (F)	mg/L	0.13	IS:3025 (Pt-60)
14.	Iron (Fe)	mg/L	0.24	IS:3025 (Pt-53)
15.	Aluminium (Al)	mg/L	<0.01	APHA-3500 (B)
16.	Selenium (Se)	mg/L	<0.01	APHA-3113 (B)
17.	Cyanide (Cn)	mg/L	<0.02	APHA-4500 (C)
18.	Copper(Cu)	mg/L	<0.05	APHA-3111(B)
19.	Magnesium (Mg)	mg/L	18.3	IS:3025 (Pt-45)
20.	Manganese(Mn)	mg/L	<0.1	APHA-3111(B)
21.	Zinc(Zn)	mg/L	0.78	APHA-3111 (B)
22.	Cadmium(Cd)	mg/L	<0.001	APHA-3111 (B)
23.	Lead(Pb)	mg/L	<0.01	APHA-3111 (B)
24.	Boron	Mg/L	<0.05	IS:3026(Pt-57)
25.	Mercury(Hg)	mg/L	<0.001	APHA-3112 (B)
26.	Molybdenum(mo)	mg/L	<0.05	IS:3025(Pt-2)
27.	Nickel (Ni)	mg/L	<0.01	APHA-3111 (B)
28.	Arsenic(As)	mg/L	<0.01	APHA-3500 (B)
29.	Chromium (Cr+6)	mg/L	<0.01	APHA-3500 Cr-B
30.	Conductivity (25 °C)	µs/Cm	534.2	APHA-2510
31.	Chemical Oxygen Demand (COD)	mg/L	18.82	APHA-5220 (B)
32.	Biological Oxygen Demand (BOD at 27°C for 3 day)	mg/L	3.23	APHA-4500 (D)
33.	Dissolve Oxygen (DO)	mg/L	6.2	APHA-5210
34.	E. Coli	MPN/100ml	1070	IS:1622-1981
35.	Total Coliform	MPN/100ml	1230	IS:1622-1981

****End of Test Report****

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

For Enviro-Tech Services

Ranvir Mittal
AUTHORIZED SIGNATORY



CHECKED BY
SHRADDHA GUPTA

Form No ETS-LAB-TR-05 - Issue No 84 of 05/08/2019 Rev No 03 of 09/08/2019

TEST REPORT

TEST REPORT NO : ETS/2023-26/05/2023

DATE OF REPORT : 10.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 14.05.2023
Analysis Start Date : 16.05.2023
Analysis End Date : 19.05.2023
Sampling Done By : ETS STAFF
Sampling Description : SURFACE WATER
Sampling Location : SW-2 GANGA RIVER DOWNSTREAM
Sampling Method : ETS/STP/WATER-01
Sampling Quantity : 2.0 +0.5 Lt.
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Test Method
1.	Colour	Hazen	<5.0	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.45	IS:3025 (Pt-11)
4.	Turbidity	NTU	11.1	IS:3025 (Pt-10)
5.	Total Dissolve Solid (TDS)	mg/L	363.9	IS:3025 (Pt-16)
6.	Total Alkalinity (CaCO ₃)	mg/L	134.2	IS:3025 (Pt-23)
7.	Total Hardness (CaCO ₃)	mg/L	173.7	IS:3025 (Pt-21)
8.	Chloride (Cl)	mg/L	114.1	IS:3025 (Pt-32)
9.	Calcium (Ca)	mg/L	58.0	IS:3025 (Pt-40)
10.	Mineral Oil	mg/L	<0.01	IS:3025 (Pt-39)
11.	Sulphate (SO ₄)	mg/L	35.2	IS:3025 (Pt-24)
12.	Nitrate (NO ₃)	mg/L	1.24	IS:3025 (Pt-34)
13.	Fluoride (F)	mg/L	0.30	IS:3025 (Pt-60)
14.	Iron (Fe)	mg/L	0.17	IS:3025 (Pt-53)
15.	Aluminium (Al)	mg/L	<0.01	APHA-3500 (B)
16.	Selenium (Se)	mg/L	<0.01	APHA-3113 (B)
17.	Cyanide (Cn)	mg/L	<0.02	APHA-4500 (C)
18.	Copper (Cu)	mg/L	<0.05	APHA-3111(B)
19.	Magnesium (Mg)	mg/L	22.6	IS:3025 (Pt-45)
20.	Manganese (Mn)	mg/L	<0.1	APHA-3111(B)
21.	Zinc (Zn)	mg/L	0.48	APHA-3111 (B)
22.	Cadmium (Cd)	mg/L	<0.001	APHA-3111 (B)
23.	Lead (Pb)	mg/L	<0.01	APHA-3111 (B)
24.	Boron	Mg/L	<0.05	IS:3026(Pt-57)
25.	Mercury (Hg)	mg/L	<0.001	APHA-3112 (B)
26.	Molybdenum (mo)	mg/L	<0.05	IS:3025(Pt-2)
27.	Nickel (Ni)	mg/L	<0.01	APHA-3111 (B)
28.	Arsenic (As)	mg/L	<0.01	APHA-3500 (B)
29.	Chromium (Cr+6)	mg/L	<0.01	APHA-3500 Cr-B
30.	Conductivity (25 °C)	µs/Cm	567.5	APHA-2510
31.	Chemical Oxygen Demand (COD)	mg/L	20.8	APHA-5220 (B)
32.	Biological Oxygen Demand (BOD at 27°C for 3 day)	mg/L	4.63	APHA-4500 (D)
33.	Dissolve Oxygen (DO)	mg/L	7.74	APHA-5210
34.	E. Coli	MPN/100ml	890	IS:1622-1981
35.	Total Coliform	MPN/100ml	1040	IS:1622-1981

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample should be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report is not to be used in any advertising media or as evidence in the court of Law without prior written permission.

Page 1 of 1

****End of Test Report****
For Enviro-Tech Services

Pushkar Mittal
Lab-in-charge

AUTHORIZED SIGNATORY



ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2026-27/11/2023

DATE OF REPORT : 20.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 15.05.2023
Analysis Start Date : 17.05.2023
Analysis End Date : 20.05.2023
Sampling Done By : ETS STAFF
Sampling Description : SURFACE WATER
Sampling Location : SW-3 PUNPUN RIVER
Sampling Method : ETS/STP/WATER-01
Sampling Quantity : 2.0 +0.5 Lt.
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Test Method
1.	Colour	Hazen	<5.0	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.82	IS:3025 (Pt-11)
4.	Turbidity	NTU	12.6	IS:3025 (Pt-10)
5.	Total Dissolve Solid (TDS)	mg/L	543.3	IS:3025 (Pt-16)
6.	Total Alkalinity (CaCO ₃)	mg/L	182.0	IS:3025 (Pt-23)
7.	Total Hardness(CaCO ₃)	mg/L	264.0	IS:3025 (Pt-21)
8.	Chloride (Cl)	mg/L	132.4	IS:3025 (Pt-32)
9.	Calcium (Ca)	mg/L	85.9	IS:3025 (Pt-40)
10.	Mineral Oil	mg/L	<0.01	IS:3025 (Pt-39)
11.	Sulphate (SO ₄)	mg/L	67.6	IS:3025 (Pt-24)
12.	Nitrate (NO ₃)	mg/L	4.74	IS:3025 (Pt-34)
13.	Fluoride (F)	mg/L	0.67	IS:3025 (Pt-60)
14.	Iron (Fe)	mg/L	0.20	IS:3025 (Pt-53)
15.	Aluminium (Al)	mg/L	<0.01	APHA-3500 (B)
16.	Selenium (Se)	mg/L	<0.01	APHA-3113 (B)
17.	Cyanide (Cn)	mg/L	<0.02	APHA-4500 (C)
18.	Copper(Cu)	mg/L	<0.05	APHA-3111(B)
19.	Magnesium (Mg)	mg/L	21.9	IS:3025 (Pt-45)
20.	Manganese(Mn)	mg/L	<0.1	APHA-3111(B)
21.	Zinc(Zn)	mg/L	0.55	APHA-3111 (B)
22.	Cadmium(Cd)	mg/L	<0.001	APHA-3111 (B)
23.	Lead(Pb)	mg/L	<0.01	APHA-3111 (B)
24.	Boron	Mg/L	<0.05	IS:3026(Pt-57)
25.	Mercury(Hg)	mg/L	<0.001	APHA-3112 (B)
26.	Molybdenum(mo)	mg/L	<0.05	IS:3025(Pt-2)
27.	Nickel (Ni)	mg/L	<0.01	APHA-3111 (B)
28.	Arsenic(As)	mg/L	<0.01	APHA-3500 (B)
29.	Chromium (Cr+6)	mg/L	<0.01	APHA-3500 Cr-B
30.	Conductivity (25 °C)	µs/Cm	862.5	APHA-2510
31.	Chemical Oxygen Demand (COD)	mg/L	28.0	APHA-5220 (B)
32.	Biological Oxygen Demand (BOD at 27°C for 3 day)	mg/L	5.40	APHA-4500 (D)
33.	Dissolve Oxygen (DO)	mg/L	8.08	APHA-5210
34.	E. Coli	MPN/100ml	280	IS:1622-1981
35.	Total Coliform	MPN/100ml	570	IS:1622-1981

****End of Test Report****

For Enviro-Tech Services

Note:

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.

2. The results indicated only refer to the tested samples and listed applicable parameters.

3. No complaint will be entertained if received after 7 days of issue of test report.

4. Our liability is limited to invoice value only.

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



CHECKED BY
SHRADDHA GUPTA

Pushkar Mittal
Laxmi-chand
AUTHORIZED SIGNATORY

Page 1 of 1

TEST REPORT

TEST REPORT NO : ETS/2023-36/05/2023

DATE OF REPORT : 10.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 20.05.2023
Analysis Start Date : 22.05.2023
Analysis End Date : 25.05.2023
Sampling Done By : ETS STAFF
Sampling Description : SURFACE WATER
Sampling Location : SW-4 MANGAL TALAB
Sampling Method : ETS/STP/WATER-01
Sampling Quantity : 2.0 +0.5 Lt.
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Test Method
1.	Colour	Hazen	<5.0	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.33	IS:3025 (Pt-11)
4.	Turbidity	NTU	10.0	IS:3025 (Pt-10)
5.	Total Dissolve Solid (TDS)	mg/L	455.9	IS:3025 (Pt-16)
6.	Total Alkalinity (CaCO ₃)	mg/L	284.8	IS:3025 (Pt-23)
7.	Total Hardness(CaCO ₃)	mg/L	246.7	IS:3025 (Pt-21)
8.	Chloride (Cl)	mg/L	94.1	IS:3025 (Pt-32)
9.	Calcium (Ca)	mg/L	45.4	IS:3025 (Pt-40)
10.	Mineral Oil	mg/L	<0.01	IS:3025 (Pt-39)
11.	Sulphate (SO ₄)	mg/L	30.7	IS:3025 (Pt-24)
12.	Nitrate (NO ₃)	mg/L	1.26	IS:3025 (Pt-34)
13.	Fluoride (F)	mg/L	0.37	IS:3025 (Pt-60)
14.	Iron (Fe)	mg/L	0.14	IS:3025 (Pt-53)
15.	Aluminium (Al)	mg/L	<0.01	APHA-3500 (B)
16.	Selenium (Se)	mg/L	<0.01	APHA-3113 (B)
17.	Cyanide (Cn)	mg/L	<0.02	APHA-4500 (C)
18.	Copper(Cu)	mg/L	<0.05	APHA-3111(B)
19.	Magnesium (Mg)	mg/L	15.01	IS:3025 (Pt-45)
20.	Manganese(Mn)	mg/L	<0.1	APHA-3111(B)
21.	Zinc(Zn)	mg/L	0.51	APHA-3111 (B)
22.	Cadmium(Cd)	mg/L	<0.001	APHA-3111 (B)
23.	Lead(Pb)	mg/L	<0.01	APHA-3111 (B)
24.	Boron	Mg/L	<0.05	IS:3026(Pt-57)
25.	Mercury(Hg)	mg/L	<0.001	APHA-3112 (B)
26.	Molybdenum(mo)	mg/L	<0.05	IS:3025(Pt-2)
27.	Nickel (Ni)	mg/L	<0.01	APHA-3111 (B)
28.	Arsenic(As)	mg/L	<0.01	APHA-3500 (B)
29.	Chromium (Cr+6)	mg/L	<0.01	APHA-3500 Cr-B
30.	Conductivity (25 °C)	µs/Cm	689.4	APHA-2510
31.	Chemical Oxygen Demand (COD)	mg/L	32.6	APHA-5220 (B)
32.	Biological Oxygen Demand (BOD at 27°C for 3 day)	mg/L	4.52	APHA-4500 (D)
33.	Dissolve Oxygen (DO)	mg/L	5.63	APHA-5210
34.	E. Coli	MPN/100ml	250	IS:1622-1981
35.	Total Coliform	MPN/100ml	490	IS:1622-1981

****End of Test Report****

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters of 1
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & no further liability shall be incurred after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

For Enviro-Tech Services

AUTHORIZED SIGNATORY
In-charge



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-37/05/2023

DATE OF REPORT : 10.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 15.05.2023
Analysis Start Date : 17.05.2023
Analysis End Date : 20.05.2023
Sampling Done By : ETS STAFF
Sampling Description : SURFACE WATER
Sampling Location : SW-5 POND
Sampling Method : ETS/STP/WATER-01
Sampling Quantity : 2.0 +0.5 Lt.
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Test Method
1.	Colour	Hazen	<5.0	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.72	IS:3025 (Pt-11)
4.	Turbidity	NTU	18.7	IS:3025 (Pt-10)
5.	Total Dissolve Solid (TDS)	mg/L	617.3	IS:3025 (Pt-16)
6.	Total Alkalinity (CaCO ₃)	mg/L	384.3	IS:3025 (Pt-23)
7.	Total Hardness(CaCO ₃)	mg/L	250.8	IS:3025 (Pt-21)
8.	Chloride (Cl)	mg/L	141.1	IS:3025 (Pt-32)
9.	Calcium (Ca)	mg/L	108.3	IS:3025 (Pt-40)
10.	Mineral Oil	mg/L	<0.01	IS:3025 (Pt-39)
11.	Sulphate (SO ₄)	mg/L	71.9	IS:3025 (Pt-24)
12.	Nitrate (NO ₃)	mg/L	65.27	IS:3025 (Pt-34)
13.	Fluoride (F)	mg/L	0.37	IS:3025 (Pt-60)
14.	Iron (Fe)	mg/L	0.54	IS:3025 (Pt-53)
15.	Aluminium (Al)	mg/L	<0.01	APHA-3500 (B)
16.	Selenium (Se)	mg/L	<0.01	APHA-3113 (B)
17.	Cyanide (Cn)	mg/L	<0.02	APHA-4500 (C)
18.	Copper(Cu)	mg/L	<0.05	APHA-3111(B)
19.	Magnesium (Mg)	mg/L	16.01	IS:3025 (Pt-45)
20.	Manganese(Mn)	mg/L	<0.1	APHA-3111(B)
21.	Zinc(Zn)	mg/L	0.55	APHA-3111 (B)
22.	Cadmium(Cd)	mg/L	<0.001	APHA-3111 (B)
23.	Lead(Pb)	mg/L	<0.01	APHA-3111 (B)
24.	Boron	Mg/L	<0.05	IS:3026(Pt-57)
25.	Mercury(Hg)	mg/L	<0.001	APHA-3112 (B)
26.	Molybdenum(mo)	mg/L	<0.05	IS:3025(Pt-2)
27.	Nickel (Ni)	mg/L	<0.01	APHA-3111 (B)
28.	Arsenic(As)	mg/L	<0.01	APHA-3500 (B)
29.	Chromium (Cr+6)	mg/L	<0.01	APHA-3500 Cr-B
30.	Conductivity (25 °C)	µs/Cm	882.2	APHA-2510
31.	Chemical Oxygen Demand (COD)	mg/L	26.2	APHA-5220 (B)
32.	Biological Oxygen Demand (BOD at 27°C for 3 day)	mg/L	3.19	APHA-4500 (D)
33.	Dissolve Oxygen (DO)	mg/L	4.1	APHA-5210
34.	E. Coli	MPN/100ml	580	IS:1622-1981
35.	Total Coliform	MPN/100ml	870	IS:1622-1981

****End of Test Report****

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.

2. The results indicated only refer to the tested samples and listed applicable parameters.

3. No complaint will be entertained if received after 7 days of issue of test report.

4. Our liability is limited to invoice value only.

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

For Enviro-Tech Services

AUTHORIZED SIGNATORY

Lab In-charge



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-38/05/2023

DATE OF REPORT : 10.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 10.05.2023
Analysis Start Date : 13.05.2023
Analysis End Date : 15.05.2023
Sampling Done By : ETS STAFF
Sampling Description : SURFACE WATER
Sampling Location : SW-6 POND
Sampling Method : ETS/STP/WATER-01
Sampling Quantity : 2.0 +0.5 Lt.
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Test Method
1.	Colour	Hazen	<5.0	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.84	IS:3025 (Pt-11)
4.	Turbidity	NTU	14.1	IS:3025 (Pt-10)
5.	Total Dissolve Solid (TDS)	mg/L	516.7	IS:3025 (Pt-16)
6.	Total Alkalinity (CaCO ₃)	mg/L	163.4	IS:3025 (Pt-23)
7.	Total Hardness(CaCO ₃)	mg/L	267.9	IS:3025 (Pt-21)
8.	Chloride (Cl)	mg/L	90.6	IS:3025 (Pt-32)
9.	Calcium (Ca)	mg/L	57.2	IS:3025 (Pt-40)
10.	Mineral Oil	mg/L	<0.01	IS:3025 (Pt-39)
11.	Sulphate (SO ₄)	mg/L	33.7	IS:3025 (Pt-24)
12.	Nitrate (NO ₃)	mg/L	0.68	IS:3025 (Pt-34)
13.	Fluoride (F)	mg/L	0.30	IS:3025 (Pt-60)
14.	Iron (Fe)	mg/L	0.16	IS:3025 (Pt-53)
15.	Aluminium (Al)	mg/L	<0.01	APHA-3500 (B)
16.	Selenium (Se)	mg/L	<0.01	APHA-3113 (B)
17.	Cyanide (Cn)	mg/L	<0.02	APHA-4500 (C)
18.	Copper(Cu)	mg/L	<0.05	APHA-3111(B)
19.	Magnesium (Mg)	mg/L	14.6	IS:3025 (Pt-45)
20.	Manganese(Mn)	mg/L	<0.1	APHA-3111(B)
21.	Zinc(Zn)	mg/L	0.49	APHA-3111 (B)
22.	Cadmium(Cd)	mg/L	<0.001	APHA-3111 (B)
23.	Lead(Pb)	mg/L	<0.01	APHA-3111 (B)
24.	Boron	Mg/L	<0.05	IS:3026(Pt-57)
25.	Mercury(Hg)	mg/L	<0.001	APHA-3112 (B)
26.	Molybdenum(mo)	mg/L	<0.05	IS:3025(Pt-2)
27.	Nickel (Ni)	mg/L	<0.01	APHA-3111 (B)
28.	Arsenic(As)	mg/L	<0.01	APHA-3500 (B)
29.	Chromium (Cr+6)	mg/L	<0.01	APHA-3500 Cr-B
30.	Conductivity (25 °C)	µs/Cm	778.8	APHA-2510
31.	Chemical Oxygen Demand (COD)	mg/L	16.6	APHA-5220 (B)
32.	Biological Oxygen Demand (BOD at 27°C for 3 day)	mg/L	2.7	APHA-4500 (D)
33.	Dissolve Oxygen (DO)	mg/L	5.4	APHA-5210
34.	E. Coli	MPN/100ml	170	IS:1622-1981
35.	Total Coliform	MPN/100ml	250	IS:1622-1981

****End of Test Report****

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.

2. The results indicated only refer to the tested samples and listed applicable parameters.

3. No complaint will be entertained if received after 7 days of issue of test report.

4. Our liability is limited to invoice value only.

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

For Enviro-Tech Services

[Signature]
AUTHORIZED SIGNATORY
 In-charge



Page 1 of 1



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO : ETS/2023-39/05/2023

DATE OF REPORT : 10.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 10.05.2023
Analysis Start Date : 12.05.2023
Analysis End Date : 15.05.2023
Sampling Done By : ETS STAFF
Sampling Description : SURFACE WATER
Sampling Location : SW-8 POND
Sampling Method : ETS/STP/WATER-01
Sampling Quantity : 2.0 +0.5 Lt.
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Test Method
1.	Colour	Hazen	<5.0	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.14	IS:3025 (Pt-11)
4.	Turbidity	NTU	12.54	IS:3025 (Pt-10)
5.	Total Dissolve Solid (TDS)	mg/L	618.2	IS:3025 (Pt-16)
6.	Total Alkalinity (CaCO ₃)	mg/L	220.9	IS:3025 (Pt-23)
7.	Total Hardness(CaCO ₃)	mg/L	312.6	IS:3025 (Pt-21)
8.	Chloride (Cl)	mg/L	129.0	IS:3025 (Pt-32)
9.	Calcium (Ca)	mg/L	91.7	IS:3025 (Pt-40)
10.	Mineral Oil	mg/L	<0.01	IS:3025 (Pt-39)
11.	Sulphate (SO ₄)	mg/L	42.9	IS:3025 (Pt-24)
12.	Nitrate (NO ₃)	mg/L	3.1	IS:3025 (Pt-34)
13.	Fluoride (F)	mg/L	0.22	IS:3025 (Pt-60)
14.	Iron (Fe)	mg/L	0.15	IS:3025 (Pt-53)
15.	Aluminium (Al)	mg/L	<0.01	APHA-3500 (B)
16.	Selenium (Se)	mg/L	<0.01	APHA-3113 (B)
17.	Cyanide (Cn)	mg/L	<0.02	APHA-4500 (C)
18.	Copper(Cu)	mg/L	<0.05	APHA-3111(B)
19.	Magnesium (Mg)	mg/L	25.11	IS:3025 (Pt-45)
20.	Manganese(Mn)	mg/L	<0.1	APHA-3111(B)
21.	Zinc(Zn)	mg/L	0.89	APHA-3111 (B)
22.	Cadmium(Cd)	mg/L	<0.001	APHA-3111 (B)
23.	Lead(Pb)	mg/L	<0.01	APHA-3111 (B)
24.	Boron	Mg/L	<0.05	IS:3026(Pt-57)
25.	Mercury(Hg)	mg/L	<0.001	APHA-3112 (B)
26.	Molybdenum(mo)	mg/L	<0.05	IS:3025(Pt-2)
27.	Nickel (Ni)	mg/L	<0.01	APHA-3111 (B)
28.	Arsenic(As)	mg/L	<0.01	APHA-3500 (B)
29.	Chromium (Cr+6)	mg/L	<0.01	APHA-3500 Cr-B
30.	Conductivity (25 °C)	µs/Cm	453.8	APHA-2510
31.	Chemical Oxygen Demand (COD)	mg/L	17.0	APHA-5220 (B)
32.	Biological Oxygen Demand (BOD at 27°C for 3 day)	mg/L	4.6	APHA-4500 (D)
33.	Dissolve Oxygen (DO)	mg/L	3.1	APHA-5210
34.	E. Coli	MPN/100ml	280	IS:1622-1981
35.	Total Coliform	MPN/100ml	320	IS:1622-1981

****End of Test Report****

Note:-

1. Test report without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No compensation is retained if received after 7 days of issue of test report.
4. Our service value only.
5. The sample shall be destroyed after 15 days of issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

For Enviro-Tech Services

AUTHORIZED SIGNATORY

Lab in-charge



TEST REPORT

TEST REPORT NO : ETS/2023-40/05/2023

DATE OF REPORT : 10.06.2023

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S GOVARDHAN ISPAT INDIA PRIVATE LIMITED
AT MAUZA- SIMLI MURARPUR, DEEDAJGANJ, TEHSIL- PATNA RURAL,
DISTRICT- PATNA, STATE- BIHAR.

Date of Sampling : 20.05.2023
Analysis Start Date : 22.05.2023
Analysis End Date : 25.05.2023
Sampling Done By : ETS STAFF
Sampling Description : SURFACE WATER
Sampling Location : SW-7 GANGA PUNPUN MIXING POINT
Sampling Method : ETS/STP/WATER-01
Sampling Quantity : 2.0 +0.5 Lt.
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameters	Unit	Result	Test Method
1.	Colour	Hazen	<5.0	IS:3025 (Pt-4)
2.	Odour	---	Agreeable	IS:3025 (Pt-5)
3.	pH	---	7.57	IS:3025 (Pt-11)
4.	Turbidity	NTU	9.5	IS:3025 (Pt-10)
5.	Total Dissolve Solid (TDS)	mg/L	464.8	IS:3025 (Pt-16)
6.	Total Alkalinity (CaCO ₃)	mg/L	171.7	IS:3025 (Pt-23)
7.	Total Hardness(CaCO ₃)	mg/L	262.7	IS:3025 (Pt-21)
8.	Chloride (Cl)	mg/L	83.12	IS:3025 (Pt-32)
9.	Calcium (Ca)	mg/L	40.75	IS:3025 (Pt-40)
10.	Mineral Oil	mg/L	<0.01	IS:3025 (Pt-39)
11.	Sulphate (SO ₄)	mg/L	32.58	IS:3025 (Pt-24)
12.	Nitrate (NO ₃)	mg/L	0.62	IS:3025 (Pt-34)
13.	Fluoride (F)	mg/L	0.16	IS:3025 (Pt-60)
14.	Iron (Fe)	mg/L	0.35	IS:3025 (Pt-53)
15.	Aluminium (Al)	mg/L	<0.01	APHA-3500 (B)
16.	Selenium (Se)	mg/L	<0.01	APHA-3113 (B)
17.	Cyanide (Cn)	mg/L	<0.02	APHA-4500 (C)
18.	Copper(Cu)	mg/L	<0.05	APHA-3111(B)
19.	Magnesium (Mg)	mg/L	27.7	IS:3025 (Pt-45)
20.	Manganese(Mn)	mg/L	<0.1	APHA-3111(B)
21.	Zinc(Zn)	mg/L	0.49	APHA-3111 (B)
22.	Cadmium(Cd)	mg/L	<0.001	APHA-3111 (B)
23.	Lead(Pb)	mg/L	<0.01	APHA-3111 (B)
24.	Boron	Mg/L	<0.05	IS:3026(Pt-57)
25.	Mercury(Hg)	mg/L	<0.001	APHA-3112 (B)
26.	Molybdenum(mo)	mg/L	<0.05	IS:3025(Pt-2)
27.	Nickel (Ni)	mg/L	<0.01	APHA-3111 (B)
28.	Arsenic(As)	mg/L	<0.01	APHA-3500 (B)
29.	Chromium (Cr+6)	mg/L	<0.01	APHA-3500 Cr-B
30.	Conductivity (25 °C)	µs/Cm	668.9	APHA-2510
31.	Chemical Oxygen Demand (COD)	mg/L	15.5	APHA-5220 (B)
32.	Biological Oxygen Demand (BOD at 27°C for 3 day)	mg/L	3.2	APHA-4500 (D)
33.	Dissolve Oxygen (DO)	mg/L	6.4	APHA-5210
34.	E. Coli	MPN/100ml	380	IS:1622-1981
35.	Total Coliform	MPN/100ml	420	IS:1622-1981

****End of Test Report****

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological/ Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

For Enviro-Tech Services

AUTHORIZED SIGNATORY