

CTO SPCB



BY REGISTERED POST

BIHAR STATE POLLUTION CONTROL BOARD

Pariyesh Bhawan, N.S.B.-2, Patliputra Industrial Area

P.O. Sadaquat Ashram, Patna - 800010.

Ref. No. Pt-3-460/12/

Patna, Dated-

EMISSION CONSENT ORDER

With reference to the application no. 1643919 dated 17.09.2018 of **M/s All India Institute of Medical Sciences (AIIMS), Patna** under section 21 of the Air (Prevention & Control of Pollution) Act, 1981, he/they is/are granted consent to operate his/their 960 Bedded Health Care Facility at Phulwarisharif, Patna-801507. This Consent Order will be valid upto 30.11.2023 from the date of issue with the following conditions:-

1. That, he/they shall not make any alteration, addition, deletion or modification in the plant without the prior clearance from the Board and shall also abide by the obligations under sections 22,23 and 31A of the Air (Prevention & Control of Pollution) Act, 1981 and further shall extend co-operation to the Board in performing its functions entrusted under sections 24,25 and 26 of the Act;
2. That, they shall comply with the requirements of the Environment (Protection) Act, 1986; the Hazardous Waste Management Rules 2016; the Manufacture, Storage and Import of Hazardous Chemical Rules, 1989; and the provisions of the Public Liability Insurance Act, 1991, whichever is applicable;
3. That, he/they shall monitor his/their emission(s) and the ambient air quality from representative point regularly and shall maintain its quality in conformity with Board's standards and shall produce its proof, as and when asked for;
4. That, he/they shall submit application for consent again 30 days before the expiration of the period of consent.
5. That, the D.G set should be provided with an integral acoustic enclosure and the maximum permissible sound pressure level for new D.G set shall be 75dB(A) at 1 meter from the enclosure surface.
6. That, the minimum height of stack for exhaust emission to be provided with D.G set shall be 1.0 meter more than the height of the building where it is installed.
7. That, the occupier shall submit stack emission report every year during the period of consent order.
8. The bio-degradable waste shall be processed, treated and disposed off through composting or bio-methanation within the premises as far as possible. The residual waste shall be given to the waste collectors or agency as directed by the local body.
9. That, the unit shall submit Environmental Statement by Sept. every year.
10. That, tree plantation shall be done in space available in the complex;
11. That, the occupier/operator shall comply all the conditions as imposed in the Authorisation under the Bio-medical Waste Management Rules, 2016
12. That, the unit shall submit Annual Report in Form -IV under the Bio-Medical Waste Management Rules, 2016 to the Board within 30th June every year;
13. That, this consent order is granted, subject to the condition that in the event of any information/s/ documents submitted by the proponent are found false or misleading at any stage the consent order granted shall be revoked and legal action shall be initiated;
14. The unit shall comply with all above conditions and submit compliance report every year to the Board.

This has approval of the competent authority.

Sd/-
(Naveen Kumar)
Scientist

To,

Dr. P.K. Singh, Director
All India Institute of Medical Sciences (AIIMS),
Phulwarisharif,
Patna-801507

Memo no: B-178

Copy to: The Regional Officer, B.S.P.C.B, Patna for information and necessary action

Patna, dated: 28/1/2021

(Naveen Kumar)
Scientist

**BIHAR STATE POLLUTION CONTROL BOARD**

Parivesh Bhawan, Patliputra Industrial Area

P.O: Sadaquat Ashram Patna - 800010

BY REGISTERED POST

Ref. No.-PT/2-68/12/

Patna, Dated-

DISCHARGE CONSENT ORDER

With reference to the application no. 1643919 dated 17.09.2018 of M/s All India Institute of Medical Sciences (AIIMS), Patna for consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, he/they is/are granted consent to operate his/their 960 Bedded Health Care Facility at Phulwarisharif, Patna-801507. This Consent Order will be valid upto 30.11.2023 from the date of issue with the following conditions:-

1. That, he/they shall not make any alteration, addition, deletion or modification in the plant/hospital without the prior clearance from the Board and shall also abide by the obligations under sections 24,31 and 33A of the Water (Prevention & Control of Pollution) Act, 1974 and further shall extend co-operation to the Board in performing its functions entrusted under sections 20,21,23,30 and 32 of the Act;
2. That, they shall comply with the requirements of the Environment (Protection) Act, 1986; the Hazardous Waste Management Rules 2016; the Manufacture, Storage and Import of Hazardous Chemical Rules, 1989; and the provisions of the Public Liability Insurance Act, 1991, whichever is applicable;
3. That, he/they shall monitor his/their effluents (s) regularly and maintain its quality in conformity with Board's standards and shall produce its proof, as and when asked for;
4. That, he/they shall submit application for consent again 30 days before the expiration of the period of consent;
5. That, the effluent generated or treated from the premises should conform to the prescribed limits before discharge into the sewer. (pH-6.5-9.0; Suspended Solids- 100 mg/l, Oil & Grease- 10 mg/l, BOD- 30 mg/l, COD- 250 mg/l, Bio assay test- 90%, survival of fish after 96 hours in 100% effluent).
6. That, the occupier shall submit effluent test report from the approved laboratory every year during the consent period and it should conform the permissible limit of the CPCB;
7. That, the unit shall submit Environmental Statement by Sept. every year;
8. That, the bio-degradable waste shall be processed, treated and disposed off through composting or bio-methanation within the premises as far as possible. The residual waste shall be given to the waste collectors or agency as directed by the local body;
9. That, this consent order is granted, subject to the condition that in the event of any information's/ documents submitted by the proponent are found false or misleading at any stage the consent order granted shall be revoked and legal action shall be initiated;
10. That, The unit shall comply with all above conditions and submit compliance report every year to the Board;
11. That, the Occupier shall comply all the provisions of the Bio-medical Waste Management Rules, 2016.

This has approval of the competent authority.

To,

Dr. P.K. Singh, Director
All India Institute of Medical Sciences (AIIMS),
Phulwarisharif,
Patna-801507

Sd/-
(Naveen Kumar)
Scientist

Memo no.: B-177

Patna, dated 28/11/2021

Copy to: The Regional Officer, B.S.P.C.B., Patna for information and necessary action

(Signature)
(Naveen Kumar)
Scientist