

Copy to IWC.

000180

BIHAR STATE POLLUTION CONTROL BOARD

BELTRON Bhawan, Shastri Nagar, Patna – 800 023

EPABX – 0612-2281250/2282265, Fax – 0612-2281050

E-mail-bspceb@vsnl.net, Website – <http://bspceb.bih.nic.in>

Ref.No.P/T(NOC)-1881/12

Patna,dated:-

'CONSENT-TO-ESTABLISH' (NOC)

UNDER SECTIONS 25/26 OF THE WATER (PREVENTION AND CONTROL OF POLLUTION) ACT, 1974 AND 21 OF THE AIR (PREVENTION AND CONTROL OF POLLUTION) ACT, 1981

- (i) Name and address of the Proponent : M/S Indian Institute of Technology at Bihta, Dist- Patna through Mr Subhash Pandey, Registrar, I.I.T Patna, Patliputra Colony, Patna-800013 ; and,
- (ii) Application no.40388, dated 19.3.2012 of the proponent to establish a Indian Institute of Technology at Mauza- Dilawarpur, At + P.O.- Bihta, P.S. no.-46, Mauza- Dyalpur Daulat, P.S.- 43, Mauza- Raghobpur, P.S.- 45 and Mauza- Amhara, P.S.- 44, At + P.O.- Bihta, Dist-Patna.

AFTER CONSIDERING:

- (i) The facts stated in their application;
- (ii) Bihar State Pollution Control Board's Notification No. 26 dated 08.11.2003;
- (iii) Provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981; and
- (iv) EIA notification, 2006, and the Environment (Protection) Rule, 1986.

NOC IN FAVOUR OF THE PROPONENT AT THE SAID SITE IS HEREBY ACCORDED SUBJECT TO THE FOLLOWING CONDITIONS:

- (i) That, they shall obtain Environmental Clearance from the competent authority.
- (ii) The unit shall obtain consent to operate under section 25 & 26 of the Water Act, 1974 and under section 21 of the Air Act, 1981, prior to commissioning of the plant from pollution control Board.
- (iii) The effluent (domestic or trade) and emission, if any, shall conform to the standard as prescribed by the Board;
- (iv) The D.G. Set(s) shall be installed with integral acoustic enclosure fixed on pucca base with anti vibration pads, and exhaust height maintained as per norms of the Board, so that, it shall conform to the standard of the Board.

000174

- (v) That, they shall treat domestic effluent such that and no ground water contamination shall be done.
- (vi) That, water harvesting system shall be installed to recharge ground water maintaining pristine quality of water.
- (vii) That, they shall develop green belt in 5m width all around the campus.

NOTE:

1. Bihar State Pollution Control Board reserves the option to revise or add other conditions, if necessary, for protection of Environment in general and for Pollution Control in particular;
2. The present NOC should not be construed as an assurance for the grant of 'Consent-to-Operate' the proposed plant but shall be subject to compliance of all the conditions indicated above;
3. The NOC, granted, shall be valid for a period of three years from the date of issue; and
4. Issued under the instructions of the Competent Authority.

Sd/-
(M.K.Singh)
Member-Secretary.

Memo No.:-

7-4678

Patna, dated:- 17.11.12

Copy forwarded to : M/s Indian Institute of Technology at Bihta, Dist- Patna Prop: Mr Subhash Pandey, Registrar, I.I.T Patna, Patliputra Colony, Pkatna-800013./ AEE, Patna for favour of information and necessary action.

(M.K.Singh)
Member-Secretary.