

जिला खनन कार्यालय, वैशाली

पत्रांक...../एम०, दिनांक.....

सेवा में,

Shri Akhilesh Singh
S/o Awadhesh Narayan Singh
At-Kamalpur Singhiya, Bidupur Bazar,
Vaishali, Bihar-844503


विषय— खनन योजना (Mining Plan) अनुमोदन के संबंध में।

महाशय,

उपर्युक्त विषय के आलोक में कहना है कि ~~जिला~~ जिलान्तर्गत हाजीपुर प्रखंड के मौजा— अजमतपुर दामो, थाना संख्या— 302 खाता नं०— 61, 7, 50, 5, 78, 47, 56, 6, 28, 32, 61, 33, 12 एवं 68, प्लॉट नं०— 1150, 1151, 1152, 1164, 1166, 1167, 1160, 1161, 1162, 1174, 1163, 1165, 1168, 1169, 1190, 1170, 1171, 1172, 1173, 1175, 1176 एवं 1777 रकबा 1.60 हेक्टेयर में लघु खनिज ईट मिट्टी के खनन हेतु प्रस्तुत खनन योजना का अनुमोदन सचिव, खान एवं भूतत्व विभाग, बिहार, पटना के पत्रांक—04/वी०मु०—20—190/24—3678/एम०, पटना दिनांक—03.09.2024 के आलोक में निम्न शर्तों के साथ अनुमोदन किया जा रहा है।

1. खनन योजना का अनुमोदन 5,328 घन मी० प्रति वर्ष 5 वर्षों के लिए ईट मिट्टी के उत्पादन हेतु अनुमानित किया गया है।
2. साधारण मिट्टी खनन की गहराई सतह से 2.0 मीटर से अधिक नहीं होगा।
3. खनन कार्य हेतु सम्बंधित विभागों/संस्थाओं से अनापत्ति पत्र आवश्यक होगा।
4. खनन कार्य ग्राउण्ड वाटर लेवल से कम से कम 02 मीटर उपर तक ही सीमित रखा जाएगा।
5. प्रस्तावित उत्खनन की गहराई के कम से कम आधे के बराबर चौड़ाई रखने वाले सटे मैदानों की सीमा से पट्टी छोड़ दी जाएगी।
6. ईट निर्माण, पथ निर्माण, तटबंध निर्माण आदि के प्रायोजनार्थ ईट मिट्टी और साधारण मिट्टी के खनन/ उत्खनन से संबंधित किया-कलाप में डिस्कोटक का प्रयोग नहीं होगा।
7. खनन/ उत्खनन संबंधी किया-कलाप का क्षेत्र के सामान्य जल निकासी के प्रतिरूप (पैटर्न) को परिवर्तित नहीं करेगा।
8. खोदे गए/ उत्खनित गड्ढा (पिट) को परियोजना प्रस्तावक द्वारा उपयोगी प्रयोजन (प्रयोजनों) के लिए पुनः स्थापित किया जाएगा।
9. खोदे गए/ उत्खनित गड्ढा के चारों ओर समुचित घेराबंदी कर दी जाएगी, ताकि किसी दुर्घटना से बचा जा सके।

10. बुलाई के दौरान खोदी गई/ उत्खनित मिट्टी के फैलने से धूल उत्सर्जन को रोकने के लिए उपाय किए जाएंगे।
11. मिट्टी के खनन/ उत्खनन के कारण सृजित जल निकासों में रोग वाहकों (बैक्टीर) के प्रजनन के कारण स्वास्थ्य खतरों के विरुद्ध सुरक्षा मानक अपनाये जाएंगे।
12. कामगारों/ मजदूरों को पेयजल और सफाई संबंधी सुविधाएँ प्रदान की जाएँगी।
13. किसी उत्खनन क्षेत्र की परिधि से किसी आर्सेनिक संरचना की दूरी कम से कम 15 मीटर रखी जाएगी।
14. राष्ट्रीय पार्कों और वन्य प्राणी अभ्यारण्य की सीमा के 1 किलोमीटर के अन्दर उत्खनन के क्षेत्र के मामले में ईट मिट्टी अथवा साधारण मिट्टी के खनन/ उत्खनन की अनुमति नहीं दी जाएगी।
15. खनन योजना में खनन कार्य बंध बना कर किया जाएगा जिसकी अधिकतम चौड़ाई 1.5 मी० एवं चौड़ाई कम से कम 3.0 मीटर होनी चाहिए।
16. खनन कार्य के दौरान निकाले गये टॉप स्लायल को व्यवस्थित रूप से एकत्रित कर रखा जाएगा, जिसे खनन कार्य समाप्त होने के उपरान्त सही क्षेत्र में फैला दिया जाएगा।
17. खनन योजना में वर्णित भूमि के स्वामित्व तथा भूस्वामियों की सहमती से संबंधित अभिलेखों की पुष्टि करा लिया जाना अपेक्षित होगा।
18. खनन कार्य मानसून के समय में नहीं की जाएगी।
19. भविष्य में किसी प्रकार की कोई भी गलती खनन योजना अथवा कार्य में पायी जाएगी तो खनन योजना स्वतः निरस्त माना जाएगा।


 04/11/24
 खनिज विकास पदाधिकारी
 प्रशासकीय शाखा।

झापांक 1203 / एम० दिनांक 4/11/24

प्रतिलिपि:- PRANEJA ENVIROCARE & MANAGEMENT PVT. LTD. ASHIYANA, KHAJPURA,
PATNA-800014 को सूचनार्थ प्रेषित।


 04/11/24
 खनिज विकास पदाधिकारी
 प्रशासकीय शाखा।

Mining Plan & Mine Closure Plan

For

BRICK EARTH MINING

[Prepared Under Rule 17 of Bihar Minerals (Concession, Prevention of Illegal Mining, Transportation & Storage) Rules, 2019 amended till date]

(Category-B2 as per EIA notification 2006 amended till date)

M/S RAJMAHAL BRICKS

Prop: Shri Akhilesh Singh

Mauza- Azmatpur Damo, Block- Hajipur,

Distt- Vaishali (Bihar)

Proposed Mining Area: 1.60 Ha. (3.95 acres)

Plan period: 5 Years



Prepared By



M/S PRANEJA ENVIROCARE & MANAGEMENT PVT. LTD.

Ground Floor, Opp. Vamika Apartment, Near Old Passport Office, Ashiyana,
Khajpura, Patna-800014 (Bihar)


Ph. 0612-2581824, 9708251824 Email: - pemanagementindia@gmail.com

APPROVED
LT. NO. 293 DT. 4/11/24

APPROVED
Mineral Development Officer
Vaishali
Via letter No. 1283. Dated 4/11/24

CERTIFICATE

I Akhilesh Singh S/o Awadhesh Narayan Singh resident of Kamalpur Singhiya, Bidupur Bazar, Vaishali, Bihar-844503, the lease/land holder of Azmatpur Brick Soil Mining Lease for Soil (Mineral) over **1.60 Hectares**, in Azmatpur mauza in Hajipur block of Vaishali district hereby solemnly affirm that the plans and programs in this Mining Plan will be scrupulously implemented by me/us and I/We will be strictly held responsible for any deviation thereof. I/We also hereby certify that the provisions of Mines and Minerals (Development and Regulation) Act 1957, and along with the provisions of Bihar Mineral (Concession, Prevention of Illegal Mining, Transportation and Storage) Rules, 2019 and subsequent amendment will be strictly adhered to while implementing this Mining Plan and wherever specific permissions will be required. I/We will approach the concerned authorities of Director, Mines & Geology, Government of Bihar as the case may be.



Akhilesh Singh
(Authorized Signatory)
For M/s. Rajmahal Bricks

Date: 30.10.24
Place:

AUTHORISATION LETTER BY THE APPLICANT

I, **Akhilesh Singh**, Proprietor of M/s. **Rajmahal Bricks** hereby do authorize M/s. Praneja Envirocare & Management Pvt. Ltd, RQP to prepare the Mining Plan submitted under the notification of Ministry of Environment, Forest and Climate Change & Rule No 17 of Bihar Minerals (Concession, Prevention of Illegal Mining, Transportation & storage) Rules 2019 amended till date in respect of *Thana No.-302 Khata No.- 61,7, 50, 5, 78, 47, 56, 6, 28,32, 61, 33, 12 & 69 Khasra No.- 1150, 1151, 1152, 1164, 1166, 1167, 1160, 1161, 1162, 1174, 1163, 1165, 1168, 1169, 1190, 1170, 1171, 1172, 1173, 1175, 1176 & 1777 at Mauza- Azmatpur Damo, Anchal- Hajipur, District- Vaishali, Bihar*

I request The Directorate, Mines and Geology, Bihar government to make further correspondence regarding Mining Plan to answer your query and clarification to the RQP. He is also authorized to collect approved mining plan.

Name of RQP: M/s. Praneja Envirocare & Management Pvt. Ltd, Memo No. – (Sl. No.- 30/ M. No.- 3825 DT. 07.11.2019 of Dept. of Mines & Geology, Govt. of Bihar).

1. **Ravi Shankar (Mining Engineer)**,
Memo No. – (Sl. No.- 18/ M. No.- 3825 DT. 07.11.2019)
Dept. of Mines & Geology, Govt. of Bihar).
Mob-748509640, Email-shankar.ravi677@gmail.com
2. **Praveen Kumar Roy (Mining Engineer)**
Mob: 9708251824, pemanagementindia@gmail.com

Address: Ground Floor, Opp. Vamika Apartment,
Near Passport Office, Ashiyana,
Khajpura, Patna-800014 (Bihar)
Email ID : pemanagementindia@gmail.com



Akhilesh Singh
(Authorized Signatory)
For M/s Rajmahal Bricks

Date:
Place:

INDEX

SL. NO.	TITLES
1	Introduction
2	General
3	Location and Accessibility
4	Geology & Exploration
5	Reserves
6	Details of Associate Brick Kiln
7	Mining (Development & Production)
8	Blasting
9	Mine Drainage
10	Stacking of Minerals Reject and Disposal of Waste and Use of Minerals
11	Environment Management Plan
12	Progressive Mine Closure Plan

LIST OF ANNEXURES

SL. NO.	TITLES
1	Consent & Declaration
2	Copy Of RQP Certificate
3	I.D. of Applicant
4	Copy Of Land Agreement / Deed/ Revenue Receipt
5	Location Map/Cadastral Map/ Khasra Map
6	Map & Plates

Handwritten signature: H. D. Singh



CHAPTER-I

1.0 Introduction

The State Government has made provisions in Rule no. 17 of Bihar Minerals (Concession, Prevention of Illegal Mining, Transportation & Storage) Rules, 2019 and amended till date that "Each Mineral Concession Holder/Government/ Corporation as the case may be shall have to submit a Mining Plan, to the Department/Mining Officer before commencing the mining operation". Further it is also made mandatory in Rule no. 34 (3) of the said Rules that before getting soil permit Environmental Clearance shall be obtained from competent authority as notified by MOEF & CC. In this regard the Secretary, Mines & Geology Department, Government of Bihar has issued a Letter ref no.- 04/Misc.HQ-20-190/24-3678/M, Patna, Dt. 03.09.24.

In the light of the mentioned above rules, notifications & orders the applicant **Shri Akhilesh Singh** authorized signatory of **M/s Rajmahal Bricks** hereby submitting mining plan for excavation of Brick Earth over an area **1.60 Ha. (3.95 acres)** situated at **Mauza- Azmatpur Damo, Anchal- Hajipur, District- Vaishali (Bihar)** for its approval. The said area falls under the control of District Mining Office, Vaishali (Bihar) and administrative by Collector, Vaishali.


The project involves excavation of Brick Earth from the proposed area. This project operation will generate employment to the people.




CHAPTER-2

2.0 GENERAL

1(a)	Name of the applicant	Shri Akhilesh Singh		
	Address	S/o Awadhesh Narayan Singh At-Kamalpur Singhiya, Bidupur Bazar, Vaishali, Bihar-844503 Mob: 9934704788		
1 (b)	Status of Applicant	Individual/Proprietorship		
	Private individual (Yes/ No)	Yes		
	Cooperative, Private Company, Public Company, Public Sector undertaking, Joint Sector Undertaking	No		
	Others (Please specify)			
1 (c)	Mineral (s) which the applicant intends to mine	Brick Earth		
1 (d)	Proposed Area	Mauza- Azmatpur Damo, Block- Hajipur, Vaishali, Bihar		
		Thana No.	Khata No.	Khesra No.
		302	61,7, 50, 5, 78, 47, 56, 6, 28,32, 61, 33, 12 & 69	1150, 1151, 1152, 1164, 1166, 1167, 1160, 1161, 1162, 1174, 1163, 1165, 1168, 1169, 1190, 1170, 1171, 1172, 1173, 1175, 1176 & 1777
				Area (Ha.) 1.60
1 (e)	Period for which the mining lease permit is required for granted/proposed to be applied	5 years		
1 (f)	Name of the RQP preparing the mining plan	M/s. Praneja Envirocare & Management Pvt. Ltd, Memo No. – (Sl. No.- 30/ M. No.- 3825 DT. 07.11.2019 of Dept. of Mines & Geology, Govt. of Bihar). 1. Ravi Shankar (Mining Engineer) Memo No. – (Sl. No.- 18/ M. No.- 3825 DT. 07.11.2019) Dept. of Mines & Geology, Govt. of Bihar). Mob-748509640, shankar.ravi677@gmail.com 2. Praveen Kumar Roy (Mining Engineer) Mob: 9708251824, pcrmanagementindia@gmail.com		
	Address	Ground Floor, Opp. Vamika Apartment, Near Old Passport Office, Ashiyana, Khajpura, Patna-800014 (Bihar)		
	Phone/ Mob No.	+91- 9708251824, 9308014108		
	Email. Id	pcrmanagementindia@gmail.com		
	Required certificate	Approved RQPs list attached		
1 (g)	Name of the prospecting agency & Address	Prospecting does not require.		



CHAPTER-3

3.0 LOCATION AND ACCESSIBILITY

Location Map attached as Plate No.1

DETAIL OF AREA (WITH LOCATION MAP)						
3(A)	PARTICULARS	BRICK CLAY/ ORDINARY CLAY SITE/ LEASE AREA				
	Mauza	Azmatpur Damo				
	Panchayat/P.O.	Azmatpur				
	Block	Hajipur				
	District	Vaishali				
	State	Bihar				
	Revenue Thana No. Khata No. Khesra No./Plot No./Block range/ Felling series etc.	Thana No. 302	Khata No. 61,7, 50, 5, 78, 47, 56, 6, 28,32, 61, 33, 12 & 69	Khesra No. 1150, 1151, 1152, 1164, 1166, 1167, 1160, 1161, 1162, 1174, 1163, 1165, 1168, 1169, 1190, 1170, 1171, 1172, 1173, 1175, 1176 & 1777	Area (Ha.) 1.60	
	Lease Area (Hectares)	Area- 1.60 Ha.				
	Whether the area is recorded to be in forest (please specify whether protected, reserved etc.)	No				
	Ownership/ Occupancy	Private				
	Existence of Public Road	No				
	Railway Line	No				
	Availability of Water, Electricity and other facilities.	Hand pump, Wells & bore Well are the main sources of water. Electricity is available etc.				
Location of proposed Mining site	Khata No.	Plot No. / Khasra No.	Area in Ha.	Point	Latitude	Longitude
Mauza- Azmatpur Damo	61,7, 50, 5, 78, 47, 56, 6, 28,32, 61, 33, 12, 69	1150, 1151, 1152, 1164, 1166, 1167, 1160, 1161, 1162, 1174, 1163, 1165, 1168, 1169, 1190, 1170, 1171, 1172, 1173, 1175, 1176, 177	1.6 Ha.	A	25°40'16.21"N	85°18'29.32"E
				B	25°40'15.24"N	85°18'31.59"E
				C	25°40'12.74"N	85°18'30.24"E
				D	25°40'11.42"N	85°18'33.26"E
				E	25°40'9.45"N	85°18'32.08"E
				F	25°40'10.90"N	85°18'28.26"E
				G	25°40'12.12"N	85°18'28.85"E
				H	25°40'12.66"N	85°18'27.47"E
Brick Kiln Location				I	25.674114	85.312206

Proposed area with 500 M radius distance is marked in Google image attached as key plate.



CHAPTER-4

GEOLOGY AND EXPLORATION**PHYSIOGRAPHY**

- **General Landforms:** The district constitutes a flat-landscapes sloping gently towards southeast and belongs to the Ganga River basin; the western fringe being a part of Gandak sub-basin and the whole eastern part under the Burhi Gandak subbasin. The highest elevation is 51 m and the lowest 46 m amsl. The area may be classified into two major geomorphic units: recent flood plain and older flood plain with palaeo levee complexes, the former represented by diara Formation and later by Vaishali Formation and Sonpur/ Hajipur Formation.
- **Soil and rock pattern:** Vaishali district is characterized by a wide variety of soils which can be broadly grouped into two categories according to U.S Survey Staff in 1975.
 - 1) Entisols: They are younger alluvial soils locally known as Balsundari. They are deficient in nitrogen, phosphoric acid but generally rich in potash and lime. The Balsundari soils are generally a light friable loam with higher portion of sand and silt. The soil is most fertile and suitable for cultivation of high yielding crops like sugarcane and wheat.
 - 2) Inceptisols: Calcareous alluvial soils occur mostly in the central part and locally known as Mathivari. The percentage of both phosphoric acid and potash are higher in this region. This soil is richer in lime content and kanker than Balsundari soil. This forms the typical paddy land of Bihar.

GEOMORPHOLOGY

The Bihar state can be broadly subdivided into three major unit's i.e., main physical subdivisions is the Northern Mountains, the Gangetic Plains and the Central Highlands. Northern Mountains comprises the Himalayan ranges including their foot hills. The Gangetic plains, situated between the Himalayas and the Deccan plateau constitute the most fertile plains of the subbasin ideally suited for intensive cultivation. The Central highlands lying to the south of the Great plains consists of mountains, hills and plateaus intersected by valleys and river plains. They are largely covered by forests. Aravali uplands, Bundelkhand upland, Malwa plateau, Vindhyan and Narmada valley lie in the region. Predominant soil types found in the subbasin are sandy, loamy, clay and their combinations such as sandy loam, loam, silty clay loam and loamy sand soils.

Geomorphologically the area may be divided into (i) Pediplain, (ii) Ridges and Valleys (iii) Flood plain and (iv) Terraced alluvial plain. The elevation of gently sloping pediplain varies from 100 m to 75 m above m.s.l. The Sone and Punpun are the two major rivers flowing through the western part of the district.

The district comprises extensive plain formed by the alluvium brought by the Ganga, the Gandak and distributaries of Gandak. The morphology of the area has been shaped mainly by Gandak river which originates in the Himalayas in Nepal. Morphologically it can be classified into three broad categories.

- 1) Hazipur Surface: It is the oldest morpho-unit of the area comprising yellow-brown to brownish-grey compact clay.
- 2) Vaishali Surface: It overlies the Hazipur surface. This surface comprises ash-grey-silt/silt-clay/clayey-silt and has been found development on the eroded and very gently sloping Hazipur surface.
- 3) Diara Surface: It is the lowest and youngest geomorphic unit which emerges from river bed.

GEOLOGY

(i) **Regional Geology:** Regionally, Bihar is broadly divided into four geological regions. A thin strip from Champarn in West to Kishanganj in East is constitute of the Shivalik part and formation of the great Himalayan Mountain. South to this strip there is 90% area constitute of the part of Gangetic plain. The Holy Ganga River flows midway from West to East into Bihar. Northern part of Ganga River is called North Gangetic plain. In this part number of tributaries rivers originate from Himalya and meet into Ganga. These rivers are perennial in nature and flow of water is fast, so bring flood every year. This river brings silt every year and deposit in the plain. This formation is divided mainly in two categories: Bangar and Khadar. Bangar is formed at higher places where flood water does not reach. Low land is formed of Khadar which is a new silt deposited every

year. North Easter part is a lowland so water logging is common feature of the area constitutes a part of the Ganga River Basin.

South of Ganga River is called Sothern Gangetic plain. In this part series of rivers originate from Plateau of Chotanagpur and Vindhyaachal and meet to Ganga at different places. These rivers are seasonal, so area is mostly drought prone.

A strip 10-20 KM runs along the southern part of Ganga. This strip remains flooded during rainy season but soil is very fertile. This strip is called Tal. South Western part of Bihar is formed in Vindhyan period and constitute of Limestone in dominant. Sothern part of Bihar adjacent to the Jharkhand is a transition belt between Gangetic plain and Plateau region. In this part some minerals are found and in form of Granite, Mica, Tin, and Coal in small patches in Bhagalpur.

A general Regional stratigraphic sequence of the area is given below:

TABLE: GEOLOGICAL PERIODICAL CLASSIFICATION

AGE	GEOLOGY	GEOGRAPHY
Quaternary	Alluvial deposits (Sand, Silt, Clay fragments)	North and Central Bihar Plain
Tertiary	Sandstone and Clay stones	North Champaran hills
Gondwana	Coal measures, Forming a series of small outlier	Banka district
Vindhyaans	Sandstones, Limestones, Shales etc	Parts of Bhabhua and Rohtas districts
Satpura	Schist, Phyllite, Quartzite	Parts of Aurangabad, Gaya, Nawada, Nalanda, Munger and Sheikhpura districts.
Proterozoic	Mica, Schist, Amphibolites, Quartzite, Granite, Dolomite and Pegmatites	Nawada, Jamui and Banka districts
Archaen	Gneisses, Granites, Schists, Phyllites, Quartzites, Amphibolites and Intrusive all metamorphosed sedimentary and igneous rocks.	Parts of Aurangabad, Gaya, Nawada, Jamui, Banka and Bhagalpur

(ii) **Local Geology** The area comprises thick quaternary sediments ranging in age from Pleistocene to recent and are classified into three stratigraphic units such as (i) Sonpur/Hajipur formation, (ii) Vaishali formation and (iii) Diara formation. Sonpur/Hajipur formation comprises clayey sediments of the oxidized older alluvium of Pleistocene to early Holocene age. Vaishali formation represents the unoxidized silty deposits of middle to late Holocene age. Diara formation constitutes sand, silt and clay deposits of recent times confined within the firm banks of the rivers as well as sandy deposits in channel and point bars.

Lithology	Geological Unit	Age	Nature
Loose sand, silt, loam and their admixtures/fine to coarse sand	Diara formation	Late Holocene	Flat or gentle slope; soft unconsolidated Quaternary sediments mostly inundated in rainy season, bank erosion and redeposition
Unoxidised clayey silt or sandy silt	Vaishali formation	Middle to Late Holocene	Gentle slope; unconsolidated sediments prone to flooding in rainy season
Oxidised brownish yellow silty clay impregnated with caliche	Sonpur/Hajipur formation	Pleistocene to Early Holocene	Consolidated compact Quaternary sediments

SOIL

The district is an extensive plain formed by the rich alluvial soil brought down by several rivers and streams. Soil/Earth is unanimously spread over the area. Inceptisols and Entisols are major soil in the district. There is no need of prospecting work. As mentioned, the thickness of top soil is considered up to 0.15 m. The depth of suitable earth excavation is considered 1.5 m bgl. Earth mining is being proposed up to a short depth of 1.5 m from the surface level. Once soil removed, no excavation will be carried in future. Hence, no need of a proposal of future prospecting.

BASIN/SUB-BASIN AND DRAINAGE

The Vaishali district constitutes a part of Ganga river basin. It has two sub-basins, namely Gandak sub-basin and Burhi Gandak sub-basin. The major part of the district falls under Burhi Gandak sub-basin. The Gandak is the main river flowing in the southeasterly direction and forming western boundary of the district. It discharges in the river Ganga near Hajipur. The river Gandak does not receive any important tributary in its course. There are two important distributary channels namely the Gandaki and the Baya rivers flowing parallel to the river Gandak and discharge into the river Ganga. The Baya runs through the central part of the district in north-south direction.

CLIMATE & RAIN FALL:

The climate of the district is sub-tropical to sub-humid. The winter temperature ranges varies from 16°C to 4°C whereas the summer temperature rises upto 40°C. The relative humidity is at its minimum during April and May and maximum during July and August. It ranges between 60 to 90%. The average annual rainfall in the district is 1168 mm. The district receives about 85% of the total rainfall from south-west monsoon. The south west monsoon extends from the middle of June to end of September. The district receives 50% of the rainfall during July and August month of the year.

FOREST

There is no forest in Vaishali district of Bihar.

VEGETATION:

There is no vegetation in the proposed area.

Handwritten signature 

CHAPTER-5

RESERVES

a) Estimation of geological reserves along with grade under Proved, probable and possible categories by standard method of estimation supported by analytical reports.

5.1 METHOD OF ESTIMATION OF RESERVES

Brick Earth reserves have been estimated as per the standard procedures. The area of mining land and the average thickness of mineral (not more than 2 m including top 15 cm top soil). 10% area wise left for 1m wide berm all along the periphery of mining land to get the available for actual mining. About 10% mining losses reserves blocked due to slope has been considered to get the mineable quantity. Detail of calculation is given ahead:

Mauza	Area in Ha	Area in Sq.m	Maximum depth (m)	Area of Berm left (10%)	Area Considered for Mining in Sq.m	Top soil in cubic meter	Reserves In cubic meter	
							Geological reserve	Mineable reserve
Sabalpur	1.60	16000	2	1600	14400	2400	32000	26640
Total	1.60	16000	2	1600	14400	2400	32000	26640

5.3 GEOLOGICAL RESERVES

Particulars	Unit	
Total Area available for mining	16000	Sq.m
Average Thickness considered	2	M
Total Volume of Mineral (Brick Earth)	32000	Cum
Total Geological Reserves (Brick Earth)	32000	Cum

5.4 MINEABLE RESERVES

Particulars	Unit	
Total Area available for mining (As per document)	16000	Sq.m
Peripheral Strip Area (Area wise 10% of total area)	1600	Sq. m
Mineable area	14400	Sq. m
Thickness of top soil	0.15	M
Total top soil	2400	Cum
Average Thickness considered for mining	1.85	M
Total Mineable Reserves	26640	Cum
Maximum production per annum considering 5.0 years	26640	Cum
Annual production	5328	Cum
In tones (volume x 1.53 ton/m ³)	8152	Tons



CHAPTER-6

6.0 ASSOCIATED CHIMNEY DETAILS AND YEARLY REQUIREMENT OF COAL

A. Brick Kiln Type & Location

Zigzag Kiln (Cleaner Technology) at

Village	:	Azmatpur Damo
P.O.	:	Azmatpur
Block	:	Hajipur
District	:	Vaishali
Location	:	25.674114 N 85.312206 E

B. Chimney details (Zigzag Kiln)

Capacity of Chimney	:	15,000 / Day
Height of Chimney	:	105 ft.
Trench/Dug length	:	210 ft
Trench/Dug width	:	76 ft.
Height of Main Nali	:	11 ft.

C. Yearly requirement of Coal and Wood fuel

Requirement of Coal

Around 1.5 MT/day coal will be required for bricks production.

Requirement of Wood

Around 0.2 MT/Day of wooden fuel will be required in the Brick Kiln.



CHAPTER-7

7.0 MINING

7a) DEVELOPMENT AND PRODUCTION PROGRAMME

7a) 1 METHODOLOGY OF MINING / PROPOSED MINING METHOD

Proposed mining will be opencast semi-mechanized. Preferably manual mining using hand tools like shovel, spade, sieve etc. shall be promoted. Mining will be done only in the applied field (as per Land documents) keeping the nearby plot(s) unaffected. Following geo-scientific methods are proposed to carry out the mining activity:

- *Mining will be restricted to the applied fields up to a maximum depth of 2 m from the surface.*
- The mining shall be done during daytime only.
- Only 150 working days in a year have been assumed for calculation purpose.
- Before start mining the top fertile soil of each proposed mining field (up to 10-centimeter depth) shall be scraped & stacked on the berm or any earmarked place which will be spread over the mining pit, after completing mining activity. Thus the fertility of land will be restored or used beside the road where plantation is to be done.
- The width and height of final benches shall be 1m x 0.75 m.
- A ramp / connecting path shall be developed to join next level.
- There will be No drilling and blasting.
- The operation will remain manual, using tools like shovel, spade, sieve etc.
- The water required for casting for bricks will be arranged near the mining site and only casted bricks will be carried to kiln through cart/tractor or by hand loads. The water will be required either the drinking proposed or for casting of bricks.
- 20 laborers will be required for the proposed project.
- Soil mining shall strictly be undertaken as per Bihar Minerals (Concession, Prevention of Illegal Mining, Transportation & Storage) Rules, 2019, M.C. Rules 1960, MMRD Act 1957 & permissions obtained from District Administration / Mining Department.

YEAR WISE MINING & DEVELOPMENT

Open-Cast mining is being carried in the proposed plots. Approx 15 lakhs of bricks will produce from the quantity of earth every year. Year wise details are as below-

year	Total Geological area (in Sqm)	Total Minable area (in Sqm)	Minable Depth (in m)	Mineral reserve of Brick Earth (in cum)
1 st year	3320	2880	1.85	5328
2 nd year	3320	2880	1.85	5328
3 rd year	3320	2880	1.85	5328
4 th year	3320	2880	1.85	5328
5 th year	3320	2880	1.85	5328
Total	16600	14400	1.85	26640

7a) CONCEPTURE MINE PLAN

1.0 m wide strip all along each individual field (mine area) as a statutory condition has been left in which top soil will be stored temporary. Excavation of Brick Earth soil is

restricted up to a maximum depth of **2 m**. River/stream will not be diverted in any case. No mining is proposed during rainy season.

7b) USE OF MINERAL: Describe the utilization of mineral and the type of industry (please specify) to whom it will be sold or is being sold.

The mined-out Brick Earth will be used for making kacheha bricks i.e. captive consumption which will be subjected to firing in the brick kiln.

BRICK CALCULATION:

The prevailing size of the bricks in Bihar is 10"x5"x3".

Following parameters has been considered to calculate the number of bricks.

Brick Earth Used in preparation of 1 (one) Brick				
Specification of Bricks			Volume of a Bricks in CuM	Considering 0.0024 cum of one brick volume, about 400 bricks will be prepared from one cum Brick Earth.
Height	Width	Length	0.0024	
3.0 (Inch)	5.00 (Inch)	10.00 (Inch)		

Machinery Requirement:

Machinery required for earth mining will be Back Hoe Loader and Tractor
Production of earth is 3830 cubic meter in 45 days i.e. 119 cum/day

- (1) Back Hoe loader -1 for cutting and loading soil in tractor trollies
- (2) Tractor-2 for transportation of soil to the kiln site.
- (3) Water Tanker - 1 of capacity 5000 Lt. for sprinting of water on approach road & irrigation of plants.

Type of Machinery		
SL NO	MACHINERY	NUMER OF MACHINERY
1	Back Hoe Loader	1
2	Tractor	2
3	Water Tanker	1

Manpower Requirement:

Manpower required is as below table:

SL NO	DESIGNATION	NO OF PERSONS
1	Administrator cum supervisor	1
2	Back Hoe Loader Operator	1
3	Tractor Driver	3
4	General helper	4
TOTAL		9

Output Per Man Per Shift (OMS)

Total production in a day = 119 M³

Total Manpower = 9

Hence, Output per man/shift (OMS) = 119/9 = 13.22 or say 13 M³/Man/Shift

Diesel Consumption:

Sl. No	Machinery	Number of Machinery	Average Fuel Required/ Hour	Effective Production Hr./ Day	Total Fuel Consumption (Lt.)
1	Back Hoe Loader	1	4	6	24
2	Tractor	2	1.5	6	18
3	Water Tanker	1	1.5	4	6
Total					48

So, Diesel consumption factor = $48 \text{ Lt.} / 119 = 0.40 \text{ Lt.}$

Hence Total Diesel Requirement for Project = $0.40 \times 26640 = 10656 \text{ LT}$

Daily Diesel requirement = 48 Lt.

Yearly Diesel requirement = $0.40 \times 5328 = 2131.2 \text{ LT}$ says 2131LT.

Adish

CHAPTER-8

8.0 DRILLING AND BLASTING

No drilling and blasting is required in excavation of brick earth.



CHAPTER-9

BASIN/SUB-BASIN, DRAINAGE: -

The Vaishali district constitutes a part of Ganga river basin. It has two sub-basins, namely Gandak sub-basin and Burhi Gandak sub-basin. The major part of the district falls under Burhi Gandak sub-basin. The Gandak is the main river flowing in the southeasterly direction and forming western boundary of the district. It discharges in the river Ganga near Hajipur. The river Gandak does not receive any important tributary in its course. There are two important distributary channels namely the Gandaki and the Baya rivers flowing parallel to the river Gandak and discharge into the river Ganga. The Baya runs through the central part of the district in north-south direction.



CHAPTER-10

10.0 STACKING OF MINERAL REJECTS AND WASTE DISPOSAL ARRANGEMENTS

Brief description of the arrangements made for top soil mineral rejects and waste disposal including precautions taken in selection of disposal site (s) along with their respective quantity likely to be generated.

The mining activity is being carried out in proposed fields. Upper 0.15 m thick layer of soil has been considered as top soil which will be kept on the berm safely.

The total generated top soil will be scraped out and shall be kept on unmined area and once mining will be done, scraped soil shall be spreader back on the mined-out area to restore the proposed fields or used beside the place where plantation is to be done.

No waste will be generated during mining. Only ash is generated during burning of dried bricks which is reused to cover the stacked dried bricks in the trench. It works as insulator and prevents heat loss. Sometimes it is spread on the kanchha roads to maintain its level, then water is sprinkled on Ash to settle down. Hence, no waste disposal arrangements are required in the Mining Plan.

Handwritten signature


CHAPTER-11 ENVIRONMENTAL MANAGEMENT PLAN

Anticipated Environmental Impacts, Mitigation Measures and Environmental Management Plan

The pollution potential of the proposed project, its possible impacts on the surrounding environment during pre-operational and operational phases and the necessary management actions proposed for control and abatement of pollution are furnished hereunder.

11.1 AIR ENVIRONMENT

Mitigation Measures for Fugitive Dust Emission:

- ❖ Tractors will be covered by tarpaulin sheet to prevent dust emission.
- ❖ Water will be sprayed after loading activity (if soil would be in dry condition).
- ❖ The dust suppression measures like water spraying will be done on the haul roads and working areas.

For Vehicular Emission

- ❖ Overloading of tractors and trolleys will be prevented.
- ❖ Vehicular emission can pose serious health hazard. During the clay/soil mining extraction, tractor would be used for transportation. Tractor comprises of diesel engine produce particles are dangerously fine of PM_{10} & $PM_{2.5}$. It is known fact that combustion of diesel generates small particulate matter, nitrogen oxides and sulphur dioxide.
- ❖ Ultra-low Sulphur diesel would be used in vehicle. CPCB prescribed emission Standards for the vehicle would be followed

11.2 WATER ENVIRONMENT

Mitigation measure

- ❖ Safeguards will be adopted against health risks on account of breeding of vectors in the water bodies created due to borrowing/excavation of earth by sprinkling of pesticides.
- ❖ Labors would not be allowed to through trashes in water bodies.
- ❖ Utmost care will be taken to minimize or control oil spills or leakage from vehicles used for brick clay transportation.
- ❖ The washing of tractors and trolleys on the land will be avoided.
- ❖ Water Quality Monitoring for the ground water shall be carried out seasonally to ensure that the water quality is not affected by the project activities.

11.3 LAND ENVIRONMENT

Anticipated impact

The major impact of clay mining on land is changes in landscape, land stability and soil loss. Due to continued and unscientific clay mining, pits of different dimensions would be formed in the affected areas. Some of the pits may later be covered with water to form artificial ponds. The artificial ponds created in random location due to indiscriminate clay mining may lead to land stability problems in the adjoining areas. The problem of subsidence will be aggravated in areas where the subsurface geology is with sand and clay alternations. Other impacts on land include:

- ❖ Disposal of packing materials, carried by the workers. This packing material would include used sachet / gutka /pan masala pouches. Polythene/plastic bag are by used by the workers to bring their foods etc.

Mitigation measures

Handwritten signature

- ❖ Top soil (0-6 inches/ 15 cm) will be scooped first and stored for further reclamation of mined area. Clay/soil mining will be limited to 2 m only from the surface.
- ❖ No foreign material like polythene/plastic bag, jute bag and useless articles should be allowed to remain / spill on the land, or no pits/pockets will be allowed to be filled with such material.
- ❖ Mining will not exceed beyond the agreed extraction depth.

11.4 NOISE ENVIRONMENT

Anticipated impacts

As far as noise pollution is concerned, clay mining does not contribute much to noise pollution, except the noise generated from the vehicles that transport raw clays scooped from lands and the products from the clay-based industrial units. Noise level in the working environment is compared with the standards prescribed by Central Pollution Control Board which has been adopted and enforced by the Govt. of India through The Noise Pollution (Regulation and Control) Rules, 2000.

Mitigation measures

- ❖ Well maintained vehicles will be used to reduce the noise during movement of vehicles.
- ❖ Regular and proper maintenance of transportation vehicles tractor will be ensured.
- ❖ There would be restriction on vehicular movement during night time.

11.5 BIOLOGICAL ENVIRONMENT

11.5.1 Impact on ecological factors

The area where clay mining is practiced is usually barren and waste lands which are generally devoid of any natural vegetation. There will not be any impact on the biological environment in the surrounding area. There will not be any impact on the biological environment in the surrounding area.

11.6 GREENBELT DEVELOPMENT

It is proposed to have plantation on unworked areas (lease periphery or berm of about 1m width) and along haul roads to provides cover against dust dissemination. Plantation will also be carried out as social forestry programmed in villages schools and the areas allocated by the Panchayat/ State Authorities. During plantation, local plant species will give preference or in consultation with local forest officials.

The proponent will plant about 10 saplings on the boundary/ berm or nearby public location every year and shall keep maintain of plant till appropriate growth.

TREES PROPOSED FOR AVENUE PLANTATION FOR GREEN BELT DEVELOPMENT

Sl. No.	Agro climatic zone & Sub zone	Middle Genetic Plains, north-west alluvial sub zone	
	Scientific name	Common Name	Pollution control feature
1	Acacia nilotica	Babul	Tolerant to SO ₂
2	Azadirachta indica	Neem	Tolerant to SO ₂
3	Pithecolibium dulce	Jungle jalebi	Tolerant to SO ₂ and Dust control
4	Mangifera indica	Aam	Tolerant to Dust control
5	Tectona grandis	Sagon	Tolerant to Dust control
6	Ficus benghalensis	Bargad	Tolerant to Dust control
7	Scigium cumuni	Jamun	To stop soil erosion
8	Terminalia arjuna	Arjun	To stop soil erosion
9	Populus ciliate	Popular	Fast growing
10	Ficus religiosa	Peepal	Dust particles absorb

SOCIO-ECONOMIC ENVIRONMENT



In the trade-off between the socio-economic needs and environmental conservation, generally cannot be takes the upper hand socio-economic condition of the project area, the activities cannot be ignored. As regard socio-economic condition of the project area, the clay mining activity provides employment opportunities to various people. The economic base of the region will also be enhanced, if the mining is allowed. In the case of land use, it is clear that any type of quarrying would drastically change the existing land use.

The proponent will take care of all the facilities for workers at the mining site area.

- ❖ For sanitation purpose portable/mobile toilets will be provided by the proponent.
- ❖ Provision of drinking water: Water required for drinking purpose will be obtained through tankers/nearby sources with proper permission.

ENVIRONMENT MANAGEMENT PLAN

To mitigate the adverse impacts which are likely to be caused due to the mining operation and overall scientific development of local habitat, environmental management plan (EMP) has been formulated and integrated with the mine planning. Proper environmental management plan is proposed for "Brick clay" mining project to initiate the impact during the mining operations.

1. A berm will be left from the adjoining field having a width 1.0 meter (equal to at least half the depth of proposed excavation). Further plantation will be done above the berm.
2. No labour camps will be established on Mining site.
3. No cooking, or burning of wood will be allowed at the mine site.
4. Prior to commencement of mining, a short awareness program will be conducted for labours to make them aware of way of working and various precautions to be taken while at work. Such program will be repeated occasionally.
5. No tree cutting, chopping, lumbering, uprooting of shrubs and herbs will be allowed.
6. Collection of air and water samples at strategic locations with frequency suggested and by analyzing thereof. If the parameters exceed the permissible tolerance limits, corrective regulation measure will be taken.
7. Collection of brick clay samples at strategic locations once in every year and analysis thereof with regard to deleterious constituents, if any.
8. Measurement of water level fluctuations in the nearby ponds, dug wells and bore wells.
9. Plantation/a forestation will be done as program i.e., along mining lease, road sides and near civic amenities, which will be allotted by Government bodies. Post plantation, the area will be regularly monitored in every two years for evaluation of success rate. For selection of plant species local people should also be involved

RISK & HAZARDS MANAGEMENT

As it is brick clay mining project, so there are no major risk and hazard activities associated with the proposed activities. But the project proponent will must take care the site location by:

- ❖ Proper fencing all around the mining site so that it can prevent any mishap or accident in future.
- ❖ The materials being transported after excavation will be properly covered with tarpaulin sheet.
- ❖ Periodic water sprinkling will be done to arrest dust.

LAND RECLAMTION PLAN

[Signature]



Brief description of the year wise reclamation plan giving the proposed plantation programme, scope of backfilling worked out pits.

The mining activity is being carried out in proposed fields. Total generated top soil will be scraped out and shall be kept on unmined area and once mining will be done, scraped soil shall be spreader back on the mined-out area to restore the proposed fields or used beside the place where plantation is to be done.

STRATEGY FOR PROTECTION OF RIVER COURES, NALAS, WATER TANKS, VILLAGES, IMPORTANT MONUMENTS:

Briefly outlined the proposed strategies for protection of the following:

- a) River courses
- b) Nalas
- c) Water tanks
- d) Villages / houses / hutments / agricultural land

There is no river in or immediate surroundings of the activity area. No nala or drainage passes within or near mining area. There are no important monuments and waters tanks nearby the mining area. Mining is confined in very small scale. Brick Earth from proposed field will be mined out. Upper top fertile of proposed field will be kept safely. After removal of Brick Earth from the area, safely kept top soil will be spread back on the mined-out field. Thus, the mined-out area will be used for agricultural activities in future.



CHAPTER-12

MINE CLOSURE PLAN**12.0 Introduction:**

(a) Name of Applicant:	Shri Akhilesh Singh S/o Awadhesh Narayan Singh At-Kamalpur Singhiya, Bidupur Bazar, Vaishali, Bihar-844503 Mob: 9934704788
(b) Status of Lessee:	Individual/Proprietorship
(c) Location:	Mauza- Azmatpur Damo, Block- Hajipur, Vaishali, Bihar Google location map attached
(d) Extent of Lease area:	1.60 hectares
(e) Type of lease:	Non-Forest Land
(f) Present land use pattern:	Barren Land
(g) present Method of mining And mineral processing	Refer Chapter No.-07

12.1. Reasons for Closure:

The mineral Brick Earth will be excavated for use of making kachha bricks. After Completion of excavation of mineral up to depth of 2 m, the mine will be closed as per rules, regulations and orders. No premature closure is anticipated.

12.2. Statutory Obligations:

As per rule 17 (7) of Bihar Minerals (Concession, Prevention of Illegal Mining, Transportation & Storage) Rules, 2019, 22 of amended rules of BMMC Rules 2014 & 23 B of MCDR 1988 for every fresh grant of mining lease a mine closure plan is required to be submitted in compliance of the aforesaid rule of MCDR 1988, the progressive mine closure plan is being in accordance with the guidelines issued by Chief Controller of Mines (CCOM) vide circular no. 14/2003.

12.3. Closure plan preparation:**a). Name and address of the Applicant:**

Shri Akhilesh Singh
S/o Awadhesh Narayan Singh
At-Kamalpur Singhiya, Bidupur Bazar,
Vaishali, Bihar-844503

b). Name & address of R.Q.P.:

M/s. Praneja Envirocare & Management Pvt. Ltd, Memo No. - (Sl. No.- 30/
M. No.- 3825 DT. 07.11.2019 of Dept. of Mines & Geology, Govt. of Bihar).

1. Ravi Shankar (Mining Engineer),
Memo No. - (Sl. No.- 18/ M. No.- 3825 DT. 07.11.2019)
Dept. of Mines & Geology, Govt. of Bihar.
Mob-748509640, Email- shankar_ravi677@gmail.com
2. Praveen Kumar Roy (Mining Engineer)
Mob: 9708251824, pemanagementindia@gmail.com

Address:

Ground Floor, Opp. Vamika Apartment,
Near Passport Office, Ashiyana,
Khajpura, Patna-800014 (Bihar)
Email ID : pemanagementindia@gmail.com

c). Name of the executing agency:

M/S Rajmahal Bricks

The lessee himself shall execute the provisions of mine closure plan.

12.4	Description	Chapter
12.4.1	Geology and Exploration	Given At Chapter 4
12.4.2	Physiography	
12.4.3	Regional Geology	
12.4.4	Local Geology	
12.4.5	Exploration	
12.4.6	Estimation of Reserves	Given At Chapter 5
12.4.7	Brick Kiln Details	Given At Chapter 6
12.4.8	Proposed Mining Method	Given At Chapter 7

12.5. Review of implementation of Mining Plan/scheme of mining including closure plan up to the final closure of mine:

Not applicable.

12.6. CLOSURE PLAN:

12.6. Mined out land:

In general, the environmental impact will always be adverse, due to mining operations if proper abatement measures will not be taken. The magnitude and significance of the environmental pollution caused by mining depends on type of mineral, method of mining and beneficiation etc. As a result of mining operation, the original ground profile will be altered. No proposal can be given for concurrent back-filling. Top soil is proposed to be spread over mined out areas so that it can be reused for agriculture proposes.

Date:

Place:

Praneja Envirocare & Management Pvt. Ltd.
RQP/SI No. 38/M No.-3825/M, DT 07/11/2019

Authorized Signatory/ RQP

Praneja Envirocare & Management Pvt. Ltd.



ANNEXURE



RULES & NOTIFICATION

बिहार सरकार
खान एवं भूतत्व विभाग
अधिसूचना

दिनांक :-

04/वी0मु0-20-190/24-...../एम0, खान एवं भूतत्व विभाग की अधिसूचना संख्या-2645, दिनांक-14.09.2020 द्वारा बिहार खनिज (समानुदान, अवेध खनन, परिवहन एवं भण्डारण नियारण) नियमावली, 2019 के नियम-38 (3) में संशोधन करते हुए खनन की गहराई समीपवर्ती जमीन स्तर से ऊपर मीटर से अधिक नहीं होने की स्थिति में ईट भट्टा के उद्देश्य से ईट मिट्टी के उत्खनन को खनन गतिविधि नहीं मानने, पर्यावरणीय स्वीकृति के लिए पर्यावरणीय सहनता की आवश्यकता नहीं होने का प्रावधान शामिल किया गया था।

2. माननीय उच्च न्यायालय, पटना द्वारा CWJC No.-11181/2021 अमर कुमार बनाम बिहार राज्य एवं अन्य में दिनांक-07.03.2024 को आदेश पारित करते हुए अधिसूचना संख्या-2645, दिनांक-14.09.2020 को निरस्त कर दिया गया है। राज्य सरकार की ओर से वायर SLP No.-14272/2024 को माननीय उच्चतम न्यायालय द्वारा दिनांक-22.07.2024 को आदेश से अपील को तारिख कर दिया गया है।

3. माननीय उच्च न्यायालय, पटना द्वारा दिनांक-07.03.2024 को पारित न्यायादेश के अनुपालन में निम्नक्त निर्देश जारी किये जाते हैं :-

i. खान एवं भूतत्व विभाग की अधिसूचना संख्या-3174, दिनांक-17.09.2019 से प्रव्यवहित बिहार खनिज (समानुदान, अवेध खनन, परिवहन एवं भण्डारण नियारण) नियमावली, 2019 के नियम-38 (3) प्रभावी होगा।

ii. पर्यावरण, वन एवं जलवायु परिधान मंत्रालय, भारत सरकार की अखतन अधिसूचना/निर्देशों के अनुरूप आवश्यक पर्यावरण अनापति प्राप्ति कर ही ईट भट्टा के उद्देश्य से मिट्टी का उत्खनन किया जाएगा।

बिहार राज्यपाल के आदेश से,

ह0/-
(धर्मेन्द्र सिंह)
सचिव

आपांक-04/वी0मु0-20-190/24-...../एम0, पटना, दिनांक:-

प्रतिलिपि:- अवर सचिव (ई-गजट कोषांग), वित्त विभाग को सी0डी0 सहित प्रेषित करते हुए अनुरोध है कि राजपत्र में अधिसूचना का प्रकाशन किया जाए।

ह0/-
सचिव

आपांक-04/वी0मु0-20-190/24-2678.../एम0, पटना, दिनांक-02.09.24

प्रतिलिपि:- सभी समाहता/ समी खनिज विकास पदाधिकारी को सूचनाार्थ एवं आवश्यक कार्यार्थ प्रेषित।

सचिव 31/08/24
V

No. L-11011/47/2011-IA.II(M)
Government of India
Ministry of Environment & Forests

Paryavaran Bhawan,
C.G.O. Complex, Lodhi Road,
New Delhi-110003

Dated: 24th June, 2013

OFFICE MEMORANDUM

Subject: Guidelines for consideration of proposals for grant of environmental clearance under EIA Notification, 2006 for mining of 'brick earth' and 'ordinary earth' having lease area less than 5 ha - regarding categorization as Category 'B2'

The Hon'ble Supreme Court, vide its order dated 27.02.2012 in LA.No.12-13 of 2011 in SLP (C) No.19628-19629 of 2009 titled Deepak Kumar etc. Vs. State of Haryana & Ors. has inter alia ordered that leases of minor mineral including their renewal for an area less than 5 ha be granted by the State / Union Territory only after getting environment clearance (EC) from the Ministry of Environment & Forests (MoEF). In order to ensure compliance of the aforesaid order of the Hon'ble Supreme Court, MoEF issued an OM No.L-11011/47/2011-IA.II(M) dated 18.05.2012 stating inter alia that all mining projects of minor minerals including their renewal, irrespective of the size of the lease would henceforth require prior EC and that the projects of minor minerals with lease area less than 5 ha would be treated as Category "B" as defined in EIA Notification, 2006 and will be considered by the respective State Environment Impact Assessment Authorities (SEIAAs) notified by MoEF and following the procedure prescribed under the EIA Notification, 2006.

2. MoEF has received a number of representations conveying problems being faced by the brick kiln manufacturers in obtaining EC for 'brick earth' mined by them for making bricks and by the developers of road projects in respect of mining of 'ordinary earth' used for road construction. The brick kiln manufacturers have requested that as the digging of 'brick earth' for making bricks is a small scale activity requiring digging only upto a certain depth, the activity may be kept outside the purview of EC. The project proponents developing roads have represented that the 'ordinary earth' required for road construction is generally taken from the farmers / individuals along the road alignment from their borrows. It would be impractical to ask the farmers / individuals to obtain EC for such digging. In a nutshell, the arguments being put forth are that while digging of 'brick earth' for brick making and 'ordinary earth' for road making do not have serious environmental implications, the provisioning for EC for such operations is impeding these development activities because of practical problems in obtaining EC.

Page 1 of 3

3. MoEF vide OM No F.No J-11013/12/2013-IA-II(I) dated 30.01.13 has constituted an Expert Committee, under the Chairmanship of Director, NEERI, Nagpur, to categorize Category "B" projects / activities into Category "B1" and "B2" under EIA Notification, 2006 and review classification of projects / activities into "A" and "B" and General conditions as contained in the aforesaid Notification. The issues raised by brick kiln manufacturers regarding 'brick earth' and road developers in respect of 'ordinary earth' were referred by MoEF to this Expert Committee to give their recommendations. The Committee deliberated upon these issues and has since given its recommendations in the matter.

4. The recommendations of the Committee have been examined by MoEF and the following has been decided:

(a) The activities of borrowing / excavation of 'brick earth' and 'ordinary earth', upto an area less than 5 ha, may be categorized under 'B2' Category subject to the following guidelines in terms of the provisions under '7.1 Stage(I)-Screening' of EIA Notification, 2006:

- (i) The activity associated with borrowing/excavation of 'brick earth' and 'ordinary earth' for purpose of brick manufacturing, construction of roads, embankments etc. shall not involve blasting.
- (ii) The borrowing/excavation activity shall be restricted to a maximum depth of 2 m below general ground level at the site.
- (iii) The borrowing/excavation activity shall be restricted to 2 m above the ground water table at the site.
- (iv) The borrowing/excavation activity shall not alter the natural drainage pattern of the area.
- (v) The borrowed/excavated pit shall be restored by the project proponent for useful purpose(s).
- (vi) Appropriate fencing all around the borrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of borrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to borrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth depth of proposed excavation.

Page 2 of 3



(vii) A minimum distance of 15 m from any civil structure shall be kept from the periphery of any excavation area.

(viii) The concerned SDCAA while considering granting environmental clearance for such activity for brick earth / ordinary earth will prescribe the guidelines as stated in (i) to (vi) above and specify that the clearance so granted shall be liable to be cancelled in case of any violation of above guidelines.

(ix) Notwithstanding what has been stated at (i) above, the following will apply:-

- (i) No borrowing of earth / excavation of 'brick earth' or 'ordinary earth' shall be permitted in case the area of borrowing / excavation is within 5 km of boundary of national parks and wild life sanctuaries.
- (ii) In case the area of borrowing / excavation is likely to result into a cluster situation i.e. if the periphery of any borrow area is less than 500 m from the periphery of another borrow area and the total borrow area equals or exceeds 5 ha, the activity shall become Category 'B1' Project under the EIA Notification, 2006. In such a case, mining operations in any of the borrow areas in the cluster will be allowed only if the environmental clearance has been obtained in respect of the cluster.

This issues with the approval of the Competent Authority.

(Dr. Saroj)
Director
Tel: 2450497

To,

1. All the Officers of EA Division
2. Chairpersons / Member Secretaries of all the SDCAs/SEACs
3. Chairman, CPCB
4. Chairpersons / Member Secretaries of all the SPDCs/UTPCCs

Cc to:-

1. PS to MHT
2. PPS to Secretary (E&T)
3. PPS to ADG (F)
4. PPS to ADG (WT)
5. PPS to PG (AT)
6. PPS to PG (EC)
7. Working MoU
8. Guard File



बिहार राज्यात्तमर्त लघु खनिजों के खनन योजना तैयार करने हेतु एजेंसी Empanment के लिए आमंत्रित Expression of Interest के तहत प्राप्त निविदा के क्रम में दिनांक-22.08.2019 को अपराह्न 03:00 बजे विभागीय समिति के बैठक की कार्यवाही :-

बिहार राज्यात्तमर्त लघु खनिजों के खनन योजना तैयार करने हेतु एजेंसी Empanment के लिए आमंत्रित Expression of Interest के दस्तावेजों/कागजातों के आधार पर PMU द्वारा तैयार विवरणी की जीत खान एवं भूतत्व विभाग, पटना के अपर सचिव-सह-निदेशक-सह-अध्यक्ष के कार्यालय कक्षा में अन्य सदस्यों के समक्ष की गई।

2. आमंत्रित Expression of Interest के तहत कुल 36 आवेदन विभाग को प्राप्त हुए, जिसमें से कडिका-14 में उल्लेखित प्रतिष्ठान भूमि इन्वायस्टेक प्रा0 लि0 को योग्यता संबंधी प्रमाण पत्र नहीं सतम्न करने के कारण तथा कडिका-34 में उल्लेखित मेसर्स संयुक्त इन्फ्रा को संबंधित योग्यता प्रमाण पत्र सतम्न नहीं होने के कारण अयोग्य घोषित करने का निर्णय लिया गया तथा शेष 34 को Empanelled करने का निर्णय लिया गया, विवरणी निम्नवत है :

Sr. No	Name	Contact Number	Qualification	Rate for preparation of Mining Plan (per Ha)	Rate details	Address
1	Dr. Rishi Nived Singh	9430252227 9340780132	M.Sc. Geology	Rs. 15,000/- (including of Tax & GST)		Dr. R.N Singh, 7th & 20, Sector 7, Block A, Flat 20, 4th Flr, Saharpur Housing Colony, Patna - 800020
2	Shree Smit Kumar	7963152734	M.Sc. Geology	Rate Slab attached	Rs. 22,000/- each Ha. Rs. 8,000/- for each subsequent additional Ha. (including of tax & GST)	123 C, Anand, Road No S.A. Patliputra Colony, Patna - 800013
3	Dr. Anurag Kumar Singh	9431508228	Ph.D. Geology	Rs. 20,000/- GST will be charged as per Government rules.		S/O - Rishi Singh, C/O - Anurag Kumar Singh, A & P, Road, District- Saran, Bihar - 841245
4	Rupesh Kumar	8008802447	B.E. (Mining Engineering)	Rate Slab attached	Minimum Rs. 25,000/- per mining plan upto 3 Hectare. For more than 3 Hectare the rate shall be increase up to Rs. 10,000/- per Hectare.	Plot No. 87, Kopya Building, Sakshi Vihar, Near Niche Petrol Pump, Mangal Gaya - 821001
5	Dr. Abdul Kabeer	7870627271	Ph.D. in Geology	Rs. 8,000/- (inclusive of Taxes)		B-76, P.C. Colony, Janki High, Patna - 800010
6	Punit Lal Mishra	9921527948 8709005622	M.Sc. (Geology)	Rs. 11,800/-	Rate per Hectare @ 20,000/- + GST @ 18% (Rs. 1800/-) = Rs. 11,800/-	House No. 121, Light House, Kishor, Sakardagan, Bhagalpur - 822005
7	Sunjay Kumar	943106886	M.Sc. (Geology)	Rs. 25,000/-	Negotiable	Vishu Sarda Colony, Jamnagar, Near St Karen's School, Gola Road, Sonagar, Patna
8	Dr. Navin Kumar Singh	7960377516	B.E. (Mining)	Rs. 30,000/-		G. Nandan Kumar, A-112, Sanjay Gandhi Nagar, Kila Alandi, Road No-9, Patna, Bihar

9	Dr. Ashish Sharma	9753185658	M. Technology	As per approved rate of Govt. of Bihar		House V/B Naya Tola (near Bazar, Patna, Bihar - 854301)									
10	M/S Saksham Nirmal	7091118994	M.Tech (Environmental Science & Engineering)	As per approved rate of Govt. of Bihar		Plot No- 01 Ground House, Naya Tola (near Naya Tola, near Bazar, Patna - 854301)									
11	Dr. Bhaskar Kumar Singh	8085378660	M. Sc. (Civil Engineering) M.Tech (Geology)	As per approved rate of Govt. of Bihar		Village - Chappara, P.O. Barhara (Patna), District - Varanasi, M.P. 221205									
12	Shashank Kumar Singh	9211406836	M.Tech (Applied Geology) M.Sc. Tech (Geomatics)	Rs. 25,000/-		B. K. Pracha Kanchha Apartment, Sector - Gandhi Road, P.O. Bagaha Nigla, District - Patna, Bihar - 85									
13	Amitabh Pratap Singh	9372430024	B.E. Computer Science & Engineering	Rs. 35,840/-	Rate per month (Rs. 27,800/- + GST @ 18% (Rs. 4800/-) (Rs. 31,840/-)	G.R. Rajendra Nagar - 850011									
14	Shri. Suresh Chandra Prasad	9595771278	Required qualification not attached	Rate provided as per slab	a. For 0 to 2 Ha - Rs. 38,000/- b. For above 2.0 Ha to 5.0 Ha - Rs. 38,000/- c. Above 5.0 Ha - Rs. 38,000/- * All rates are per Ha (or part thereof). (Example - rate of 3.50 Ha shall be considered as 3.0 Ha)	1/10 Yashwantrao Wafar, Shri. Suresh Chandra Prasad, Shop No. 191, Plot No. 529, Goldstar, Kanchha Road, near Kankhal, Patna - 854301									
15	Sonu. Gaurishankar Prasad	8238850005	M. Sc. (Geology)	Rs. 35,000/- (per house at 01 GST & Taxes)		Kali Mandir Road, Opposite Panchayat Office, P.O. Sonada, Sonada - 854301, Bihar									
16	Moham's Shrivastava	9966642981	M.Tech (Applied Geology)	Rs. 10,070/-	Rate per Month (Rs. 8,000/- + GST @ 18% (Rs. 1600/-) (Rs. 10,000/-)	Nahar, Sujan, Opposite Kankhal, near Kankhal, Bihar - 850011									
17	Chandra Prasad Singh	7879699184	Required Qualification of the employees attached	Rate as per the slab provided	<table><tr><td>Rate</td><td>Per Ha Rate (upto 5 Ha)</td><td>Per Ha Rate (more than 5 Ha)</td></tr><tr><td>Rs. 10,000/-</td><td>Rs. 10,000/-</td><td>Rs. 10,000/-</td></tr><tr><td>Rs. 5,000/-</td><td>Rs. 5,000/-</td><td>Rs. 5,000/-</td></tr></table> * Rate is inclusive of GST and other applicable taxes.	Rate	Per Ha Rate (upto 5 Ha)	Per Ha Rate (more than 5 Ha)	Rs. 10,000/-	Rs. 10,000/-	Rs. 10,000/-	Rs. 5,000/-	Rs. 5,000/-	Rs. 5,000/-	C/O. Rajendra Prasad, Shrivastava Road - 7, Kankhal, Bihar - 850011
Rate	Per Ha Rate (upto 5 Ha)	Per Ha Rate (more than 5 Ha)													
Rs. 10,000/-	Rs. 10,000/-	Rs. 10,000/-													
Rs. 5,000/-	Rs. 5,000/-	Rs. 5,000/-													
18	Ravi Shankar	7485966440	B.E. (Mining)	Rate as per the slab provided	(a) For 0 to 5 Ha - Rs. 20,000/- per mining plan (b) For above 5 Ha area shall be charged additionally Rs. 20,000/- per Ha upto 25 Ha (c) For 25 Ha and above - Rs. 20,000/- per mining plan (d) For area of 25 Ha and above - Rs. 20,000/- per Ha upto 50 Ha (e) For area of 50 Ha and above - Rs. 20,000/- per mining plan (f) For area of 50 Ha and above - Rs. 20,000/- per Ha upto 50 Ha	Village - Nagan, P.O. Bhojpur, P.S. Goh. Dist. Nalanda (Bihar) - 854308									
19	Indra Prasad & Associates Pvt. Ltd.	7542949027	B.E. (Mining)	Rs. 2,000/- per section (Each Block Mining Plan - Rs. 10,000/-)		Indra Prasad & Associates Pvt. Ltd., 201, 2nd Floor, Market, Bhojpur, Bihar - 854308									



20	Pravin Kumar Senha	7542545027	B.E (Mining)	Rs. 2,000/- per Hectare (Fact Book Mangal Pura, Rs. 30,000/-)		201, 2nd Floor, Mangal Market, Raja Bazar, Balesh Road, Patna-800014
21	Md. Tauqueer Warsi Governa Mining & Engineering Pvt. Ltd.	9534027152	M.Sc. Geology	Rs. 5,000/- (excluding GST)		Governa Mining & Engineering Pvt. Ltd., 201 Mangal Market Raja Bazar, Balesh Road, Patna-800014
22	Prabhat Kumar Srivastava	8823477206	B.E (Mining)	Rs. 8,000/-		Flat No-201, Road No-03, Boudh Nagar, Chohan Sank, Patala Park, Patna-800001
23	Ashok Kumar Singh	8766823824	Mining Engineer	Rs. 2,000/-		C/O Sri. Ravi Prasad Singh, Marhata, Mangal Awar, P.O. Chohan, P.S. Sakshari, Dist. Nalanda, Bihar-801118
24	Vandana Kumar	8126253130	M.Sc. (Applied Geology)	Rs. 10,000/-		Anupama Bhattacharya, C/O Sri. Ravi Prasad Singh, Marhata, Mangal Awar, P.O. Chohan, P.S. Sakshari, Dist. Nalanda, Bihar-801118
25	Vijayendra Exploration India Pvt. Ltd.	9831208292 9934764304	Required Qualification of the employees attached	Rs. 5,200/- (inclusive of Taxes)		201, 2nd Floor, Sahat Rajendra Singh Complex, Anand Nagar, Patna-800002
26	Hari Kumar Pvt. Ltd.	9422285638	Required Qualification of the employees attached	Rs. 5,000/- (inclusive of Taxes)		201, 2nd Floor, Mangal Market, Raja Bazar, Balesh Road, Patna-800014
27	Anurupa Pvt. Ltd.	9284201110	Required Qualification of the employees attached	Rs. 4,750/- (inclusive of Taxes)		201, 2nd Floor, Mangal Market, Raja Bazar, Balesh Road, Patna-800014
28	M/S. Bachel Enterprises & World Management Pvt. Ltd.	9421047532	Qualification of candidates are attached	As decided by the Department of Mines & Geology, Govt. of Bihar		Bachel Enterprises & World Management Pvt. Ltd., 1st Floor, 21, Ganga Sahay off Nagari Road No. 2, Mayapatti Colony, Balesh Road, Patna-800025, Bihar
29	Ujjwal Koh Sena	9844452711	Qualification of candidates are attached	Rs. 3,000/-	Rate 1. Minimum rate for a Sand Block shall 75,000/- 2. Minimum rate for a Sand Block shall 10,000/- OR As decided by the Department of Mines & Geology, Govt. of Bihar	27, Ganga Sahay off Nagari Road, Mayapatti Colony, Balesh Road, Patna-800025, Bihar
30	Maurya Engineering & Management Pvt. Ltd.	9108255624	Qualification of candidates are attached	Rs. 10,000/- (excluding GST 18%)	Remarks: Fee should not be less than 20,000/- or more than 50,000/- (excluding GST) OR As decided by the Department of Mines & Geology, Govt. of Bihar	101, Shriyashanti apartment, Road No. 10, Anand Nagar Colony, Balesh Road, Patna-800014
31	Industries of Environment and Eco Development Pvt. Ltd.	9084208311	Details of Qualification attached	Rs. 10,000/- (excluding GST)	Rate will be negotiable as per direction from Department of Mines & Geology, Govt. of Bihar	Admin. Office-Ground Floor, Shriyashanti Apartment, Maurya Path, Balesh Road, P.O. G.V. College Patna-800014
32	Development and Automation Systems India Pvt. Ltd.	5774007470 9315013119	Details of Qualification Attached	Rs. 2,750/- (inclusive of Taxes)		Prabha Neelam, Road No. 33, Patel Nagar, Near Petrol Pump, Patna-800079



33	Indrani Pvt. Ltd	9433040219	Bachelor of Engineering (Mining)	Rate for each District is Rs. 5,500/-	Engineers A	H No. 21, First Floor, 1st Crossing, S. P. Nagar, Patna-800001
34	M/S Sanyukt Indra	7286060606	Bachelor of Architecture	Rs. 5,500/-		South of Muladhara Mining Company, Mukhi Pura, Kankarbagh-800010 C/O Mr. Anil Kumar, plot No. 1-171, Road No. 23 Near Bhat-Bihar, Sikandaria Nagar, Patna 800001
35	Sachin Planning Pvt. Ltd	9860877218	Details of qualification attached	Rs. 12,000/-		501, 5th Floor, Apex Tower, Park Road Lapin-800015, Tel 9141 2744509
36	Dinesh Non-Tech Consultants	9460271084	Details of qualification attached	Rs. 13,000/-		

3. प्राप्त सभी EOI की समीक्षा के उपरान्त विभागीय समिति द्वारा सर्वसम्मति से खनन योजना हेतु देय राशि प्रति खनन योजना अधिकतम ₹30,000/- (तीस हजार) रु0 GST सहित (वाहे माइनिंग प्लान कितने भी हेबटेयर का हो) का भुगतान की अनुशंसा की गई।

4. समिति द्वारा उक्त न्यूनतम दर को स्वीकृत करते हुए उक्त न्यूनतम दर पर अभिरूचि की अभिव्यक्ति आमरण में शामिल ऐसे प्रतिष्ठान, जो वांछित योग्यता को पूरा करते हो तथा जिनका वर्तमान में पटना या बिहार राज्यान्तर्गत अन्य जिलों में कार्यालय संचालित है ऐसे प्रतिष्ठान को तत्काल प्रभाव से empanelled करने की अनुशंसा की जाती है।

सौध अन्य एजेंसी/व्यक्ति अगर भविष्य में बिहार राज्यान्तर्गत कार्यालय खोलने संबंधी साक्ष्य/दस्तावेज प्रस्तुत करते हैं तो उन्हें भी भविष्य में उक्त दर पर तत्पु खनिजों के खनन योजना तैयार करने हेतु RUP के रूप में empanelled करने की अनुशंसा की जाती है।

5. Empanelled एजेंसियों को अपने दस्तावेजों का सत्यापन विभागीय समिति से कराना आवश्यक होगा।

EO/-
आपराइजेशन,
सदस्य

EO/-
संश्लेष (गु0),
सदस्य

EO/-
अवर सचिव,
सदस्य

EO/-
उप निदेशक,
पटना जंक्शन, पटना
सदस्य

EO/-
उप निदेशक (गु0),
सदस्य

EO/-
अवर सचिव-सह-
निदेशक,
आयस

EO/-

सरकार के अवर सचिव

ज्ञापक:- _____/एम0, दिनांक:- _____

प्रतिलिपि- सभी सभासदों को सूचनाार्थ एवं आवश्यक कार्यवाई हेतु प्रेषित।

EO/-

सरकार के अवर सचिव

ज्ञापक:- _____/एम0, दिनांक:- _____

प्रतिलिपि- सभी उप निदेशक/सभी सहायक निदेशक/सभी खनिज विकास प्रदाधिकारी/
सभी खान निरीक्षक को सूचनाार्थ एवं आवश्यक कार्यवाई हेतु प्रेषित।

EO/-

सरकार के अवर सचिव

P.T.O.



संख्यांक- 3825 / एम० दिनांक- 03/11/19

प्रतिरूपि- माननीय मंत्री के आप्त सचिव/प्रधान सचिव के प्रधान आप्त सचिव/निदेशक
कोषांग/उप निदेशक (मु०)/सहायक निदेशक (मु०)/खनिज विकास
प्रशासिका (मु०) को सूचनाएं एवं आवश्यक कार्यवाई हेतु प्रेषित।

11/11/19
3/11/19

11/11/19
सरकार के अवर सचिव

Handwritten signature

ID PROOF OF THE APPLICANT

भारत सरकार
Government of India

अहिलेश सिंह
Akhilash Singh
जन्म तिथि: DOB: 28/01/1954
पुरुष: Male




6955 1771 1032

मेरा आधार, मेरी पहचान

राष्ट्रीय पहचान सूचना प्राधिकरण
Unique Identification Authority of India

आधार
अहिलेश, अहिलेशरायन सिंह
अहिलेश सिंह, अहिलेश सिंह
जन्म तिथि: 28/01/1954
पुरुष: Male

अहिलेश
अहिलेशरायन सिंह
अहिलेशरायन सिंह
अहिलेशरायन सिंह
अहिलेशरायन सिंह

6955 1771 1032

Akhilash Singh

आयकर विभाग
INCOME TAX DEPARTMENT

भारत सरकार
GOVT. OF INDIA

अहिलेश सिंह
AKHILESH SINGH
अहिलेश नारायण सिंह
AWAHESH NARAYAN SINGH
28/01/1954
Permanent Account Number
AIVPS4556L

Signature

For more information on Income Tax, visit the website: www.incometax.gov.in
Toll Free: 1800-120-1234
Helpline: 1800-120-1234
Email: info@incometax.gov.in
Address: Income Tax Department, Government of India, New Delhi-110002

Akhilash Singh

Handwritten signature and stamp

LAND DEED & REVENUE RECEIPT

Handwritten signature



Registration Department,
Government of India



INDIA NON JUDICIAL



Cyflam

First Party Name *	First Apple India
Second Party Name *	APPLE INDIA PRIVATE LIMITED
Purchased By *	APPLE INDIA PRIVATE LIMITED
Certificate Number	190320101211727000430102
Consideration Price	₹0.00/-
Stamp Duty Paid	₹1000.00/-
Regulatory Fee & Other Fees	₹0.00/-
TDS & Prev Tax	₹0.00/-
Miscellaneous Fees	₹0.00/-
Discrete SG	₹0.00/-
Total Amount	₹1000.00/- One Thousand



This stamp paper will only be valid if returned below with special RED ink impression

Phone No:
Jatd Reference To
For Change/ID Proof
KATHLEEN SINGER



012-96-2024 96x14x40
₹ 0001000/-
एन.एस.डी.ए. ०८ २५ ०८ २५
Date of receipt
08/08/2025 17:20:00 2025-08-08 17:20
08/08/2025 10:40

लीज एग्रीमेंट

प्रथम पक्ष

1. श्री उमेश नारायण चन्द्र पिता- अमोश नारायण सिंह
2. श्री हरिवंश शर्मा परमहंस शर्मा एवं सुजीव शर्मा पिता- रामकृष्ण शर्मा
3. श्री अश्विमान ठाकुर, श्री रामभूत ठाकुर एवं श्री राम चरण ठाकुर पिता- श्री परमिन्द्र ठाकुर
4. श्री जयमंगल प्रसाद सिंह पिता- श्री जगत प्रसाद शर्मा
5. श्री नंदलाल शर्मा पिता- श्री नवल विश्वेश ठाकुर
6. श्रीमती सुमंगली देवी पति- श्री राम नरेश सिंह
7. श्री देवेंद्र ठाकुर पिता- श्री राम कमल ठाकुर
8. श्रीमती रेखा देवी पति- श्री विरेन्द्र कुमार सिंह प्राग- अजगठापुर दामो, थाना- हाजीपुर, जिला- वैशाली, बिहार, भारत के मूल निवासी हैं।

द्वितीय पक्ष

श्री अखिलेश सिंह, उम्र लगभग 70 वर्ष, पिता- स्व. अवधेश नारायण सिंह ग्राम- कगलपुर सिंधिया,
पो- कगलपुर सिंधिया, थाना- मैशाली, बिदुपुर बाजार, जिला- वैशाली, (बिहार)- 844503 भारत
के मूल निवासी हैं एवं सर्वश्री राजमहल ब्रिक्स (M/S Rajmahal Bricks) के नाम से ईंट भट्टा

April 1-24 85 mph



का संचालन करते हैं। ईंट निर्माण के काम में इन्हें मिट्टी की आवश्यकता है। इसी काम में इन्होंने प्रथम पक्ष से संबंध स्थापित किया। प्रथम पक्ष का गीजा- अजमलपुर दामो, गीजा संख्या- 302, शाना एवं अंचल- हाजीपुर, जिला- वैशाली, बिहार, कुल 4.68 एकड़ जमीन है, जिसका डिमांड चल रहा है एवं संपूर्ण ढंग से प्रथम पक्ष के दखल कब्जे में है अतः जमीन मालिक अपने जमीन से 2 मी० मिट्टी कटवाना चाहते हैं।

जमीन का विवरण निम्नलिखित है।

क्र०सं०	रियल का नाम	गीजा संख्या	खसता	खेसरा	रकबा (एकड़) में
1	श्री उमेश नारायण चन्द पिता- अक्षेश नारायण सिंह	302	61, 7, 50, 5 एवं 78	1150, 1151, 1152, 1164, 1166 एवं 1167	0.72
2	श्री हरिवंश शर्मा परमहरा- शर्मा पिता- रामवृक्ष शर्मा		47	1160	0.51
3	श्री जगन्मोहन ठाकुर श्री पिता- श्री परमिन्द ठाकुर		5	1161	0.55
4	श्री जगन्मोहन प्रसाद सिंह पिता- श्री जगन्मोहन प्रसाद शर्मा		50, 50, 61, 50, 7, 61, 7 61 एवं 12	1162, 1174, 1170, 1164, 1170, 1171 1172 एवं 1176	2.05
5	श्री नंदलाल शर्मा पिता- श्री गजल किराँत ठाकुर		66	1163	0.24
6	श्रीमती सुनंती देवी पति- श्री राम नरेश सिंह		66	1163	0.27
7	श्री देवेन्द्र ठाकुर पिता- श्री राम कान्त ठाकुर		33	1175	0.24
8	श्रीमती रेखा देवी पति- श्री विरेन्द्र कुमार सिंह		69	177	0.11
कुल (रकबा एकड़ में)					4.68

प्रथम पक्ष, दूसरे पक्ष को उपरोक्त जमीन निम्नलिखित शर्तों पर देन को तैयार हुआ:

1. प्रथम पक्ष 7 वर्षों या कार्य समाप्ति (जो भी पहले हो) तक के लिए जमीन द्वितीय पक्ष को लीज पर दे रहे हैं। लीज का वार्षिक बिराया 45,000/- रु० मात्र होगा जिसका भुगतान द्वितीय प्रथम पक्ष को समय पर करेंगे।

Aswini Singh



2. द्वितीय पक्ष उक्त जमीन से 2 मी० मिट्टी कटाई कर उसका इस्तेमाल ईट निर्माण कार्य में कर सकते हैं।
3. मिट्टी कटाई से सम्बंधित जरूरी सरकारी अनुमोदन की जिम्मेवारी द्वितीय पक्ष की होगी।
4. मिट्टी की सैंपलिंग, मालिकाना फीस एवं अन्य सरकारी शुल्क (मालगुजारी का छोड़ कर) के भुगतान की जिम्मेवारी द्वितीय पक्ष की होगी।
5. मिट्टी के खनन एवं धुलाई का खर्च द्वितीय पक्ष की जिम्मेवारी होगी।
6. प्रथम पक्ष मुख्य मार्ग से खनन क्षेत्र तक पहुंच पथ उपलब्ध कराएंगे।
7. कार्य समाप्ति के बाद द्वितीय पक्ष उक्त जमीन को समतल बनाकर प्रथम पक्ष को सौंप देंगे।

दोनों पक्ष ने उपर्युक्त शर्तों को अच्छी तरह से पढ़कर समझ लिया है, उसके उपरांत गवाहों की उपस्थिति में अपना-अपना हस्ताक्षर कर रहे हैं।

प्रथम पक्ष

द्वितीय पक्ष
A. K. Singh
श्री अखिलेश सिंह
20.10.2024

1. श्री उमेश नारायण चन्द उमेश नारायण चन्द
2. श्री हरिवंश शर्मा हरिवंश शर्मा
3. श्री अम्बिका ठाकुर अम्बिका ठाकुर
4. श्री जयनंद प्रसाद जयनंद प्रसाद
5. श्री नंदलाल शर्मा नंदलाल शर्मा
6. श्रीमती सुगमती देवी सुगमती देवी
7. श्री देवेन्द्र ठाकुर देवेन्द्र ठाकुर
8. श्रीमती रेखा देवी रेखा देवी

गवाह-

अ. न. के. देवी

Handwritten signature



27/10/2022

बिहार सरकार
विहार सरकार
राजस्व एवं भूमि सुधार विभाग
जमाखंडी पन्जी प्रति

भाग संख्या : 1 पृष्ठ संख्या : 280 जमाखंडी संख्या : 1 संग्रहीत जमाखंडी संख्या : 224127800000754
जिला का नाम : Muzaffarpur जिला का नाम : Muzaffarpur जिला का नाम : Muzaffarpur जिला का नाम : Muzaffarpur
विभाग का नाम : राजस्व एवं भूमि सुधार विभाग विभाग का नाम : राजस्व एवं भूमि सुधार विभाग विभाग का नाम : राजस्व एवं भूमि सुधार विभाग विभाग का नाम : राजस्व एवं भूमि सुधार विभाग

हस्ताक्षर : राजस्व एवं भूमि सुधार विभाग, जिला : Muzaffarpur
पद : राजस्व एवं भूमि सुधार विभाग, जिला : Muzaffarpur
दिनांक : 27/10/2022

खण्ड संख्या	जमाखंडी संख्या	विवरण	प्लॉट नं.	प्लॉट का नाम	प्लॉट का क्षेत्रफल	प्लॉट का मालिक	प्लॉट का मालिक का पता	प्लॉट का मालिक का पता	प्लॉट का मालिक का पता
1	493	0 ए 11 डि 0 हे	1	11	11	11	11	11	11
47	736	0 ए 11 डि 0 हे	1	11	11	11	11	11	11
47	774	0 ए 28 डि 0 हे	1	11	11	11	11	11	11
47	804	0 ए 30 डि 0 हे	1	11	11	11	11	11	11
47	812	0 ए 21 डि 0 हे	1	11	11	11	11	11	11
47	888	0 ए 53 डि 0 हे	1	11	11	11	11	11	11
47	891	0 ए 22 डि 0 हे	1	11	11	11	11	11	11
47	912	0 ए 20 डि 0 हे	1	11	11	11	11	11	11
47	922	0 ए 24 डि 0 हे	1	11	11	11	11	11	11
47	934	0 ए 8 डि 0 हे	1	11	11	11	11	11	11
47	1036	0 ए 15 डि 0 हे	1	11	11	11	11	11	11
47	1048	0 ए 40 डि 0 हे	1	11	11	11	11	11	11
47	1052	0 ए 32 डि 0 हे	1	11	11	11	11	11	11
47	1088	0 ए 14 डि 0 हे	1	11	11	11	11	11	11
47	1122	0 ए 40 डि 0 हे	1	11	11	11	11	11	11
47	✓ 1160	0 ए 50.5 डि 0 हे	1	11	11	11	11	11	11
47	6	0 ए 3 डि 0 हे	1	11	11	11	11	11	11
47	80	0 ए 2 डि 0 हे	1	11	11	11	11	11	11
47	82	0 ए 1 डि 0 हे	1	11	11	11	11	11	11
47	115	0 ए 7 डि 0 हे	1	11	11	11	11	11	11
47	128	0 ए 23 डि 0 हे	1	11	11	11	11	11	11
47	136	0 ए 14 डि 0 हे	1	11	11	11	11	11	11
47	176	0 ए 8 डि 0 हे	1	11	11	11	11	11	11
47	206	0 ए 1 डि 0 हे	1	11	11	11	11	11	11
47	212	0 ए 7 डि 0 हे	1	11	11	11	11	11	11
47	259	0 ए 24 डि 0 हे	1	11	11	11	11	11	11



256	0 5 26 0 0 0	0 5 26 0 0 0	0 5 26 0 0 0	0 5 26 0 0 0	0 5 26 0 0 0
266	0 5 10 12 0 0	0 5 10 12 0 0	0 5 10 12 0 0	0 5 10 12 0 0	0 5 10 12 0 0
322	0 5 0 13 0 0	0 5 0 13 0 0	0 5 0 13 0 0	0 5 0 13 0 0	0 5 0 13 0 0
369	0 5 10 13 0 0	0 5 10 13 0 0	0 5 10 13 0 0	0 5 10 13 0 0	0 5 10 13 0 0
443	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0
482	0 5 8 13 0 0	0 5 8 13 0 0	0 5 8 13 0 0	0 5 8 13 0 0	0 5 8 13 0 0
486	0 5 7 13 0 0	0 5 7 13 0 0	0 5 7 13 0 0	0 5 7 13 0 0	0 5 7 13 0 0
494	0 5 15 13 0 0	0 5 15 13 0 0	0 5 15 13 0 0	0 5 15 13 0 0	0 5 15 13 0 0
528	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0
547	0 5 13 13 0 0	0 5 13 13 0 0	0 5 13 13 0 0	0 5 13 13 0 0	0 5 13 13 0 0
586	0 5 4 13 0 0	0 5 4 13 0 0	0 5 4 13 0 0	0 5 4 13 0 0	0 5 4 13 0 0
619	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0
641	0 5 26 13 0 0	0 5 26 13 0 0	0 5 26 13 0 0	0 5 26 13 0 0	0 5 26 13 0 0
685	0 5 4 13 0 0	0 5 4 13 0 0	0 5 4 13 0 0	0 5 4 13 0 0	0 5 4 13 0 0
704	0 5 10 13 0 0	0 5 10 13 0 0	0 5 10 13 0 0	0 5 10 13 0 0	0 5 10 13 0 0
708	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0
7196	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0
7197	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0	0 5 11 13 0 0
26	0 5 4 13 0 0	0 5 4 13 0 0	0 5 4 13 0 0	0 5 4 13 0 0	0 5 4 13 0 0
628	0 5 13 13 0 0	0 5 13 13 0 0	0 5 13 13 0 0	0 5 13 13 0 0	0 5 13 13 0 0

विम समाप्त का विवरण	प्रति पत्र	मिति	मिति	मिति
मिति	06/11/2019	2019	2019	2019
210-06-13	06/11/2019	2019	2019	2019
134-09-22 10 43 46	06/11/2019	2019	2019	2019

Mutation Cases Not Found

परोक्ष जमाबंदी के विरुद्ध दाखिल हजरत का विवरण

परोक्ष जमाबंदी के विरुद्ध भूमि बेचने (Land Mortgage) में सम्बंधित विवरण देखने के लिए यहाँ क्लिक करें

मावदी में किये गए बदलाव का विवरण देखने के लिए यहाँ क्लिक करें

परोक्ष जमाबंदी के विरुद्ध विभिन्न राजस्व कोर्ट में दाखल मुकदमों का विवरण देखने के लिए यहाँ क्लिक करें

एक सम्पूर्ण जमा नहीं है
के भी प्रमाण और अनुमति के लिए सम्बंधित अधिकारियों से संपर्क करें

9. The ash generated



[illegible]

248

अभिधानात् न च भवति । अत्रापि न भवति ।

611, 612, T. 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000.

1132, 1133, 1167, 1151, 1166, 1168,
1167, 1138, 1164

॥ शुक्रवा ३० दिनामील ० दिनाम

Figure 11



2	3	4	5	6	7	8	9	10(र)	11(र)	12	13	14
	983	पु.	धनदर 1	0	32	0		0	0			कापरी
		प. उ. विव वध ठाकुर द. राम जोहर ठाकुर										0
	915	पु. प. उ. दामोदर ठाकुर द. बाबदेव ठाकुर	धनदर 1	0	18	0		0	0			कापरी
												0
	979	पु. प. उ. राम गोभीरा ठाकुर द. विव राम ठाकुर	धनदर 1	0	12	0		0	0			कापरी
												0
	990	पु. प. उ. राम जोहर ठाकुर द. देव राम ठाकुर	धनदर 1	0	26	0		0	0			कापरी
												0
	1021	पु. प. उ. राम जोहर ठाकुर द. पलटू ठाकुर	धनदर 1	0	19	0		0	0			कापरी
												0
	1028	पु. प. उ. बाबदेव ठाकुर द. विजय सिंह	धनदर 1	0	35	0		0	0			कापरी
												0
	1042	पु. प. उ. राम गोभीरा ठाकुर द. राम चारन ठाकुर	धनदर 2	0	08	0		0	0			कापरी
												0
	1131	पु. प. उ. पलटू ठाकुर द. जयचम ठाकुर	धनदर 1	0	33	0		0	0			कापरी
												0
	1148	पु. प. उ. सुख राम ठाकुर द. पलटू ठाकुर	धनदर 1	0	17	0		0	0			कापरी
												0
	1161	पु. प. उ. प्रविण ठाकुर द. देवेन्द्र ठाकुर	धनदर 1	0	55	0		0	0			कापरी
												0

प्लान 1(18) केसरी, अक्षा 156 हावीपुर, पोस्ट 15555 नजमपुर, जिला नबर 5, कापरी सं. 1800050253900000



अप क्रमिक : 2	पृष्ठ संख्या : 52	अपक्रमिक संख्या : 107	कंप्यूटर/मिनि प्रोसेसिंग संख्या : 22412780000946		
अप का नाम : Vishal	अप का पता : Hapur	अप का पता : Hapur	अप का पता : Hapur	अप का पता : Hapur	अप का पता : Hapur
अप का नाम : अजय कुमार	अप का पता : Hapur	अप का पता : Hapur	अप का पता : Hapur	अप का पता : Hapur	अप का पता : Hapur

[illegible]

समय	विवरण	प्रति घंटा	साल २०१७	साल २०१८	साल २०१९
17-05-03		873264	2017	2018	0
23-07-20 11:53:15		20072311485277371430	2021-2022	2023-2024	90

Mutation Cases Not Found !!

लोकतन्त्रवादी के विरुद्ध भूमि बंधक (Land Mortgage) से सम्बन्धित विवरण देखने के लिए यहाँ क्लिक करें

सावधानी में किये गए सद्गुणों का वितरण देखने के लिए पूर्ण सितक करें

विहार माफको
खनन एवं भूमि सुधार विभाग
जमाखंडी पत्री प्रति

27/05/20

जमा खनिज : 6, भूखण्ड : 25, जमाखंडी संख्या : 228122000021604
 क्षेत्र का नाम : Purnia, क्षेत्र का नाम : Purnia, क्षेत्र का नाम : Purnia, क्षेत्र का नाम : Purnia
 क्षेत्र का नाम : Purnia, क्षेत्र का नाम : Purnia, क्षेत्र का नाम : Purnia, क्षेत्र का नाम : Purnia

खनन एवं भूमि सुधार विभाग
 जमाखंडी पत्री प्रति

खनन संख्या	भूखण्ड संख्या	जमाखंडी संख्या	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम
24108	0593	2020 - 2021	जमाखंडी संख्या	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम
37881	55618	2021 - 2022	जमाखंडी संख्या	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम
49614	11265	2022 - 2023	जमाखंडी संख्या	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम
49856	11507	2022 - 2023	जमाखंडी संख्या	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम

खनन संख्या	भूखण्ड संख्या	जमाखंडी संख्या	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम
24108	0593	2020 - 2021	जमाखंडी संख्या	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम
37881	55618	2021 - 2022	जमाखंडी संख्या	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम
49614	11265	2022 - 2023	जमाखंडी संख्या	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम

खनन एवं भूमि सुधार विभाग

खनन संख्या	भूखण्ड संख्या	जमाखंडी संख्या	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम
24108	0593	2020 - 2021	जमाखंडी संख्या	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम
37881	55618	2021 - 2022	जमाखंडी संख्या	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम
49614	11265	2022 - 2023	जमाखंडी संख्या	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम
49856	11507	2022 - 2023	जमाखंडी संख्या	क्षेत्र का नाम	क्षेत्र का नाम	क्षेत्र का नाम

खनन एवं भूमि सुधार विभाग





विद्युत सारकार
राजस्थान एवं भूमि सुधार विभाग
जमाबंदी वाली प्रति

27/10/20

भाग वर्तमान : 2 पृष्ठ संख्या : 59 जमाबंदी संख्या : 204 कंप्यूटरीकृत जमाबंदी संख्या : 22412700000953
विकास का नाम : Valsad जलसंधारण का नाम : Haldwar जल संकट का नाम : Haldwar इलाका का नाम : जयपुर
रेलवे का नाम : अजमेरपुर जंक्शन इतिहास संख्या : N/A कोटी संख्या : 0 पक्ष संख्या : 302

जमाबंदी वाली, विकास/अनु. वन नोड सि. जल- N/A

खण्ड सं.	खण्ड/खंड/खंड सं.	रकबा	वीरता	परिचय के लिए जानकारी	समान	व
28	1100	0 ए 0 डि 0 है	ए ए ए ए	ए ए	0	0
32	1108	0 ए 0 डि 0 है	ए ए ए ए	ए ए	0	0
38	1108	0 ए 0 डि 0 है	ए ए ए ए	ए ए	0	0
50	1100	0 ए 0 डि 0 है	ए ए ए ए	ए ए	0	0
कुल परिमाण		0 ए 25.75 डि 0 है				

विम. लागू का विवरण

संख्या	विवरण	साल से	साल तक	लागत वसूली
12-06-17	311401	2011	2012	0
24-09-10 12.26.27	100324127042449574458	2012-2013	2024-2025	72

खोज जमाबंदी के विरुद्ध दाखिल खारिज का विवरण

Mutation Cases Not Found !!

खोज जमाबंदी के विरुद्ध भूमि बंधक (Land Mortgage) से सम्बंधित विवरण देखने के लिए यहाँ क्लिक करें

जमाबंदी में किये गए बदलाव का विवरण देखने के लिए यहाँ क्लिक करें

खोज जमाबंदी के विरुद्ध विभिन्न राजस्व कोड में अपार मुकदमों का विवरण देखने के लिए यहाँ क्लिक करें

एक सम्पत्ति जमाबंदी है

ही भी प्रकार की सम्पत्तियों के लिए सम्बंधित जानकारी से संयुक्त करें

Handwritten signature





27/08/20

आप का नाम : 3 प्लॉट संख्या : 174 जमाबंदी संख्या : 319 जमाबंदी की संख्या : 22412700001068
 जमाबंदी का नाम : Vaidya जमाबंदी का नाम : Haldar जमाबंदी का नाम : Haldar
 जमाबंदी का नाम : अजयकुमार शर्मा जमाबंदी का नाम : राज जमाबंदी का नाम : राज

जमाबंदी प्रदाता धर्म, विद्युत संचालक, जमाबंदी प्रदाता धर्म,
 धर्म, धर्म

प्लॉट संख्या	जमाबंदी संख्या	संख्या	जमाबंदी	जमाबंदी के लिए जमाबंदी	संख्या
42	410	0 5 3 10 0 0	1- 11 11 11 11 11 11	01	0
1	1172	0 5 10 12 0 0	1- 11 11 11 11 11 11	01	0
61	1172	0 5 22 12 0 0	1- 11 11 11 11 11 11	01	0
7	1171	0 5 10.5 12 0 0	1- 11 11 11 11 11 11	01	0
कुल प्लॉट		0 5 43.5 12 0 0			

जमाबंदी का विवरण
 जमाबंदी का विवरण
 12-09-20 274241 2012 2013 0

जमाबंदी के विरुद्ध दाखिल आवेदन का विवरण

Mutation Cases Not Found !!

जमाबंदी के विरुद्ध भूमि बंधन (Land Mortgage) से संबंधित विवरण देखने के लिए यहाँ क्लिक करें

जमाबंदी में किये गए बदलाव का विवरण देखने के लिए यहाँ क्लिक करें

जमाबंदी के विरुद्ध विभिन्न राजस्व कोर्ट में दाखल मुकदमों का विवरण देखने के लिए यहाँ क्लिक करें

जमाबंदी का विवरण
 जमाबंदी का विवरण

बिहार सरकार
राजस्व एवं भूमि सुधार विभाग

जमाबंदी फंसी प्रती

27/10/20

ब्लॉक नं. : 1 भूखंड संख्या : 320 जमाबंदी संख्या : 33 कंप्यूटरीज्ड जमाबंदी संख्या : 224127800000785
मैसूर नं. : 1/2017 अप्रतिपक्ष : 10/10/20 जमाबंदी संख्या : 33 अप्रतिपक्ष : 10/10/20
मैसूर नं. : 1/2017 अप्रतिपक्ष : 10/10/20 जमाबंदी संख्या : 33 अप्रतिपक्ष : 10/10/20

क्र.सं.	सामान्य/असामान्य	सामान्य/असामान्य	सामान्य/असामान्य	सामान्य/असामान्य	सामान्य/असामान्य
33	330	330	330	330	330
1012	1012	1012	1012	1012	1012
1013	1013	1013	1013	1013	1013
1014	1014	1014	1014	1014	1014
1015	1015	1015	1015	1015	1015

जमाबंदी संख्या : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330

जमाबंदी संख्या : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330

जमाबंदी संख्या : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330

जमाबंदी संख्या : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330

जमाबंदी संख्या : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330

जमाबंदी संख्या : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330 सामान्य/असामान्य : 330





विद्युत विभाग
राजस्थान एवं भूमि सुधार विभाग

27/10/20

जमाबंदी की प्रति

जमाबंदी नंबर : 3	प्लॉट नंबर : 282	जमाबंदी नंबर : 407	कंप्यूटरिज्ड जमाबंदी नंबर : 22412760001156
मालिक का नाम : Pankaj	जन्म तिथि : 14/04/84	पति का नाम : Hajar	पत्नी का नाम : Hajar
प्लॉट का नाम : जमाबंदी नंबर	प्लॉट का नाम : 14/04	प्लॉट का नाम : 0	प्लॉट का नाम : 302

जमाबंदी प्लॉट नंबर, प्लॉट नंबर, प्लॉट नंबर, प्लॉट नंबर
प्लॉट नंबर

प्लॉट नंबर	प्लॉट/प्लॉट नंबर	प्लॉट	प्लॉट	प्लॉट	प्लॉट	प्लॉट
12	1170	0 1 3 0 0	0 1 3 0 0	0 1 3 0 0	0 1 3 0 0	0 1 3 0 0
प्लॉट नंबर	प्लॉट नंबर	प्लॉट नंबर	प्लॉट नंबर	प्लॉट नंबर	प्लॉट नंबर	प्लॉट नंबर

जमाबंदी का विवरण

प्लॉट	प्लॉट	प्लॉट	प्लॉट	प्लॉट	प्लॉट	प्लॉट
12-09-20	274242	0012	0013	0014	0015	0016

जमाबंदी के विरुद्ध दाखिल आवेदन का विवरण

Mutation Cases Not Found !!

जमाबंदी के विरुद्ध भूमि बंधन (Land Mortgage) से सम्बंधित विवरण देखने के लिए यहाँ क्लिक करें

जमाबंदी में किये गए बदलाव का विवरण देखने के लिए यहाँ क्लिक करें

जमाबंदी के विरुद्ध विभिन्न राजस्व कोर्ट में दायर मुकदमों का विवरण देखने के लिए यहाँ क्लिक करें

जमाबंदी की प्रति

यहाँ पर जमाबंदी की प्रति देखने के लिए क्लिक करें

Handwritten signature





बिहार सरकार
राजस्व एवं भूमि सुधार विभाग

जमाबंदी धनी प्रति

27/10/20

जमा धर्तमान : 5 पृष्ठ संख्या : 650 जमाबंदी संख्या : 766 कंप्यूटरीकृत जमाबंदी संख्या : 224127800001518
जमा का नाम : 12/04/2018 अनुमति का नाम : 12/04/2018 जमा का नाम : 12/04/2018 जमा का नाम : 12/04/2018
जमा का नाम : 12/04/2018 जमा का नाम : 12/04/2018 जमा का नाम : 12/04/2018 जमा का नाम : 12/04/2018

जमा सं.	जमा सं.	संख्या	जमा सं.	जमा सं.	जमा सं.
09	1011	0 ए 12 डि 0 हे	09	1011	0 ए 12 डि 0 हे
	1177	0 ए 11 डि 0 हे		1177	0 ए 11 डि 0 हे
		0 ए 23 डि 0 हे			0 ए 23 डि 0 हे

जमा संख्या का विवरण
कालिका 12-07-06 0254036 2017 2018 0 0

जमा जमाबंदी के विरुद्ध दाखिल खारिज का विवरण Mutation Cases Not Found

जमा जमाबंदी के विरुद्ध भूमि संयोजक / Land Mortgage से सम्बंधित विवरण देखने के लिए यहाँ क्लिक करें

जमाबंदी में किये गए बदलाव का विवरण देखने के लिए यहाँ क्लिक करें

जमा जमाबंदी के विरुद्ध विभिन्न राजस्व कौट में दाखल मुकदमों का विवरण देखने के लिए यहाँ क्लिक करें

एक कम्प्यूटर जनित प्रति है
जो भी बदलाव की आवश्यकता के लिए कम्प्यूटर जनित प्रतियों में कराई जाये



KHASRA MAP



अध्यायक दामा
 डा. 11-70-302
 अंश - दामा
 अंश - 1



अध्यायक दामा
 डा. 11-70-302
 अंश - दामा
 अंश - 1

अध्यायक दामा
 डा. 11-70-302
 अंश - दामा
 अंश - 1



PLATES & SITE PHOTOGRAPH



**M/s Rajmahal Bricks, Vaishali
MINERAL- BRICK EARTH MINING**


**GOOGLE SATELLITE
500m BUFFER LOCATION MAP
OF THE STUDY AREA**

**At Mauza- Armaspur Damu, Block- Hajipur,
Dist.- Vaishali, Bihar**
Applicant:
M/s Rajmahal Bricks
Prop- **Shri Akhilesh Singh**
Area: **1.6 Ha. (3.95 Acres)**
Mining Depth- **2m bgl**



Legend

- GPS Boundary Location
- Actual Boundary
- Extr. Area
- Satellite_Raj1.img
- RGB
- Red Layer 1
- Green Layer 2
- Blue Layer 3



Handwritten signature

M/s Rajmahal Bricks, Vaishali
MINERAL- BRICK EARTH MINING

M/s Rajmahal Bricks, Vaishali
At Mauza- Azmatpur Damo, Block- Hajipur,
Distt.- Vaishali, Biha

Applicant:
M/s Rajmahal Bricks
Prop- Shri Akhilesh Singh

Area: 1.6 Ha. (3.95 Acres)
Mining Depth- 2m bgl

Index

- GPS Boundary Location
- Contour (1m) interval
- Mining Depth 2.0m
- Geological Plan
- Project Boundary
- Agriculture Land (LU) Landuse

PLATE NO-1

SURFACE & GEOLOGICAL PLAN

M/s Rajmahal Bricks
Prop- Shri Akhilesh Singh
At Mauza- Azmatpur Damo, Block- Hajipur,
Distt.- Vaishali, Bihar

Area: 1.6 Ha. (3.95 Acres)
Mining Depth- 2m bgl
Mauza- Azmatpur Damo, Block- Hajipur,
Distt.- Vaishali, Bihar
SCALE:- 1:500

DATE OF SURVEY

PREPARED BY :-

SIGNATURE



M/s Rajmahal Bricks, Vaishali MINERAL- BRICK EARTH MINING

At Mauza- Azmatpur Damo, Block- Hajipur,
Distt.- Vaishali, Bihar

Applicant:

M/s Rajmahal Bricks
Prop- Shri Akhilesh Singh
Area: 1.6 Ha. (3.95 Acres)

Mining Depth- 2m bgl

Index

GPS Boundary Location

Contour (1m) Interval

Mining Depth 2.0m

First Year

Second Year

Third Year

Fourth Year

Fifth Year Plan

Geological Plan

Project Boundary

Agriculture Land (A/L) Landuse

PLATE NO-2

DEVELOPMENT PLAN


M/s Rajmahal Bricks
Prop- Shri Akhilesh Singh
At Mauza- Azmatpur Damo, Block- Hajipur,
Distt.- Vaishali, Bihar

Area: 1.6 Ha. (3.95 Acres)
Mining Depth- 2m bgl
Mauza- Azmatpur Damo, Block- Hajipur,
Distt.- Vaishali, Bihar
SCALE:- 1:500

DATE OF SURVEY

PREPARED BY :-

SIGNATURE



85°16'21"E

85°16'30"E

85°16'33"E



85°16'20"E

85°16'30"E

85°16'32"E

85°16'34"E

M/s Rajmahal Bricks, Vaishali MINERAL- BRICK EARTH MINING

At Mauza- Azmatpur Damu, Block- Hajipur,
Distt.- Vaishali, Biha

Applicant:
M/s Rajmahal Bricks
Prop- Shri Akhilesh Singh
Area: 1.6 Ha. (3.95 Acres)
Mining Depth- 2m bgl

Index

- EMP
- GPS Boundary Location
- Contour (1m) interval
- Mining Depth 2.0m
- Geological Plan
- Project Boundary
- Agriculture Land (LL) Landuse

PLATE NO-3

EMP PLAN

M/s Rajmahal Bricks
Prop- Shri Akhilesh Singh
At Mauza- Azmatpur Damu, Block- Hajipur,
Distt.- Vaishali, Bihar

Area: 1.6 Ha. (3.95 Acres)
Mining Depth- 2m bgl
Mauza- Azmatpur Damu, Block- Hajipur,
Distt.- Vaishali, Bihar
SCALE:- 1:500

DATE OF SURVEY

PREPARED BY :-

SIGNATURE



Handwritten signature: J. S. Singh

**BRICK KILN****MINING SITE**

Handwritten signature: *Aditya*

